


4777 - Liverpool Range (WF Study Area) - Results



Threatened Species - Flora

Acacia ausfeldii

Swainsona sericea

Threatened Species - Birds

Black-chinned honeyeater

Brown treecreeper

Diamond firetail

Glossy black-cockatoo

Glossy black cockatoo (foraging)

Grey crowned babbler

Painted honeyeater

Powerful owl

Scarlet robin

Speckled warbler

Square-tailed kite (nest site)

Varied sitella

Threatened Species - Mammals

Squirrel glider

Threatened Species - Microbats

Common bent-wing bat

Corben's long-eared bat

Eastern cave bat

Large-eared pied bat

Yellow-bellied sheath-tail bat

Raptors

Australian hobby

Black-shouldered kite

Brown falcon

Nankeen kestrel

Wedge-tailed eagle

Wedge-tailed eagle (nest site)

Whistling kite

Vegetation Condition

Good

Moderate-Good

Moderate

Poor-Moderate

Poor

Exotic

Vegetation Type

Brittle Gum Stringybark Woodland

Mountain Gum Silvertop Stringybark Forest

Norton's Box Woodland

Riparian Forest - Rough-barked Apple, Blakely's Red Gum and Yellow Box

River Oak Woodland

Sandstone Forest - Narrow-leaved Ironbark dominant

White Box / Grey Box Grassy Woodland

Yellow Box Woodland

Native Pasture

Exotic Pasture

Combined Survey Area (Preferred Infrastructure Layout)

Combined Survey Area (Alternative Infrastructure Layout)

Indicative Turbine Locations

Substations

Overhead Powerlines

Underground Powerlines

Proposed Tracks

Existing Roads

Wind Farm Site Boundary



0 0.5 1 2 3 4 5 Kilometres

Approx. Scale @ A3 1:120000

Ref: 4777 - Liverpool Range Wind Farm

Produced by: Tom Hamilton

Date: 15 November 2013

Projection: GDA94 MGA Zone 55


Based on Infrastructure datasets provided by Epuron (2011-2013)

Aerial Photography provided by Epuron (Aug. 2011)

(C) Copyright Commonwealth of Australia (Geoscience Australia) 2008



4777 - Liverpool Range (TL Study Area) - Results



Threatened Species - Flora

- Acacia ausfeldii
- Swainsona sericea

Threatened Species - Birds

- Black-chinned honeyeater
- Brown treecreeper
- Diamond firetail
- Glossy black-cockatoo

- Glossy black cockatoo (foraging)
- Grey crowned babbler
- Painted honeyeater
- Powerful owl
- Scarlet robin
- Speckled warbler
- Square-tailed kite (nest site)
- Varied sitella

Threatened Species - Mammals

- Squirrel glider

Threatened Species - Microbats

- Common bent-wing bat
- Corben's long-eared bat
- Eastern cave bat
- Large-eared pied bat
- Yellow-bellied sheath-tail bat

Raptors

- Australian hobby
- Black-shouldered kite
- Brown falcon
- Nankeen kestrel
- Wedge-tailed eagle
- Wedge-tailed eagle (nest site)
- Whistling kite

Vegetation Condition

- Good
- Moderate-Good
- Moderate
- Poor-Moderate
- Poor
- Exotic

Vegetation Type

- Riparian Forest - Rough-barked Apple and Blakely's Red Gum
- Riparian Forest - Rough-barked Apple, Blakely's Red Gum and Yellow Box
- Sandstone Forest - Black Cypress Pine dominant
- Sandstone Forest - Inland Scribbly Gum dominant
- Sandstone Forest - Narrow-leaved Ironbark dominant
- Sandstone Forest - Red Ironbark dominant
- White Box / Grey Box Grassy Woodland
- Native Pasture
- Exotic Pasture

- Combined Survey Area (Preferred Infrastructure Layout)
- Proposed deviation for Square-tailed Kite nest buffer
- Combined Survey Area (Alternative Infrastructure Layout)
- Combined Survey Area (2nd Alternative Infrastructure Layout)
- Indicative Turbine Locations
- Substations
- Overhead Powerlines
- Underground Powerlines
- Proposed Tracks
- Existing Roads
- Wind Farm Site Boundary



0 0.5 1 2 3 4 5 Kilometres

Approx. Scale @ A3 1:100000
Ref: 4777 - Liverpool Range Wind Farm
Produced by: Tom Hamilton
Date: 15 November 2013
Projection: GDA94 MGA Zone 55

Based on Infrastructure datasets provided by Epuron (2011-2013)
Aerial Photography provided by Epuron (Aug. 2011)
(C) Copyright Commonwealth of Australia (Geoscience Australia) 2008