



DARLING WALK MASSING


ARC MASSING:



WEDGE MASSING:



SITE PLAN ARC
1:2000 @ A4



SITE PLAN WEDGE
1:2000 @ A4

SECTION 1:



SECTION 1:




FIGURE 1

Annual and seasonal windroses for Goat Island 1983




FIGURE 2



Predicted 1-hour average CO concentrations at 0 – 30m above ground level – all scenarios

FIGURE 3




Predicted 1-hour average CO concentrations at 40 – 60m above ground level – all scenarios

FIGURE 4




Predicted 1-hour average CO concentrations at 90 – 120m above ground level – all scenarios

FIGURE 5



Predicted 1-hour average NO₂ concentrations at 0 – 30m above ground level – all scenarios

FIGURE 7



Predicted 1-hour average NO₂ concentrations at 40 – 60m above ground level – all scenarios

FIGURE 8




Predicted 1-hour average NO₂ concentration at 90 – 120m above ground level – all scenarios

FIGURE 9




FIGURE 10




Predicted 1-hour average NO₂ concentrations at 145m above ground level – all scenarios

FIGURE 11



Predicted 24-hour average PM₁₀ concentrations at 40 – 60m above ground level – all scenarios

FIGURE 12



Predicted 24-hour average PM₁₀ concentration at 90 – 120m above ground level – all scenarios

FIGURE 13



Predicted 24-hour average PM₁₀ concentrations at 145m above ground level – all scenarios

FIGURE 14