


Acoustic Report objection to MP 06_0309 MOD 3



PCU068630

Name (Print) Janice Armstrong
Address (Print) 4 Kimbul Rd
Brightwaters 2261

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001



RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date:

10/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) PETER ALLWOOD

Address (Print) 47 LAKEVIEW RD

MORISSET PARK - NSW

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift-off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".


My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed



Date:

10.12.2016

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print)

Address (Print)

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date: 10.12.2016.

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) BUTCH CRAWFORD - GREENE

Address (Print) 191 DAUDARAGA RD UNIT 2
MIRRABOOKA 2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".


My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed



Date:

10/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) PHILIPPA DUMBRELL

Address (Print) 30 HENRY RD
..... MORISSET PARK 2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date:

P. Dumbrell

10. 12. 2016

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) MICHAEL APPLEBEE
Address (Print) 177 DANDOROUGH RD
MURRAIRIE
NSW 2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date:



10-12-16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) JAN CUNEO
Address (Print) 7 LAKEVIEW AVE
BRIGHTWATERS

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment


- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date:


I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) MARIE CORRIGAN
Address (Print) 31 PANDORAS RD
BRIGHTWATERS
.....

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed



Date: 10/12/2016

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Roslyn Allwood
Address (Print) 47 Lakeview Road
Morisset Park

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date:

R Allwood

10.12.16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Judy Morrison
Address (Print) 104 DAN DARAFA ROAD
..... BRIGHTWATERS

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.


My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed



Date:

10/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) *Micki Sna Morisset*
Address (Print) *102 N. Blandford*
..... *Brightwater*
..... *226 N.W.*

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift-off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

M. Morisset

Date:

10/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) MILLIEAN MARJORIE

Address (Print) 109A DANDAROG RD

BRIGHTWATERS

N.S.W. 2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed



Date: 10/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Maree Milligan
Address (Print) 76 Dandridge Rd
Brightwaters 2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed MM Milligan

Date: 10/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Kristin Chalmers
Address (Print) 17 Silverwater Rd
Silverwater NSW 2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

KChalmers

Date:

10/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Georgina O'Reilly
Address (Print) 45 Bullaba Rd
Brightwaters
2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".


My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed



Date:

10.12.16.

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Lauren Bagg

Address (Print) 80 Celestial Dr

Morisset Park

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed



Date: 10/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) JEAN CHARTERS

Address (Print) 27 LAKEVIEW ROAD
MORISSET PARK

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

J Charters

Date: *10.12.2016*

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Elizabeth Massey

Address (Print) 20 Bulgoma Road
Brightwaters NSW 2268

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

E Massey

Date:

10-12-16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) VIVIANE CLARK

Address (Print) 40 PRESCOTT AVENUE

COORAN BONG

NSW 2265

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date:

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Gordon Bate
Address (Print) 87 Sunshrie Parade
Sunshrie

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".


My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed



Date: 10/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Trudi Butler

Address (Print) 87 Sunshine Pde
Sunshine 2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed Trudi Butler

Date: 10/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Joanne Gale
Address (Print) 37 Asquith Ave
Windsor Park

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.


My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed



Date: 10/2/16.

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) PETER TEBBUTT
Address (Print) 56 PICCA PAI RD.
BRIGHTWATERS - NSW
2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date: Dec 9 2016



I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Wendy Carroll
Address (Print) 16 Lydon Cres
..... West Nowra
..... 2541

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) *"Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."*
 - b) *"Each mode of helicopter operation type which uses, or will use the landing site must be recorded"*.

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date:

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) TIM TERBUT
Address (Print) 15 / 37 - E / HARNETT AVE
..... MACQUARIE 2204
.....

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date: 9.12.16



I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Kevin O'Reilly
Address (Print) 22 Wingfield Street
WINDERMERE PARK
NSW 2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.


Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date:

12/12/6


I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) Heidi O'Reilly
Address (Print) 22 Wingfield Street
..... Windermere Park
..... NSW 2264

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed



Date:

11/12/16

I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.

Acoustic Report objection to MP 06_0309 MOD 3

Name (Print) E. WILSON
Address (Print) 72 BULGONIA RD
BRIGHTWATERS NSW 2264
12-12-16

Director Modification Assessments
Planning Services
Department of Planning and Environment
GPO Box 39
Sydney 2001

RE: Objection to MP 06 _ 0309 MOD 3

Dear Sir/ Madam,

I am one of 8000 residents who live within the overfly, descent and take-off landing zones for this additional development proposal submitted by Johnson Property Group's (JPG) for a helipad at Trinity Point.

I have read JPG's acoustic test reports and state that:

1. The standards for the assessment of noise the developer selected is an **obsolete** noise measurement instrument.
2. The helicopter used for the testing does not meet the current noise standards.
3. The locations used to record the measurement of sound does not include the ridgeway surrounding the proposed helipad site.

I therefore state that the acoustic report contained in **JPG's acoustic report is invalid** on the following basis;

- a) JPG's used superseded (1990) Australian Standards 2363.
- b) The current Australian Standards for Measurement of noise from helicopter operations is the Australian Standards 2363 1999. These current standards state that:
 - a) "Surrounding premises not associated with lift -off, overflight, landing and take-off must be measured."
 - b) "Each mode of helicopter operation type which uses, or will use the landing site must be recorded".

My comment

- a) No acoustic reading or measurement equipment was placed within the 'Significant Ridgeway' as identified in Lake Macquarie's City Council report on significant sites and ridgeways.
- b) Brightwaters Christian College was disrupted from the constant noise testing. This school is located in the ridgeway area.
- c) JPG provided no acoustic report for the 9 different helicopters which will use the helipad site.

Based on fact that JPG's documents refer to obsolete, and superseded standards the contents of the documentation contained in JPG's acoustic report must be considered as invalid. The contents of this acoustic report standards and the calculations over a 24 hour period have been selected by the proponent and bear no resemblance to real 'helicopter operations' for 8000 residents living within the noise zone. As a resident who will be adversely affected by intrusive helicopter noise from this proposed additional helipad I reject all items contained in JPG's acoustic report as the content not meet the current standards.

I object to **ANY** helipad or helicopter operations being approved in this area. I have not made any political donations in the last 2 years.

Signed

Date: 12-12-16



I support Morisset Park & District Action Groups (MPDAG) and other local associations objections to Johnson Property Group new development application.