Modification of Project Approval

Section 75W of the Environmental Planning & Assessment Act 1979

As delegate of the Minister for Planning, I modify the Project Approval referred to in Schedule 1, subject to the conditions in Schedule 2.

Anthea Sargeant **Executive Director**

Key Sites and Industry Assessments

Sydney 8 February

2018

SCHEDULE 1

Development Approval: MP 10_0113 granted by the Planning Assessment Commission

on 26 September 2012

For the following: Mixed use residential, retail and commercial development

incorporating:

demolition and excavation;

four residential buildings retail and commercial floor space;

basement car parking;

landscaping and public works around the buildings,

including lift and stairs to Epping Road;

• publicly accessible open space and through site links; and

road works.

Applicant:

Stamford Property Services Pty Ltd

Consent Authority:

Minister for Planning

The Land:

110-114 Herring Road, Macquarie Park

(Lot 1 DP 780314)

Modification:

MP 10_0113 MOD 9: the modification includes amendment of

Condition F10 to reflect the approved GFA.

SCHEDULE 2

The above approval is modified as follows:

(a) Schedule 2 Part A – Condition A2 is amended by the insertion of the **bold and underlined** words / numbers and deletion of the **struckout** words/numbers as follows:

A1 Development in Accordance with Plans and Documentation

The Development shall be undertaken in accordance with the Environmental Assessment, except where amended by the Preferred Project Report (February 2012) and Response to PPR submissions (February 2012) including all associated documents and reports; the Section 75W Modification Applications prepared by Urbis Pty Ltd (August 2013) and (August 2014) and (January 2015 amended 19 March and 13 April 2015)_and (16 March 2015 amended 8 May 2015),(26 July 2016)_and (21 September 2017), the Statement of Commitments prepared by Urbis Pty Ltd dated contained at Schedule 3; and the following drawings:

Architectural Drawings			
Drawing No.	Revision	Name of Plan	Date
DA0000	G	Cover Sheet	17.06.13
DA0100	С	Staging Diagrams	17.06.13
DA2001	K	Level B1 Plan	14.04.15
DA2002	J	Level B2 Plan	27.03.15
DA2003	H	Level B3 Plan	19.01.15
DA2100	J⊪	Level 00 Plan	8 July 2016
DA2101	G	Level 01 Plan	31.07.14
DA2102	G	Level 02 Plan	31.07.14
DA2103	Н	Level 03 Plan (Level 04 Omitted)	31.07.14
DA2105	Н	Level 05 Plan (Level 04 Omitted)	31.07.14
DA2106	E	Level 06 Plan	31.07.14
DA2107	Е	Level 07 Plan	31.07.14
DA2108	E	Level 08 Plan	31.07.14
DA2109	E	Level 09 Plan	31.07.14
DA2110	Н	Level 10 Plan	31.07.14
DA2111	F	Level 11 Plan	31.07.14
DA2112	E	Level 12 Plan	31.07.14
DA2113	F	Level 13 Plan (Level 14 Omitted)	31.07.14
DA2115	E	Level 15 Plan (Level 14 Omitted)	31.07.14
DA2116	Е	Level 16 Plan	31.07.14
DA2901	В	Resident's Outdoor Function Area Plan and Section	20.01.15
DA3100	Н	South Elevation (Epping Rd)	19.01.15
DA3101	Н	North Elevation	19.01.15
DA3102	Н	East (Herring Road) and West Elevation	19.01.15
DA3110	Н	Section 01	19.01.15
DA3111	н	Section 02	19.01.15

Н	Section 03 + Section 04	19.01.15
G	Section 05	19.01.15
С	Detailed Elevation Sheet 1	31.07.14
F	Sunlight Access Diagrams Winter Solstice June 21	17.06.13
F	Sunlight Access Diagrams Equinox March/September 21	17.06.13
F	Sunlight Access Diagrams Summer Solstice December 21	17.06.13
G	Views Sheet 01	04.08.14
G	Views Sheet 02	04.08.14
G	Views Sheet 03	04.08.14
G	Views Sheet 04	04.08.14
G	Views Sheet 05	04.08.14
	Landscape Plans	
Revision	Name of Plan	Date
	Landscape Concept Plan	5 July 2016
	Illustrative Sections Section A & B	31 July 2014
	Illustrative Sections Section C & D	31 July 201
	Illustrative Sections	31 July 2014
	Illustrative Sections Section G & H	31 July 2014
	Illustrative Sections	31 July 2014
		31 July 2014
Entran		
Revision	Title	Date
D	Entrance Layout	11 July 2016
06	Site Layout Plan Road Pavement Levels	11 July 2016
	G C F F F G G G G G Revision Entrance Revision D	G Section 05 C Detailed Elevation Sheet 1 F Sunlight Access Diagrams Winter Solstice June 21 F Sunlight Access Diagrams Equinox March/September 21 F Sunlight Access Diagrams Summer Solstice December 21 G Views Sheet 01 G Views Sheet 02 G Views Sheet 02 G Views Sheet 03 G Views Sheet 04 G Views Sheet 05 Landscape Plans Revision Name of Plan Landscape Concept Plan Illustrative Sections Section A & B Illustrative Sections Section C & D Illustrative Sections Section E ₇ & F Illustrative Sections Section G & H Illustrative Sections Section J & K Public Space Diagram Entrance and site layout plans prepared by Aurecon Revision Title D Entrance Layout

(b) Schedule 2 Part F – Condition F10 is amended by the insertion of the **bold and underlined** words / numbers and deletion of the struckout words/numbers as follows:

GFA Certification

Upon completion of the building works, a registered Surveyor is to certify that the Gross Floor Area (GFA) of the development of Buildings Adelaide, Brisbane, Darwin and Perth at the subject site and approved by this major project does not exceed 26,160m² 26,418m². Details shall be provided to the Certifying Authority demonstrating compliance with this condition prior to the issue of a final Occupation Certificate.

(c) The Statement of Commitments at Schedule 3 is deleted and replaced with the following Statement of Commitments:

TABLE OF STATEMENT OF COMMITMENTS

SUBJECT

COMMITMENT

Approved Project

Development on the site will be implemented in accordance with the Concept Plan entitled S75W Concept Plan Modification 2 and Project Application Modification 1' dated July 2013 as modified.

Stage 1 will be implemented in accordance with the Project Application Plans-entitled S75W Concept Plan Medification 2 and Project Application Medification 1' dated July 2013 as modified.

Approved floor space The total floor area of the development shall generally be in accordance with the approved Concept Plan Modification 24 (MP10_0122 MOD 24) and shall not exceed 56,066 56,082.50m2. The development shall contain a minimum 1,210m2 non-residential land uses.

Apartment mix/ accessibility

Approval is granted for a Stage 1 apartment mix of:

- Maximum 163 (48%) one bedroom apartments;
- Minimum 180 (52%) two bedroom apartments.

In order to ensure flexibility and options to live close to work, 27 SOHO apartments will be provided across the development site.

10% of apartments will be provided as Class C adaptable units across the development

Parking

On-site car parking must be provided at rates compliant with the Roads and Maritime Services (formerly Roads and Traffic Authority) Guide to Traffic Generating Development's requirements, which are as follows:

0.6 spaces per 1 bedroom apartment

0.9 spaces per 2 bedroom apartment

1.4 spaces per 3 bedroom apartment

1 space per 10 visitors

1 space per 100m² commercial GFA

Road Access and Traffic

In accordance with the recommendations of the Traffic Report prepared by Traffix and dated January 2011, a Travel Plan will be prepared which addresses:

COMMITMENT

- · Local bus stop locations;
- Bus and rail timetables;
- Location of taxi ranks in the locality;
- Location of local services within walking distance such as convenience stores, supermarkets and other retail related areas:
- How a car share scheme can be accommodated on site; and
- Local cycle routes including the City of Ryde cycle map.

The proponent commits to consulting with a car share operator such as Go Get to determine the feasibility of a car share scheme on-site.

Flora and Fauna and Tree Management

In accordance with the Flora and Fauna Assessment prepared by Total Earth Care dated December 2010 and the Arborist Report prepared by Earthscape Horticultural Services dated February 2011, the following will be implemented:

- Removal of trees should be offset with the revegetation of the Epping Road setback buffer zones and removal of exotic species from the site:
- Any landscaping or revegetation works are to incorporate locally indigenous native plant species, including those that are characteristic of STIF;
- The protection measures as recommended with the Arborist's Report prepared by Earthscape Horticultural Services;
- · Temporary fencing is to be installed around the construction area and machinery or materials storage areas to eliminate the potential for accidental damage to the STIF remnants and all retained trees on the site during construction works;

Native trees or limbs of trees that are removed as part of the clearing for the current proposal should be mulched and used on site in rehabilitation or landscaping works, for temporary sediment and erosion control during construction, or as habitat features in any restoration works;

- Implementation of the Tree Management Plan; and
- Planting of 20 new trees capable of attaining a height of thirteen metres at maturity.

Structural Adequacy The Structural design will be in accordance with:

AS / NZS1170.0 – 2002 General Principles;

COMMITMENT

- As / NZS1170.1 2002 Permanent, Imposed and Other Actions;
- AS / NZS1170.2 2002 Wind Actions;
- AS3600 2009 Concrete Structures;
- AS3700 2001 Masonry;
- AS4100 1998 Steel Structures;
- AS1720.1 1997 Timber Structures; and
- BCA 2009 Building Codes of Australia.

Construction, Waste and Traffic Impacts

Works will be carried out in accordance with the recommendations of the preliminary Construction Management Plan and Waste Management Plan prepared by Stamford Property Services and dated June 2013, and the preliminary Construction Traffic Management Plan prepared by Traffix and dated January 2011.

A detailed Construction Management Plan, Waste Management Plan and Construction Traffic Management Plan will be prepared and submitted when a builder is appointed and Construction Certificate documentation prepared. Further consultation regarding construction access will be undertaken with the RTA and Council prior to the completion of these Plans.

Soil and Water Management

Details of the easement recommended in the Civil Engineering Design Report prepared by Meinhardt and dated January 2011 will be provided to the Department of Planning prior to the issue of a Stage 1 Construction Certificate.

The stormwater and drainage network will be in accordance with the Civil Engineering Design Report prepared by Meinhardt and dated January 2011. Stormwater drainage infrastructure will be designed in accordance with:

- AS3500.3;
- City of Ryde Council's specifications;
- . The Concrete Pipe Association of Australia Guidelines; and
- The Australian Rainfall and Runoff (ARR) publication.

A bulk earthworks model will be provided with the Construction Certificate documentation for each stage, indicating the final cut and fill volumes.

COMMITMENT

Environmentally Sustainable Development

Residential development will need to meet the BASIX energy consumption benchmark with a target of achieving a 4 star Green Star rating. A further ESD statement will be submitted with the Stage 2 DA.

Infrastructure and Services

Future development on the site will include upgrades to energy, water, sewer and telecommunications infrastructure in accordance with service provider requirements.

Public Benefits

Public benefits provided to the wider community will include public access (provided by a covenant on the title) to communal open space areas and a proposed meeting room onsite.

Residential Amenity

The proponent commits to provide:

- A residential swimming pool;
- Residents gym;
- Provision of a herb/vegetable garden, the design of which will be detailed in the Stage 1 landscape plans, prior to the issue of a Construction Certificate;

Provision of a bicycle voucher, offering 50% off a range of bicycles approved by Stamford, for every residential purchaser; and

- Provision of a bicycle voucher, offering 50% off a range of bicycles approved by Stamford, for every 100m² of non-residential GFA.
- A community meeting room for occupiers of the development privately managed.

WSUD

WSUD measures for both stages will be in accordance with the Integrated Water Management Plan Rev B prepared by AECOM and dated June 2013:

- Rainwater harvesting for non-potable reuse including toilet flushing, clothes washing and irrigation; and
- Harvested rainwater will be treated via a gross pollutant trap to remove suspended solids prior to discharge into the rainwater tank.

In addition, the gross pollutant trap and rain gardens will be designed for the Treatable Flow Rate.

Water efficient fixtures and fittings including 3 WELS star rating dual flush toilets, 3 WELS star bathroom taps and 3 WELS star shower heads are being considered to meet GBCA targets.

COMMITMENT

Geotechnical and Contamination

Works will comply with the recommendations of the Geotechnical Investigation and Waste Classification of InSitu Materials Report prepared by Douglas and Partners and dated January 2011, and the Preliminary Contamination Assessment prepared by Douglas and Partners and dated February 2011. The proponent commits to:

- Carry out filling in accordance with the report;
- Undertake regular inspection by a geotechnical engineer following each progressive lift in excavation;
- All load bearing foundations inspected and spoon tested by an experienced geotechnical engineer or engineering geologist;
- Preparation of a dilapidation survey of adjacent buildings prior to and at the completion of bulk excavation works;

Once the site has been stripped of fill and excavated solls are stockpilled on site, an environmental scientist or engineer will inspect the site to confirm the classification of fill as General Solid Waste:

- Fill classified as General Solid Waste will only be transported to a facility licensed to accept General Solid Waste; and
- The preliminary classification of natural soils as VENM will be confirmed subject to an
 inspection once all filling has been removed.

Final or detailed design of retaining walls will be undertaken using an interactive computer software program such as WALLAP or FLAC during the progressive stages of wall construction, anchoring and bulk excavation.

Building Regulations

Where non-compliances with the BCA, Alternative Solutions will be employed to address these matters.

Erosion and Sediment Control

An Erosion and Sediment Control Plan measures outlined in the Meinhardt Civil Engineering Design Report and dated January 2011 will be incorporated into a detailed Erosion and Sediment Control Plan.

Landscaping

Landscaping and public domain works on the site will be implemented in accordance with the Landscape Plans prepared by Site Image entitled Macquarie Park Village 75w Stage 1 Project Plan Report dated 31 July 2014. A further detailed landscape plan in accordance with the principles of the approved Concept Plan will be submitted prior to issue of a Construction Certificate for each stage.

COMMITMENT

Acoustic

Glazing will be provided in accordance with the recommendations of the Acoustic Report dated January 2011 and letter dated 24 November 2011.

The following noise attenuation measures will be adopted for future retail/commercial tenancies as outlined in the Noise Impact Assessment prepared by Acoustic Logic and dated 20/6/13:

- Locating seating below awnings and overhangs to limit noise impact to residence above:
- Limit the number of seats within the courtyard;
- Locating external areas where noise transmission is limited; and
- Limit deliveries and waste removal to day time hours.

A detailed construction noise and vibration plan will be developed once construction programs have been developed further. The noise and vibration plan will be developed in accordance with the following:

- Australian Standard AS2436:1981 "Guide to noise control on construction, maintenance and demolition sites"; and
- DECCW "Interim Construction Noise Guideline".

Wind

The-recommendations of the Wind Report prepared by Vipac dated June 2013 will be implemented.

The effectiveness of wind control mechanisms will be validated prior to the issue of the relevant Construction Certificate.

Public Art

A detailed Public Art Plan will be prepared by a suitably qualified Public Art Consultant.

Waste

Allowance will be made for the future collection of waste by waste contractors in accordance with all relevant regulatory requirements.

Roads

Dedication of Type 3 If the council notifies the proponent that it does not require the provision of the road under Schedule 3 Condition C16, the proponent will pay Council an amount equal to the difference between construction costs for a Type 3 road and a pedestrian/cyclist/emergency vehicle access as proposed. The amount is to be determined by a qualified and practising quantity surveyor mutually agreed upon by the proponent and Council.

SUBJECT COMMITMENT Affordable housing The proponent will dedicate 4 appropriately sized and located dwelling units within Stage 1 and Stage 2 of the development to be administered as Affordable Housing. **Public Access** The provision of a staircase and lift along Epping Road to allow access to the existing bus stop on Epping road. Upgrade of Bus To facilitate the upgrade of the existing bus shelter on Epping Road. Shelter Development Appropriate contributions, commensurate with each stage, will be payable prior to the contributions issue of a Construction Certificate for that stage in accordance with the City of Ryde Section 94 Development Contributions Plan 2007.

End of Modification