


## **C - Moonee Quassia Survey Locations**

## C - MOONEE QUASSIA SURVEY LOCATIONS

Figure 7



CONVULSIONS. The incidence of convulsions was 1.2% in the 100 patients who received 100 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 50 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 25 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 12.5 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 6.25 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 3.125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 1.5625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.78125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.390625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.1953125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.09765625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.048828125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0244140625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.01220703125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.006103515625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0030517578125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00152587890625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000762939453125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0003814697265625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00019073486328125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000095367431640625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000476837158203125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00002384185791015625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000011920928955078125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000059604644775390625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000298023223876953125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000001490116119384765625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000007450580596923828125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000037252902984619140625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000186264514923095703125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000931322574615478515625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000004656612873077392578125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000023283064365386962890625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000116415321826934814453125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000582076609134674072265625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000002910383045673370361328125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000014551915228366851806640625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000072759576141834259033203125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000000363797880709171295166015625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000001818989403545856475830078125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000009094947017729282379150390625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000000045474735088646411895751953125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000000227373675443232059478759765625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000001136868377216160297393798828125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000000005684341886080801486968994140625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000000028421709430404007434844970703125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000000142108547152020037174224853515625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000000000710542735760100185871124267578125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000000003552713678800500929355621337890625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000000017763568394002504646778106689453125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000000000088817841970012523233890533447265625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000000000444089209850062616169452667236328125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000000002220446049250313080847263336181640625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000000000011102230246251565404236316680908203125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000000000055511151231257827021181583404541015625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000000000277555756156289135105907917022705078125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000000000001387778780781445675529539585113525390625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000000000006938893903907228377647697925567626953125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000000000034694469519536141888238489627838134765625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000000000000173472347597680709441192448139190673828125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000000000000867361737988403547205962240695953369140625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000000000004336808689942017736029811203479766845703125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000000000000021684043449710088680149056017398834228515625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000000000000108420217248550443400745280086994171142578125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.00000000000000000542101086242752217003726400434970855712890625 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.000000000000000002710505431213761085018632002174854278564453125 mg of diazepam. The incidence of convulsions was 0.5% in the 100 patients who received 0.0000000000000000013552527156068805425093160010874271392822265625 mg of

2007-2008



Tiffanien deSilva Pty Ltd  
 ACN 300 148 743  
 Level 10, 30 Clarence St  
 Sydney, NSW 2000  
 201 208 Sydney  
 F: 30 1234 4300  
 F: 30 1232 1251

**insites.com.au**

1:6,000 @ A3

## NOTES:

- 1.0 Whelan's Sites field surveys undertaken in 2006  
2.0 Gurnah's field survey undertaken in 2006  
3.0 DCOB @ Department of Lands 2006  
4.0 All features are approximate only and subject to detailed survey  
5.0 STREETPRO © MapInfo 2006

Year	Notes	Quotation Details
------	-------	-------------------

SCALE	1:600 @ A3	
COORDS	WGA	
UTM	N/A	
DATE OF PLAN	17-10-2008	
CHECKED BY/DATE	17-10-2008	
APPROVED BY/DATE	17-10-2008	
LOG REF	D195V	
ISS REF	D195V.AM.927	