



NSW GOVERNMENT
Department of Planning

Contact: Emma Barnet
Phone: (02) 9228 6441
Fax: (02) 9228 6540
Email: emma.barnet@planning.nsw.gov.au
Our ref: 06_0003; file no9041498
Your ref: U. 12242

Graham Beasley
Rygate & West
PO Box 107
Ulladulla NSW 2539

Dear Mr Beasley

Subject: Lots 1-4 DP730025 Murramarang Road and Forster Drive, Bawley Point, Shoalhaven LGA, residential/rural subdivision 06_0003

The Department has received your application for the proposed subdivision (comprising 27 residential lots and one rural lot) at Lots 1-4 DP730025 Murramarang Road and Forster Drive, Bawley Point, Shoalhaven LGA (MP06_0003).

The Director-General's Environmental Assessment Requirements (DGRs) for the environmental assessment of the project application are attached to this correspondence at **Attachment 1**. These requirements have been prepared in consultation with the relevant government agencies including council.

Attachment 2 lists the relevant plans and documents which will be required upon submission of your proposal.

It should be noted that the DGRs have been prepared based on the information provided to date. Under section 75F(3) of the Act, the Director-General may alter or supplement these requirements if necessary and in light of any additional information that may be provided prior to the proponent seeking approval for the project.

If the Environmental Assessment (EA) is not exhibited within 2 years of the date of issue of these requirements, you should consult further with the Director-General in relation to the preparation of the EA.

Please contact the Department at least two weeks before you propose to submit the EA for the project to determine:

- the fees applicable to the application. Note that you will need to provide a signed statement from a Quantity Surveyor to verify the capital investment value of the project;
- consultation and public exhibition arrangements that will apply; and
- number and format (hard-copy or CD-ROM) of the EA that will be required.

A list of some relevant technical and policy guidelines which may assist in the preparation of the EA are attached at **Attachment 3**.

Prior to exhibiting the EA, the Department will review the document to determine if it adequately addresses the DGRs. The Department may consult with other relevant government agencies in making this decision. If the Director-General considers that the EA does not adequately

address the DGRs, the Director-General may require the proponent to revise the EA to address the matters notified to the proponent.

Following this review period, the EA will be made publicly available for a minimum period of 30 days.

If your proposal includes any actions that could have a significant impact on matters of National Environmental Significance (NES), it will require an additional approval under the Commonwealth *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act). This approval is in addition to any approvals required under NSW legislation. It is your responsibility to contact the Commonwealth Department of the Environment, Water, Heritage and the Arts in Canberra (6274 1111 or <http://www.environment.gov.au>) to determine if the proposal is likely to have a significant impact on matters of NES and would require an approval under the EPBC Act. The Commonwealth Government has accredited the NSW environmental assessment process for assessing any impacts on matters of NES. As a result, if it is determined that an approval is required under the EPBC Act, please contact the Department immediately as supplementary DGRs will need to be issued.


Please note that under section 75U of the Act, Part 3A applications do not require certain permits/approvals required under other legislation. These matters are considered as part of the Part 3A assessment process. For example, Section 87 permits and Section 90 consents under the *National Parks and Wildlife Act 1974* are not required for Part 3A applications. Section 75U applies from the date of issue of the DGRs.

Notwithstanding, the Department still requires an equivalent level of information within the EA as would ordinarily be required for the issue of any such permit/approval to enable an assessment of the relevant works. Please notify the Department should any sub-surface testing be required during the preparation of your EA.

Copies of responses from government agencies to the Department's request for key issues and assessment requirements are enclosed at **Attachment 4**. Please note that these responses have been provided to you for information only and do not form part of the DGRs for the EA.

If you have any queries regarding these requirements, please contact Emma Barnet on 9228 6441 or email emma.barnet@planning.nsw.gov.au.

Yours sincerely



9.4.09

Chris Wilson
Executive Director
Major Project Assessments
as delegate for the Director General

Attachment 1

Director-General's Environmental Assessment Requirements

Section 75F of the *Environmental Planning and Assessment Act 1979*

| |
|--|
| Application number |
| 06_0003 |
| Project |
| Subdivision for the creation of 27 residential lots and one rural lot |
| Location |
| Lots 1-4 DP730025 Murramarang Road and Forster Drive, Bawley Point |
| Proponent |
| Rygate & West (Ulladulla) PO Box 107 Ulladulla |
| Date issued |
| March 2009 |
| General requirements |
| <p>The Environmental Assessment (EA) for the Project Application must include:</p> <ol style="list-style-type: none"> 1. An executive summary; 2. A detailed description of the proposal; 3. A thorough site analysis including constraints mapping and description of the existing environment; 4. Consideration of any relevant statutory and non-statutory provisions and identification of any non-compliances with such provisions, in particular relevant provisions arising from environmental planning instruments, Regional Strategies (including draft Regional Strategies) and Development Control Plans; 5. Consideration of the consistency of the project with the objects of the <i>Environmental Planning and Assessment Act 1979</i>; 6. Consideration of impacts, if any, on matters of National Environmental Significance under the Commonwealth <i>Environment Protection and Biodiversity Conservation Act 1999</i>; 7. An assessment of the potential impacts of the project and a draft Statement of Commitments, outlining environmental management, mitigation and monitoring measures to be implemented to minimise any potential impacts of the project; 8. The plans and documents outlined in Attachment 2; 9. A signed statement from the author of the Environmental Assessment certifying that the information contained in the report is neither false nor misleading; and 10. An assessment of the key issues specified below and a table outlining where in the EA these key issues have been addressed. |

| Key Issues | |
|--|---|
| The EA must address the following key issues: | |
| 1. Strategic Planning | |
| 1.1 | Justify the proposal with reference to relevant local, regional and State planning strategies. Provide justification for any inconsistencies with these planning strategies. |
| 1.2 | Demonstrate consistency with the Sustainability Criteria set out in the <i>South Coast Regional Strategy</i> . |
| 1.3 | Demonstrate consistency with the objectives of zone 2(c) under the <i>Shoalhaven LEP</i> , in particular address housing density and lot size. |
| 1.4 | Demonstrate consistency with the objectives of the zone 1(d) under the <i>Shoalhaven LEP</i> and the justification for the erection of a dwelling on a lot which is substantially below the development standard (40ha). |
| 2. Subdivision Design, Layout and Desired Future Character | |
| 2.1 | Demonstrate the consistency of the proposal with the character of existing development in terms of the locality, street frontage, building envelopes, energy and water efficiency and safety. |
| 2.2 | Demonstrate the consistency of the proposed subdivision design and layout with the Shoalhave DCP 100, <i>Coastal Design Guidelines for NSW</i> , <i>NSW Coastal Policy 1997</i> and <i>SEPP 71 – Coastal Protection</i> . |
| 2.3 | Identify the type of subdivision proposed across the site ie. community, torrens, strata. A draft community management statement should be provided if community title is proposed. |
| 2.4 | Provide details of potential building envelope, built form and design quality controls and the means for implementing them. |
| 2.5 | Provide details of any staging that demonstrates the lots will be released in an orderly and coordinated manner. |
| 2.6 | Provide justification for the location of a roadway within the 1(d) zone. |
| 2.7 | Outline the long-term management and maintenance of any areas of open space or conservation including ownership and control, management and maintenance funding, public access, revegetation and rehabilitation works and bushfire management. |
| 3. Visual Impact | |
| 3.1 | Address the visual impact of the proposal and the likely future development it will facilitate in the context of surrounding development and relevant mitigation measures. |
| 4. Infrastructure Provision | |
| 4.1 | Address existing capacity and requirements of the development for electricity, waste disposal, telecommunications and gas in consultation with relevant agencies. Identify and describe staging, if any, of infrastructure works. |
| 4.2 | Address and provide the likely scope of any planning agreements and/or development contributions with Council/ Government agencies (including relevant community/state infrastructure contributions). |
| 5. Traffic and Access | |
| 5.1 | Prepare a traffic impact study in accordance with Table 2.1 of the RTA's <i>Guide to Traffic Generating Developments</i> . The traffic impact statement should provide specific comment on the suitability of the access arrangements and should provide recommendations for suitable treatments required to ameliorate any traffic and safety impacts associated with the development. |
| 5.2 | Demonstrate adequate pedestrian linkages (such as through provision of footpaths) from the subdivision to the closest bus stop. |

| 6. Hazard Management and Mitigation | |
|--|--|
| <i>Coastal Processes</i> | |
| 6.1 | Address coastal hazards and the provisions of the <i>Coastline Management Manual</i> . In particular, consider impacts associated with sea level rise and more frequent and intense storms. |
| <i>Contamination</i> | |
| 6.2 | Identify any contamination on site and appropriate mitigation measures in accordance with the provisions of <i>SEPP 55 – Remediation of Land</i> . |
| <i>Acid Sulfate Soils</i> | |
| 6.3 | Identify the presence and extent of acid sulfate soils on the site and, where relevant, appropriate mitigation measures. Identify the need for an Acid Sulfate Management Plan (prepared in accordance with ASSMAC Guidelines). |
| <i>Bushfire</i> | |
| 6.4 | Address the requirements of <i>Planning for Bush Fire Protection 2006</i> (RFS). |
| <i>Geotechnical</i> | |
| 6.5 | Provide an assessment of any geotechnical limitations that may occur on the site and if necessary, appropriate design considerations that address these limitations. |
| <i>Flooding</i> | |
| 6.6 | Provide an assessment of any flood risk on site (for the full range of floods including events greater than the design flood, up to probable maximum flood; and from coastal inundation, catchment based flooding or a combination of the two) and having consideration of any relevant provisions of the <i>NSW Floodplain Development Manual 2005</i> . The assessment should determine: the flood hazard in the area; address the impact of flooding on the proposed development, address the impact of the development (including filling) on flood behaviour of the site and adjacent lands; and address adequate egress and safety in a flood event. |
| 6.7 | Assess the potential impacts of sea level rise and an increase in rainfall intensity on the flood regime of the site and adjacent lands with consideration of <i>Practical Consideration of Climate Change – Floodplain Risk Management Guideline</i> (DECC, October 2007) and in accordance with the NSW Government <i>Draft Sea Level Rise Policy Statement</i> (Feb 2004). |
| 7. Water Cycle Management | |
| 7.1 | Address and outline measures for Integrated Water Cycle Management (including stormwater) based on Water Sensitive Urban Design principles which addresses impacts on the surrounding environment (particularly Willinga lake and the associated SEPP 14 wetlands and the wetlands adjacent Murramarang Beach) drainage and water quality controls for the catchment, and erosion and sedimentation controls at construction and operational stages. |
| 7.2 | Prepare a conceptual design layout plan for the preferred stormwater treatment train showing location, size and key functional elements of each part of the system. |
| 7.3 | Assess the impacts of the proposal on surface water hydrology and quality during both construction and occupation of the site. |
| 7.4 | Consider the nature and profile of the groundwater regime under the site, including any hydrologic impacts which would affect its depth or water quality, result in increased groundwater discharge, impact on the stability of potential acid sulfate soils in the vicinity, or affect groundwater dependent native vegetation. |
| 7.5 | Demonstrate the capacity of the site to provide sustainable and sufficient potable water for the needs of future development. Identify proposed water supply source(s) including volume of water to be used (during both construction and operation), the function and location of all existing and proposed storages/ponds on the site and the design, layout, pumping and storage capabilities including associated earthworks and infrastructure works, must be clearly shown and explained. |

8. On-Site Sewerage Disposal

- 8.1 Provide a detailed assessment of the proposed method for effluent disposal for each lot in accordance with Shoalhaven DCP No.78 (On-site sewage management). This should include consideration of the suitability of proposed lot sizes, selected method for the site and the assessment of the cumulative effect of additional on-site sewage management systems within the catchment.
- 8.2 Provide details of the proposed on-going maintenance regime for the on-site sewerage disposal system. Potential impacts of the system on retained vegetation, the groundwater table and management during flood events must be considered.

9. Heritage and Archaeology

- 9.1 Identify whether the site has significance to Aboriginal cultural heritage and identify appropriate measures to preserve any significance. The assessment must address the information and consultation requirements of the draft *Guidelines for Aboriginal Cultural Heritage Assessment and Community Consultation* (DEC 2005) and *Interim Community Consultation Requirements for Applicants* (DEC 2004)
- 9.2 Identify any items of non-Indigenous heritage significance and, where relevant, provide measures for the conservation of such items. If non-Indigenous heritage items are identified, a Heritage Assessment of the non-Indigenous heritage values of the site is to be submitted, including any built, archaeological, landscape and moveable items of potential significance. A draft Statement of Heritage Impact is to be submitted detailing and evaluating any impacts that the development concept would have on the non-indigenous heritage significance of the site.
- 9.3 Address impacts on World Heritage areas, places listed on the National Heritage List and protected under the EPBC Act.

10. Flora and Fauna

- 10.1 Assess the potential direct and indirect impacts of the development on flora and fauna taking into consideration impacts on any threatened species, populations, ecological communities and/or critical habitat and any relevant recovery plan in accordance with DECC's *Draft Threatened Species Assessment Guidelines (2005)* and *Threatened Species Assessment Guidelines: The Assessment of Significance (DECC 2007)*. Describe the actions that will be taken to avoid or mitigate impacts or compensate unavoidable impacts, where relevant..
- 10.2 Provide a Plan detailing all hollow bearing trees to be removed as part of the development. The size of the hollows should be provided in the Evaluation of Impacts
- 10.3 Outline measures for the conservation of existing wildlife corridor values and/or connective importance of any vegetation on the subject land.
- 10.4 Address measures to protect and manage the riparian corridor and adjacent aquatic habitats (including the SEPP 14 wetland). Provide a description of the existing environment and potential impacts on these habitats.

11. Noise

- 11.1 Address potential noise impacts, in particular road traffic noise, for future residents and appropriate mitigation measures.

12. Socio-economic Impacts

- 12.1 Provide a social impact assessment for the development. Address the social and economic context of the development in terms of infrastructure requirements, public transport, community services and facilities (including schools and medical services).

Consultation

You should undertake an appropriate and justified level of consultation with the following agencies during the preparation of the environmental assessment:

(a) *Agencies or other authorities:*

- Shoalhaven Council;
- Department of Environment and Climate Change;
- Department of Primary Industries;
- NSW Rural Fire Service;

- Department of Water and Energy;
- Roads and Traffic Authority;
- Local Aboriginal Land Council/s and other Aboriginal community groups;
- Commonwealth Department of the Environment, Water, Heritage and the Arts; and
- Any relevant infrastructure providers

(b) *Public:*

Document all community consultation undertaken to date or discuss the proposed strategy for undertaking community consultation. This should include any contingencies for addressing any issues arising from the community consultation and an effective communications strategy.

The consultation process and the issues raised should be described in the Environmental Assessment.

Deemed Refusal Period

60 days

Attachment 2

Plans and Documents to accompany the Application

| | |
|---|--|
| Plans and Documents of the development | <p>The following plans, architectural drawings and diagrams of your proposal as well as the relevant documents will be required to be submitted for your application:</p> <ol style="list-style-type: none"> 1. The existing site survey plan is to be drawn to 1:500 scale (or other appropriate scale) and show: <ul style="list-style-type: none"> • the location of the land, the measurements of the boundaries of the land, the size of the land and north point; • the existing levels of the land in relation to buildings and roads; • location and height of existing structures on the site; and • location and height of adjacent buildings and private open space. 2. An aerial photograph of the subject site with the site boundary superimposed. 3. A Site Analysis Plan must be provided which identifies existing natural elements of the site (including all hazards and constraints), existing vegetation, property dimensions, footpath crossing levels and alignments, existing pedestrian and vehicular access points and other facilities, slope and topography, natural features such as watercourses, rock outcrops, utility services, boundaries, orientation, view corridors and all structures on neighbouring properties where relevant to the application (including windows, driveways etc.). 4. A locality/context plan drawn to 1:500 scale (or other appropriate scale) should be submitted indicating: <ul style="list-style-type: none"> • significant local features such as parks, community facilities and open space, water courses and heritage items; • the location and uses of existing buildings, shopping and employment areas; • traffic and road patterns, pedestrian routes and public transport nodes; • location of any wetlands adjacent the site; and • the existing site plan and locality plan should be supported by a written explanation of the local and site constraints and opportunities revealed through the above documentation. 5. A zoning plan must be provided which shows the existing zoning overlaid with the proposed development layout. An extract of the land use table or relevant clauses from the subject LEP is required. 6. Subdivision plans are to show the following:- <ul style="list-style-type: none"> • The location, boundary dimensions, site area and north point of the land, and names of roads fronting the land; • Title showing the description of the land with lot and DP numbers etc; • Existing and proposed subdivision pattern including all measurements and sites areas of existing and proposed allotments; • Location and details of all proposed roads and footpaths; • Location of all structures proposed and retained on site; • Location and details of access points to the subdivision; • Existing vegetation on the land and vegetation to be retained; • Location of services and infrastructure, and proposed methods of |
|---|--|

| | |
|----------------------------------|---|
| | <p>draining the land;</p> <ul style="list-style-type: none"> • Any easements, covenants or other restrictions either existing or proposed on the site; • Type of subdivision proposed (Torrens, strata and/or community title). • Cross sections of roads, including gradients, widths, road names, footpaths etc. • Existing and proposed finished levels in relation to roads, footpaths and structures; <p>7. A cut and fill plan – plan that shows all areas where cut and fill is proposed, including volumes to be removed and/or laid and final levels of these areas.</p> <p>8. Vegetation clearance plan – plan that shows all vegetation to be removed, including area and type of vegetation.</p> <p>9. Stormwater Management Plan - illustrating the concept for stormwater management from the site and must include details of any major overland flow paths through the site, any discharge points to the street drainage system, and any on-site wastewater systems. Where an on-site detention system is required, the type and location must be shown and must be integrated with the proposed landscape design. Site discharge calculations should be provided;</p> <p>10. Erosion and Sediment Control Plan – plan or drawing that shows the nature and location of all erosion and sedimentation control measures to be utilised on the site;</p> <p>11. Landscape Concept Plan – showing planting design and plant/tree species to be used, listing botanical and common names, mature height and spread, number of plants to be utilised in relation to the treatment of communal/public open space areas, footpaths, driveways and the public domain including details of street trees, furniture, signage, lighting and surface treatments (i.e. pavers).</p> <p>12. Construction Management Plan – a plan which outlines traffic and pedestrian management during construction and management of impacts on amenity of adjoining properties and appropriate mitigation measures including noise, dust and sediment and erosion controls;</p> <p>13. View analysis – artist's impression, photomontages, etc of the proposed development in the context of the surrounding development.</p> |
| Specialist advice | <p>Specialist advice, where required to support your Environmental Assessment, must be prepared by suitably qualified and practising consultants in relation to issues including, but not limited to, the following:</p> <ul style="list-style-type: none"> • Planning; • Flora and Fauna; • Bushfire; • Landscaping; • Geotechnical and/or hydrogeological (groundwater); • Stormwater/drainage; • Urban Design/Architectural; • Contamination in accordance with the requirements of SEPP 55; and • Acid Sulfate Soils. |
| Documents to be submitted | <ul style="list-style-type: none"> • Both hard copy and electronic versions of the Environmental Assessment will be required to be submitted. Please contact the |

| | |
|-----------------------------|---|
| | <p>Department prior to submitting your Environmental Assessment to determine how many copies will be required.</p> <ul style="list-style-type: none"> • If the Environmental Assessment is bulky, you will be required to package up each Environmental Assessment ready for distribution by the Department to key agencies. |
| Electronic Documents | <p>Electronic documents presented to the Department for publication via the Internet must satisfy the following criteria:-</p> <ul style="list-style-type: none"> ▪ All files should be approximately 5 Mb. ▪ Large files of more than 5 Mb will need to be broken down and supplied as different files. |

Attachment 3

State Government technical and policy guidelines

The following list provides relevant technical and Policy Guidelines which may assist in the preparation of the Environmental Assessment. It should be noted, however, that this list is not exhaustive as other documents and policies may need to be reviewed. It is also important to note that not all of these guidelines may be relevant to your proposal.

The majority of these documents can be found on the relevant Departmental Websites, on the NSW Government's on-line bookshop at <http://www.bookshop.nsw.gov.au> or on the Commonwealth Government's publications website at <http://www.publications.gov.au>.

| Aspect | Policy /Methodology |
|---|--|
| Biodiversity | |
| | Draft Guidelines for Threatened Species Assessment (DEC & DPI, 2005) |
| | Draft Threatened Biodiversity Survey and Assessment Guidelines (DEC, 2004) |
| | Why do Fish Need to Cross the Road? Fish Passage Requirements for Waterway Crossings (NSW Fisheries, 2003) |
| | Policy and Guidelines: Aquatic Habitat Management and Fish Conservation (NSW Fisheries, 1999) |
| | Threatened Species Management Manual (NPWS, 1998) |
| Coastal Planning | |
| | NSW Coastal Policy 1997 - A sustainable Future for the New South Wales Coast, NSW Government, 1997 |
| | Coastal Design Guidelines for NSW, PlanningNSW, February 2003 |
| | NSW Wetlands Management Policy (DLWC, March 1996) |
| | Coastline Management Manual (NSW Government 1990) |
| Community Consultation | |
| | Guidelines For Major Project Community Consultation, (NSW Department of Planning, 2007) http://www.planning.nsw.gov.au/assessingdev/pdf/Dr3%20DOP%20GuideMajProjComConsult%20BRO.pdf |
| Bushfire | |
| | Planning for Bushfire Protection 2006 (NSW Rural Fire Service) |
| Contamination and Soils | |
| | Managing Land Contamination: Planning Guidelines SEPP 55 – Remediation of Land (DUAP & EPA, 1998) |
| | Best Practice in Contaminated Sites (Commonwealth DEH, 1999, ISBN 0 642 546460) |
| | Contaminated Sites: Sampling Design Guidelines (EPA, 1999) |
| | NSW Acid Sulfate Soil Management Advisory Committee - Acid Sulfate Soil Manual (ASSMAC, 1998). |
| Environmental Management Systems | |
| | NSW Government Interim Water Quality and River Flow Environmental Objectives (DEC) |
| | Guidelines for the preparation of Environmental Management Plans (DIPNR, 2004) |

| Aspect | | Policy /Methodology |
|--|--|---|
| Heritage | | |
| Aboriginal | | Draft Guidelines for Aboriginal Cultural Heritage Impact Assessment and Community Consultation (DEC, 2005) |
| | | Interim Community Consultation Requirements for Applicants (DEC, 2004) |
| Non-Indigenous | | Assessing Heritage Significance Update for Heritage Manual, NSW Heritage Office, 2000 |
| | | Statements of Heritage Impact, NSW Heritage Office 2002 |
| | | NSW Heritage Manual, NSW Heritage Office 1996 |
| Noise | | |
| | | Environmental Criteria for Road Traffic Noise (EPA, 1999) |
| | | Acoustics - Road traffic noise intrusion - Building siting and construction (Standards Australia, 1989, AS 3671-1989) |
| Safety and Hazards | | |
| | | Electrical Safety Guidelines (Integral Energy) |
| Traffic & Transport | | |
| | | Guide to Traffic Engineering and Guide to Geometric Design of Rural Roads (Austroads, 2003, AP-G1/03) |
| | | Guide to Traffic Generating Developments (RTA, 2002) |
| Urban Design: Cycleway/Pathway Design | | |
| | | Guidelines for the Design and Construction of Paths and Cycleways along Watercourses and Riparian Areas (Version 2) (DIPNR/DNR) |
| Water | | |
| Water Quality | | Water quality guidelines for the protection of aquatic ecosystems for upland rivers. (ANZECC, 2000) |
| | | Australian and New Zealand Guidelines for Fresh and Marine Water Quality (ANZECC 2000) |
| Effluent Reuse | | Environmental Guidelines for the Utilisation of Treated Effluent by Irrigation (NSW DEC 2004) |
| Floodplain | | NSW Government Floodplain Development Manual - the Management of Flood Liable Land (DIPNR, 2005) |
| | | Practical Consideration of Climate Change – Floodplain Risk Management Guideline (DECC, October 2007) |
| Groundwater | | NSW State Groundwater Quality Protection Policy (DLWC, 1998, 0 7313 0379 2) |
| | | NSW State Groundwater Quality Protection Policy (DLWC 1998) |
| | | NSW Groundwater Dependent Ecosystem Policy (DLWC 2000) |
| Stormwater | | Managing Urban Stormwater: Soils & Construction (NSW Landcom, March 2004) - "The Blue Book" |
| | | Constructed Wetlands Manual (NSW DLWC 1998) |
| Waterways | | Waterways Crossing Design & Construction (Version 4 – DIPNR/DNR Draft Guidelines) |
| Wetlands | | NSW Wetlands Management Policy (DLWC 2000) |

Attachment 4
Agency Responses to Request for Key Issues
- For Information Only