Contents

Table of Contents

Section		Page
	Statement of Validity	
	Executive Summary	
	Table of Contents List of Tables List of Figures Glossary of key terms and abbreviations	
PART A	BACKGROUND TO THE PROJECT	
1.	Background	1.1
1.1. 1.2. 1.3.	Overview of the Project Purpose and structure of the EA Report The Proponent	1.1 1.4 1.5
2.	Addressing Sustainability	2.1
2.1. 2.2. 2.3.	Historical and statutory context Sustainability assessment framework Sustainability assessment model for the Project	2.1 2.3 2.7
3.	Need for the Project	3.1
 3.1. 3.2. 3.3. 3.4. 3.5. 3.6. 3.7. 	Strategic context Planning context Project need Alternative water supply options Cost effectiveness analysis Implications of doing nothing Summary of Project benefits if approved	3.1 3.4 3.5 3.11 3.15 3.19 3.19
4.	Stakeholder and Community Consultation	4.1
 4.1. 4.2. 4.3. 4.4. 4.5. 	Consultation objectives Whole of Government Taskforce Consultation activities leading into EA Report preparation Consultation activities during EA Report preparation Specific issues raised during consultation	4.1 4.2 4.3 4.5 4.9
4.6. 4.7.	Consultation activities during EA Report exhibition Ongoing consultation	4.14 4.15



5.	Overview of the Study Area	5.1
5.1.	Location and setting	5.1
5.2.	Climate and weather	5.1
5.3.	Geology, landforms and soils	5.3
5.4.	Fluvial geomorphology	5.8
5.5.	Water resources	5.10
5.6.	Aquatic ecology	5.13
5.7.	Terrestrial ecology	5.13
5.8.	Landscape and visual amenity	5.14
5.9.	Land use	5.15
5.10.	Socioeconomic profile and characteristics	5.17
5.11.	Noise and vibration	5.17
5.12.	Air quality	5.18
5.13.	Heritage	5.18
5.14.	Traffic and transport	5.20

PART B DESCRIPTION OF THE PROJECT

6.	Description of the Project	6.1
6.1	General description of the Project	6.1
6.2	Dam and spillway design development	6.4
6.4	Description of dam and related infrastructure	6.7
6.5	Dam access roads	6.13
6.6	Relocation of Salisbury Road	6.14
6.7	Quart Pot Creek area access	6.19
6.8	Other works	6.19
6.9	Operation	6.27
6.10	Dam safety	6.28
7.	Construction	7.1
7.1.	Project delivery	7.1
7.2.	Construction program and sequencing	7.2
7.3.	Pre-construction activities	7.3
7.4.	Construction activities	7.8
7.5.	Plant	7.11
7.6.	Materials	7.15
7.7.	Water	7.17
7.8.	Energy requirements	7.18
7.9.	Construction workforce	7.18
7.10.	Working hours	7.19
7.11.	Property access and traffic management	7.20
7.12.	Flood risk management	7.20
7.13.	Environmental management	7.20
7.14.	Communication and consultation	7.21

PART C PLANNING AND ASSESSMENT PROCESS

8.	Planning and Assessment Process	8.1
8.1.	New South Wales	8.1
8.2.	Commonwealth legislation and strategies	8.13
9.	Environmental Risk Assessment	9.1
9.1.	Introduction	9.1
9.2.	Risk assessment methodology	9.2
9.3.	Summary of key and other issues	9.8

PART D ASSESSMENT OF KEY ENVIRONMENTAL ISSUES

10.	Water Quality and Hydrology	10.3
10.1	Introduction	10.1
10.2	Existing environment of the Williams River	10.7
10.3	Water balance model	10.18
10.4	Environmental flow requirements	10.19
10.5	Environmental release strategy	1027
10.6	Water quality and hydrology	10.36
10.7	Fluvial geomorphology	10.43
10.8	Aquatic and riparian ecology	10.53
10.9	Downstream water users	10.60
10.10	Hunter estuary	10.62
10.11	Management of construction impacts	10.64
10.12	Post-construction management of the Williams River	10.65
10.13	Summary	10.73
11.	Terrestrial Ecology	11.1
11.1.	Introduction	11.1
11.2.	Key features of the existing environment	11.1
11.3.	Potential impacts on flora	11.8
11.4.	Potential impacts on fauna	11.13
11.5.	Mitigation and management measures	11.31
12.	Socioeconomic Issues	12.1
12.1.	Introduction	12.1
12.2.	Profiling of existing socioeconomic environment	12.2
12.3.	Effects on the regional economy	12.11
12.4.	Effects on the local economy	12.16
12.5.	Effects on land use and zoning	12.20
12.6.	Effects on natural resources	12.22
12.7.	Demand on health care facilities	12.22
12.8.	Demand on accommodation	12.23
12.9	Quart Pot/Munni Cemetery	12.24
12.10	Recreation opportunities	12.24
12.11	Impact mitigation	12.30
12.12	Summary	12.31

13.	Contemporary Heritage	13.1
13.1.	Introduction	13.1
13.2.	Legislative context	13.2
13.3.	Current heritage status	13.3
13.4.	Significance assessment and Statements of Significance	13.14
13.5.	Impact analysis	13.17
13.6.	Mitigation and management measures	13.29
14.	Aboriginal Heritage	14.1
14.1.	Introduction	14.1
14.2	Historical context	14.1
14.3	Previous archaeological evidence	14.2
14.4	AHIMS search results and Stage 1 assessment	14.3
14.5.	Stage 2 assessment	14.4
14.6.	Stakeholder consultation	14.8
14.7.	Results of assessment	14.10
14.8.	Project impacts	14.14
14.9.	Mitigation and management measures	14.16
15.	Landscape and Visual Amenity	15.1
15.1.	Key features of the existing environment	15.1
15.2.	Visual assessment methodology	15.4
15.3.	Key visual features of the Tillegra Dam project	15.4
15.4.	Potential visual impacts of construction phase	15.6
15.5.	Potential visual impacts of operational phase	15.7
15.6.	Visibility from areas surrounding the dam	15.7
15.7.	Visual impact assessment	15.12
15.8.	Potential opportunities for Tillegra Dam	15.20
15.9.	Mitigation and management measures	15.21
PART E	OTHER ENVIRONMENTAL ISSUES	
16.	Management of Other Environmental Issues	16.1
16.1	Noise and vibration	16.1
16.2	Air quality	16.19
16.3	Traffic and transport	16.37
16.4	Resource management	16.43
16.5	Contamination	16.52

17.	Cumulative, Consequential and Indirect Impacts	17.1
17.1.	Introduction	17.1
17.2.	Relationship to other existing regional water supply infrastructure	17.1
17.3	Assessment of other potential cumulative impacts	17.2
17.4.	Identification of other projects	17.3
17.5.	Construction	17.4
17.6.	Operation	17.6
17.7.	Mitigation and management measures	17.7
18.	Assessment of Residual Environmental Risks	18.1

19.	Climate Change and Greenhouse Gas Emissions	19.1
19.1.	Policy and legislative overview	19.1
19.2.	Climate change and recent case law	19.4
19.3.	Predicted climate change impacts	19.6
19.4.	Climate change impacts and the Project	19.9
19.5	Impacts of the Project on climate change	19.12
19.6	Carbon offsetting approach	19.14
19.7	Addressing climate change impacts	19.14
20.	Achieving Sustainability	20.1
20.1.	Introduction	20.1
20.2.	Methodology	20.2
20.3.	Sustainability assessment	20.2
20.4.	Overall Project performance	20.7
PART F	JUSTIFICATION AND CONCLUSIONS	

21. **Justification and Conclusions** 21.1 21.1. Introduction 21.1 21.2. Economic evaluation 21. 21.3. **Biophysical considerations** 21.3 21.4. Social considerations 21.4 21.5. Engineering feasibility 21.5 21.6. Sustainability 21.5 21.7. Meeting the Project's objectives 21.8 21.8. Alternatives 21.9 21.9. Consequence of doing nothing 21.9 21.9

21.10. Conclusions

22 References

Appendices

nts
nt

- 2 Minister for Planning's Section 75B(2) Declaration
- 3 Minister for Planning's Section 75C Declaration
- 4 Director-General's EA Requirements & EA Checklist
- 5 Supplementary Director-General's EA Requirements & EA Checklist
- 6 Ramsar wetland study
- 7 Study Team



Working Papers

- A Water Quality and Hydrology
- B Fluvial Geomorphology
- C Aquatic Ecology
- D Environmental Flows and River Management
- E Terrestrial Ecology
- F Sustainable Resource Use
- G Socioeconomic Assessment
- H Proposed Quart Pot / Munni Cemetery Relocation Plan
- I Roads and Other Infrastructure
- J Air Quality
- K Noise and Vibration
- L Contemporary Heritage
- M Aboriginal Heritage
- N Draft Integrated Land Use Plan
- O Construction Environmental Management Plan Guide

Technical Annexures

- A Tillegra Dam Concept Design Report
- B Salisbury Road Concept Design Report
- C Geology Interim Foundation Reports Volumes 1 & 2
- D Geology Storage Rim Stability and Seepage Reports Volumes 1-5
- E Geology Salisbury Road Geotechnical Report Volume 4

List of Tables

Table number	Table title	
Table 1.1	Key components of the Project	1.3
Table 1.2	Structure of EA Report	1.4
Table 2.1	Overview of ESD and international and domestic legislative contexts	2.2
Table 2.2	Preliminary key sustainability indicators	2.10
Table 3.1	Comparison of water source options	3.13
Table 3.2	Key elements of Water Infrastructure Project Options	3.17
Table 4.1	Issues raised through the TDCRG	4.11
Table 5.1	Monthly rainfall and temperature for Chichester and Lostock Dams	5.3
Table 5.1	Geological formations within Project area	5.5
Table 5.2	Published and surveyed traffic volumes	5.21
Table 6.1	Key elements of the Projects	6.3
Table 6.2	Dam option evaluation results	6.6
Table 6.3	Dam wall details by zone	6.7
Table 6.4	Road design sustainability aspects	6.18
Table 7.1	Location criteria for construction compounds and ancillary facilities	7.6
Table 7.2	Construction plant	7.11
Table 7.3	Construction material types and quantities	7.15
Table 8.1	Possible other NSW approvals	8.5
Table 8.2	Williams River Catchment Regional Planning Strategy policy objectives	8.11
Table 9.1	Matrix used to determine the level of environmental risk	9.3
Table 9.2	Consequence of risk	9.4
Table 9.3	Principal environmental risks from construction and operation of Tillegra Dam	9.5
Table 10.1	River reaches and sampling sites	10.5
Table 10.2	Williams River subcatchments relevant to Project	10.7
Table 10.3	Water users within the Williams River water source	10.16
Table 10.4	Statistical analysis of flows to the estuary (1 Jan 1999 to 12 Feb 2005)	10.17
Table 10.5	River Flow Objectives and Tillegra Dam operation opportunities	10.21
Table 10.6	Key features and functions of flow components for the Williams River	10.23
Table 10.7	Initial base case release strategies investigated	10.28
Table 10.8	Glen Martin gauge historic and final release scenario	10.34
Table 10.9	Final environmental flow scenario as improved from base case	10.35
Table 10.10	'With dam' scenario discharges for various flow duration indices	10.44
Table 10.11	Per cent exceedances for historic flows (at Glen Martin) compared to modelled flows	
	for preferred operational regime	10.61
Table 11.1	Habitat features of the Project area	11.7
Table 11.2	Extent of vegetation removal associated with the Project	11.9
Table 11.3	Extent of EEC removal	11.10
Table 11.4	Extent of EECs in the region and 20 km radius of the Project	11.10
Table 11.5	Threatened flora species potentially occurring within the Project area	11.12
Table 11.6	Extent of habitat removal within inundation area	11.14
Table 11.7	Key threatening processes – TSC Act	11.15



Table 11.8	Key threatening processes – EPBC Act	11.17
Table 11.9	Threatened fauna species potentially occurring within the Project area	11.18
Table 11.10	Potential Impacts on recorded EPBC Act listed migratory species	11.30
Table 11.11	Vegetation impacts and offsetting	11.34
Table 12.1	Lower Hunter population centres	12.3
Table 12.2	Community profile: Lower Hunter centres	12.3
Table 12.3	Employment by industry sector in Lower Hunter centres	12.4
Table 12.4	Labour force status of Lower Hunter centre	12.5
Table 12.5	Labour force status for Dungog	12.8
Table 12.6	Snapshot of comparable recreational facilities and activities in the Upper Hunter region	12.25
Table 13.1	Current heritage status summary	13.4
Table 13.2	Potential historic heritage items and sites	13.13
Table 13.3	Assessment against State Heritage Register criteria for Munni House	13.15
Table 13.4	Assessment against State Heritage Register criteria for Quart Pot/Munni Cemetery	13.16
Table 13.5	Items of Local heritage significance	13.17
Table 13.6	Analysis of heritage impacts of Local significance	13.22
Table 13.7	Potential historic heritage items and sites	13.26
Table 14.1	Archaeological sites and recovered artefacts	14.12
Table 14.2	Significance level assessment for identified sites	14.14
Table 15.1	Visual assessment and ranking of potentially impacted properties	15.1
Table 16.1	Baseline monitoring locations	16.3
Table 16.2	Noise monitoring results	16.3
Table 16.3	Effective noise limits for construction for construction	16.6
Table 16.4	Construction noise criteria	16.6
Table 16.5	Typical vibration levels for construction plant	16.7
Table 16.6.	Predicted noise levels for dam wall construction	16.11
Table 16.7	Predicted noise levels (standard hours) for Salisbury Road construction	16.16
Table 16.8.	Minimum recommended distances between blasting and sensitive receptors	16.17
Table 16.9	Stratford Coal Mine annual 24-hour average PM10 concentrations	16.20
Table 16.10.	Construction phases and likely dust-generating activities	16.23
Table 16.11	Emission factors for proposed construction activities	16.24
Table 16.12	NSW air quality guidelines	16.25
Table 16.13	Predicted ground level concentrations at nearest sensitive receptors	16.27
Table 16.14	Predicted PM10 levels at nearest receptors	16.31
Table 16.15	Anticipated types of construction waste	16.47
Table 16.16	Potentially reusable/recyclable materials within the inundation area	16.49
Table 16.17	Suggested order of removal of materials	16.50
Table 16.18	Site history investigation	16.53
Table 16.19	Potential sources of contamination within the Project area	16.53
Table 16.20	Preliminary risk assessment for targeted locations	16.56
Table17.1	Major projects in the Hunter region (as at 18 July 2008)	17.3
Table 18.1.	Residual environmental risks	18.3
Table 19.1.	Current and projected climate change in the Hunter-Central Rivers Catchment	19.7
Table 19.2.	Potential climate risk and opportunities to the Project and possible mitigation and	
	adaptation responses	19.10
Table 19.3.	Estimated construction-related GHG emissions	19.12
Table 19.4.	Summary of scope and emissions for the Project	19.13
Table 19.5	Summary of offset approach	19.14

List of Figures

Figure number	Figure title	
Figure 1.1	Regional locality map	1.2
Figure 2.1	Overview of the sustainability assessment framework for the Project and the	
	proposed sustainability assessment model	2.4
Figure 3.1	Australian rainfall deciles 1 January to 31 December 2006 (National Climate Centre	2006) 3.2
Figure 3.2	Performance of existing Lower Hunter water supply system	3.6
Figure 3.3	Historic water demand in the Lower Hunter region	3.8
Figure 3.4	Forecast demand to 2031	3.9
Figure 3.5	Hunter water supply system performance in drought	3.11
Figure 3.6	Water supply augmentation options	3.12
Figure 5.1	Existing environment	5.2
Figure 5.2	Major catchments and subcatchments of the Williams River	5.9
Figure 5.3	Historic annual supply sources	5.12
Figure 5.4	General land use.	5.16
Figure 6.1	Key components of the project	6.2
Figure 6.2	Dam design layout	6.9
Figure 6.3	Dam design cross sections	6.10
Figure 6.4	Salisbury Road relocation options	6.15
Figure 6.5	Utilities relocation	6.20
Figure 7.1	Construction program	7.3
Figure 7.2	Proposed materials haulage routes	7.5
Figure 7.3	Dam construction area	7.7
Figure 7.4	Potential drill and blast operations	7.9
Figure 7.5(a)	Prior to construction	7.12
Figure 7.5(b)	Phases 1A, 1B	7.12
Figure 7.5(c)	Phases 1C, 1D	7.13
Figure 7.5(d)	Phases 2A, 2B, 2C	7.13
Figure 7.5 (e)	Phases 2D, 3A	7.14
Figure 7.5 (f)	Finished dam including CTGM water transfer pipeline	7.14
Figure 8.1	Part 3A EA process	8.3
Figure 9.1	Matrix used to determine the level of Environmental Risk	9.1
Figure 10.1	River basin components	10.2
Figure 10.2	River reaches and sampling locations along the Williams River	10.6
Figure 10.3	Habitats within the Williams River	10.8
Figure 10.4	Typical ecosystem and flow levels of the Williams River	10.9
Figure 10.5	Groundwater flow	10.11
Figure 10.6	Groundwater bore locations	10.15
Figure 10.7	Water Balance	10.20
Figure 10.8	Historic daily flows at Tillegra Bridge	10.24
Figure 10.9	Tillegra discharge and flow components	10.25
Figure 10.10	Daily flow distribution for Tillegra and Glen Martin	10.32
Figure 10.11	TD cyanobacteria temp & DO contours vs time	10.39
Figure 11.1	Vegetation of communities	11.2
Figure 11.2	Locations of terrestrial fauna survey sites 1	11.4



Figure 11.3	Location of threatened fauna species recorded during field surveys	11.6
Figure 11.4	Land available for habitat corridor	11.33
Figure 12.1	Classes of Agricultural Land	12.10
Figure 12.2	Key Results Hunter Region – GDP capital and employment	12.14
Figure 12.3	Key Results Hunter Region – Aggregate Consumption and Aggregate Investment	12.14
Figure 12.4	Key National Results – GDP Capital employment	12.15
Figure 12.5	Key National Results – Aggregate Consumption and Aggregate Investment	12.15
Figure 12.6	Household Income – Hunter	12.17
Figure 12.7	Household Income – Rest of NSW	12.17
Figure 12.8	Household Income – Rest of Australia	12.18
Figure 12.9	Comparable Recreational Areas	12.26
Figure 12.10	Potential Recreational Opportunities	12.28
Figure 13.1	Archaeological sites with potential contemporary heritage value	13.11
Figure 13.2	Historic features and built sites with potential heritage value	13.14
Figure 14.1	Aboriginal archaeological assessment testing areas	14.6
Figure 14.2	Aboriginal archaeological sites recorded in the study area	14.11
Figure 15.1	Panoramas of local views	15.1
Figure 15.2	Residences within approximately 5 kilometres of the storage	15.8
Figure 15.3	Visual catchments	15.9
Figure 15.4	Simulated views of the storage	15.11
Figure 15.5	Location map of sensitive receptors	15.14
Figure 15.6a	Viewsheds of sensitive receptors V1, V2	15.16
Figure 15.6b	Viewsheds of sensitive receptors V3, V4-5	15.17
Figure 15.6c	Viewsheds of sensitive receptors V6, V7	15.18
Figure 15.6d	Viewsheds of sensitive receptors V8, V9	15.19
Figure 16.1	Noise contours for Dam Construction Phase 1B Day	16.2
Figure 16.2	Noise contours for Dam Construction Phase 1B Night	16.8
Figure 16.3	Noise contours for Dam Construction Phase 2C/2D Day	16.9
Figure 16.4	Noise contours for Dam Construction Phase 2C/2D Night	16.10
Figure 16.5	Noise contours for Construction Noise Salisbury Road area 1	16.13
Figure 16.6	Noise contours for Construction Noise Salisbury Road area 2	16.14
Figure 16.7	Noise contours for Construction Noise Salisbury Road area 3	16.15
Figure 16.8	Location of sensitive receptors	16.21
Figure 16.9	Dam site PM2.5 daily averaged contours for construction	16.28
Figure 16.10	Dam site PM10 daily averaged contours for construction	16.29
Figure 16.11	PM10 average annual contours for construction	16.30
Figure 16.12	TSP Annually averaged contours	16.32
Figure 16.13	TSP Monthly deposition	16.33
Figure 16.14	Salisbury Road PM10 daily averaged contours for construction	16.35
Figure 16.15	Main access routes to the Project site	16.38
Figure 16.16	Waste management hierarchy	16.45
Figure 16.17	Locations of potentially contaminating activities	16.55

Glossary of key terms and abbreviations

Term	Definition
AADT	annual average daily traffic
ABARE	Australian Bureau of Agricultural and Resource Economics
ABS	Australian Bureau of Statistics
AEP	Annual Exceedance Probability
AGIC	Australian Green Infrastructure Council
AHD	Australian Height Datum
AIHMS	Aboriginal Heritage Information Management System
Alluvium	Silt or fine sand deposited by flowing water
Amphidromous	Fish that migrate between the fresh water and the sea (or estuaries) at a regular life history
-	stage, but not directly to spawn
Anoxic	Lacking in oxygen
ANZECC	Australian and New Zealand Environment Conservation Council
ARI	Annual recurrence interval – the long-term average period (usually expressed in years)
	between the occurrence of a flood as big as or larger than the selected event
ANCOLD	Australian National Committee on Large Dams
ANZECC/ARMCANZ	Australian and New Zealand Guidelines for Fresh and Marine Quality
Bankfull	Refers to the high flow within a river's channel capacity
BCR	benefit cost ratio
ВОМ	Bureau of Meteorology
CASET	Computer Aided Sustainability Evaluation Tool
Catadromous	Fish that migrate from fresh water as adults to spawn at sea (or in estuaries)
Catchment	The area drained by a stream or body of water or the area of land from which water is
	collected
CEEQUAL	Civil Engineering Environmental Quality Assessment and Award Scheme
CEA	cost effectiveness analysis
CFRD	concrete face rockfill dam
CGE	computable general equilibrium
CoAG	Council of Australian Governments
Coffer dam	A temporary dam built to divert a river around a construction site so a dam can be built on
	dry ground
Concept design	Initial functional layout of a concept, such as a road or road system, to provide a level of
	understanding to later establish detailed design parameters
CoRTN	calculation of road traffic noise
Council	Dungog Shire Council
CSIRO	Commonwealth Scientific and Industrial Research Organisation
CTGM	Chichester Trunk Gravity Main
DECC/ DECCW	NSW Department of Environment and Climate Change (name changed to Department of
	Environment Climate Change and Water in August 2009 during finalisation of the EA report,
	both acronyms are used within this report).
DEWHA	Commonwealth Department of the Environment, Water, Heritage and the Arts (formerly the
	Department of the Environment and Heritage)
Design speed	A nominal speed used for the design of geometric features of the road, such as curves
DHS	Dungog Historical Society
Diadromous	Fish that migrate between fresh and salt water at regular life history phase, in either direction,
	but not necessarily to spawn



DNR	NSW Department of Natural Resources
DO/L	Amount of dissolved oxygen (milligrams) per litre
DoC	NSW Department of Commerce (name changed to Department of Services, Technology and
	Administration in August 2009 during finalisation of the EA report, both acronyms are used
	within this report).
DoP	NSW Department of Planning
DGRs	Director-General's requirements
DPI	NSW Department of Primary Industries (name changed to Industry and Investment NSW in
	August 2009 during finalisation of the EA report, both acronyms are used within this report).
DSC	NSW Dams Safety Committee
DSC	Dungog Shire Council
DSEP	Dam Safety Emergency Plan
DSRD	NSW Department of State and Regional Development
DWE	NSW Department of Water and Energy
DWTW	Dungog Water Treatment Works
EA	environmental assessment
EARs	environmental assessment requirements
ECRD	Earth core rockfill
ESD	Ecologically sustainable development – the use and conservation of community resources so
	that ecological processes on which life depends are maintained and the total quality of life,
	now and in the future, can be increased
EEC	endangered ecological community
Embankment	A mound or bank of earth or stone formed to support a roadway, serve as a protective barrier,
	or the like
EMP	environmental management plan
EMS	environmental management system
Environment	A licence that allows pollution of the environment under controlled conditions regulated by
protection	the Department of Environment and Climate Change
licence	
Environmental flow	The amount of water required by a water course to maintain a healthy ecosystem
Eol	expression of interest
EP&A Act	NSW Environmental Planning and Assessment Act 1979
EPBC Act	Commonwealth Environment Protection and Biodiversity Conservation Act 1999
Extirpate	To become locally extinct
FDCV	fixed cone dispersion valve
FIDIC	International Federation of Consulting Engineers
Fresh	Flow which is greater than the median flow for a particular season
FSL	Full supply level – the level of the storage at 100 per cent capacity; set at RL 152.3 for Tillegra
Dam	
GGAS	Greenhouse Gas Abatement Scheme
GDP	Gross Domestic Product
GIS	Geographic Information System
GHG	Greenhouse Gas
GL	gigalitres
GRI	Global Reporting Initiative - A multi-stakeholder, international organisation that has
Ghi	developed a Sustainability Reporting Framework and accompanying guidelines to allow
	organisation to report on their environmental, economic an social performance.

HCRCMA	Hunter-Central Rivers Catchment Management Authority
HEP	hydroelectric power
HWC	Hunter Water Corporation
Hypolimnetic	Describes a deeper, cooler layer of a waterbody which results from stratification
ICOLD	International Commission on Large Dams
ICOMOS	Australia International Council on Monuments and Sites
ILUP	Integrate land use plan
IPART	Independent Pricing and Regulatory Tribunal
IUCN	World Bank and World Conservation Union
IWRP	Integrated Water Resource Plan
kg/m ³	kilograms per cubic metre
km/h	kilometres per hour
L _{A10}	The noise level which is exceeded for 10 % of the sample period. During the sample period
-410	the noise level is below L _{A10} level for 90% of the time. The L _{A10} is a common noise descripto
	for environmental noise and road traffic noise
L _{A90}	The noise level which is exceeded for 90% of the sample period. During the sample period
-A90	the noise level is below L _{A90} level for 10% of the time. This measure is commonly referred to
	as background noise level
L _{Aeq}	The equivalent continuous sound level. This is the energy average of the varying noise ove
	the sample period and is equivalent to the level of constant noise which contains the same
	energy as the varying noise environment. This measure is also a common measure o
	environmental noise and road traffic noise
Lacustrine	Pertaining to lakes
LALC	Local Aboriginal Land Council
Lentic	Freshwater habitat characterised by standing or still waters
LEP	Local environment plan
LGA	Local Government Area
L/m²/hr	litres per square meter per hour
Lotic	Freshwater habitat characterised by running waters
L/s	litres per second
LWD	large woody debris
mAHD	metres above Australian Height Datum
ML	megalitres
ML/d	megalitres per day
ML/yr	megalitres per year
m/s	metres per second
m ³ /s	cubic metres per second
m ³ /yr	cubic metres per year
NECP	National Environment Protection Council
NEPM	National Environmental Protection Measures
NES	(matter of) national environmental significance
NO ₂	nitrogen dioxide
NPV	net present value
NPWS	NSW National Parks and Wildlife Service (part of the Department of Environment and Climate Change)



DA	planning approval
PA	planning approval
PAD	potential archaeological deposit
PFM	planning focus meeting
PMF	Probable maximum flood
PM _{2.5}	Particulate matter less than or equal to 2.5 micrometres in diameter
PM ₁₀	Particulate matter less than or equal to 10 micrometres in diameter
POEO Act	NSW Protection of the Environment Operations Act 1997
PPV	Peak particle velocity – measured in millimetres per second (mm/s)
Potamodromous	Fish whose life history is contained entirely within fresh water. Migrations, if they occur, do so
	within the freshwater system
PWA	Planning Workshop Australia
RBL	rating background levels
REP	Regional environmental plan
RFO	river flow objective
RFS	NSW Rural Fire Service
RL	Reduced level
RCCD	roller compacted concrete dam
RTA	Roads and Traffic Authority
SEPP	State Environmental Planning Policy
SOCs	Statement of Commitments
ТАРМ	The Air Pollution Model
Taskforce	Whole of Government Taskforce
TDCRG	Tillegra Dam Community Reference Group
t/ha/yr	tonnes per hectare per year
Thermocline	The middle layer in a thermally stratified lake or storage where the temperature declines with
	depth
ТМР	traffic management plan
TN	Total nitrogen
TDS	Total dissolved solids - the dissolved mineral content of groundwater, commonly expressed
	in milligrams per litre
тос	total organic carbon
ТР	Total phosphorus
TSC Act	NSW Threatened Species Conservation Act 1995
TSP	Total suspended particulates
TSR	travelling stock reserve
t/yr	tonnes per year
UDIA	Urban Development Institute of Australia
UNCSD	United Nations Commission on Sustainable Development
UNFCCC	United Nations Framework Convention on Climate Change
USACE	United States Army Corps of Engineers
µg/m³	micrograms per cubic metre
μs/cm	microsiemens per centimetre
VM	value management
WCD	World Commission on Dams
WRAPP	Waste Reduction and Purchasing Policy
WSAA	Water Services Association of Australia