

# Figures

*"This page has been left blank intentionally"*






PORT KEMBLA PORT CORPORATION  
PORT KEMBLA OUTER HARBOUR DEVELOPMENT REGIONAL VIEW

JAN 2010  
60039301




0 2.5 5 4 km

Fig. 1











N  
▲**Morning****Afternoon****All Hours**WIND SPEED  
(m/s)





$\geq 11.1$
8.8 - 11.1
6.7 - 8.8
3.6 - 5.7
2.1 - 3.6
0.5 - 2.1

N  
▲**Morning****Afternoon****All Hours**WIND SPEED  
(m/s)

≥ 11.1
8.8 - 11.1
5.7 - 8.8
3.8 - 5.7
2.1 - 3.8
0.5 - 2.1

N  
▲**Morning****Afternoon****All Hours**

N  
▲**Morning****Afternoon****All Hours**

N  
▲**Morning****Afternoon****All Hours**



- Source
- Sensitive receptor
- Criteria ( $\mu\text{g}/\text{m}^3$ )
- Rail infrastructure upgrade
- Development footprint
- XXXX Dredging area

**SCENARIO 1A - MAJOR PROJECT: CONSTRUCTION  
PREDICTED PM<sub>10</sub> 24 HOUR AVERAGE  
GLC IN ISOLATION FROM BACKGROUND**

Source: Google (2009), DigitalGlobe (2009)

JAN 2010

60039301

Fig. 8

0 125 250 500 m