

stoneworking (eg the manufacture or rejuvenation of a single tool during hunting, or whilst in transit from one camp to another) (Hiscock 1988:19). Artefact scatters may occur as surface concentrations or as dateable stratified deposits, and can provide information on such things as patterns of Aboriginal landuse, movement and exchange.

Shell middens

Middens are open campsites dominated by shellfish remains. They are generally found close to the shellfish source and contain predominantly mature specimens of edible shellfish species. In addition to shell, middens may contain stone tools and flaking debris, charcoal from cooking fires, ochre nodules and animal bone. Human burials have also been recorded in direct association with midden deposits.

Middens vary considerably in size. Some are thin surface scatters that have constituted little more than a meal for a small group gathering food away from a main camp, while others are well consolidated deposits representing consistent use by large groups of people over long periods of time.

Scarred trees

Scarred trees bear scars caused through the removal of bark and/or wood for making material items such as canoes, shields and containers, or which have been marked for other reasons (eg toe-holds to aid climbing). Because scarred trees are usually associated with domestic activities, their distribution often correlates with the distribution of artefact scatters, middens and other types of campsites (Long 2005).

Predictive model of archaeological site location

Existing site location data indicates that the eastern dune systems represent the most archaeologically sensitive landforms in the Rainbow Beach locality. In addition to midden horizons in the frontal dune, artefact scatters/campsites have been recorded on rises towards the inland periphery of the degraded inner barrier sands, adjacent to Duchess Gully and former backswamps.

The existing data also points to a moderate level of archaeological sensitivity for the low-gradient footslopes of bedrock-soil hills based on the Grants Head Formation, where two artefact scatters/open campsites have been recorded in direct association with surface lags of naturally occurring siltstone, jasper, chert and quartz pebbles that might have provided on-site sources of raw stone materials. Despite several surveys both within and near the proposed Rainbow Beach development area, Aboriginal site recordings on the balance of the hillslope elements are restricted to a single isolated find (#30-6-094) on a mid-slope above swamp a kilometre to the south-west. With the exception of low-gradient footslopes, the wider hillslopes are thus considered to have an overall low level of archaeological sensitivity.

A number of artefact occurrences have been recorded on the Rainbow Beach alluvial flats. However, these drainage-impered flats (and the backswamps they once contained) are unlikely to have attracted Aboriginal occupation in their own right, and their constituent cultural materials are believed representative of a background distribution of artefacts lost or discarded during resource extraction activities. Field survey and test excavation results suggest that this background artefact distribution focuses on land close to Duchess Gully and sand-based grounds, diminishing in density with distance from these landforms.

Considering the above information in conjunction with the study area's location, landform, and disturbance character, it is predicted that:

- Open campsites may occur on elevated sections of the sand flat on the eastern extremity of the study area, especially on rises adjacent to Duchess Gully. The archaeological record is most likely to comprise scatters of stone artefacts and/or midden shell disturbed variously by past vegetation clearance, grass slashing, cattle grazing/treadage, house construction and demolition, the installation of power and sewer lines, and the construction, maintenance and use of vehicle tracks. Cultural materials may have been covered by shifting sands mobilised through these disturbance activities.
- Foothslopes on the terminal ends of bedrock-soil spurs on the north-west and south-west study boundaries, and foothslopes of the isolated bedrock-soil knoll towards the south-east study boundary, may contain evidence of traditional Aboriginal occupation, especially where these generally degrading foothslopes offer surface outcrops of raw stone materials suited to tool production. Under low-gradient topographic and suitable geological conditions, the archaeological record of the foothslopes may feature surface stone artefact scatters, disturbed by past vegetation clearance, grass slashing, fencing, erosion and cattle grazing/treadage.
- Within the bedrock-soil (study) area, the only other landform element with any real archaeological potential is the level crest of the knoll partly encompassed towards the south-east boundary, where evidence of an artefact scatter/open campsite may occur. Any cultural materials on the degrading knoll crest are likely to have been displaced as a result of past vegetation clearance, erosion, cattle grazing/treadage and the construction of an unformed vehicle track.
- Off the basal foothslopes, bedrock-soil hillslopes are of low archaeological sensitivity. At most, the expected archaeological record of the wider hillslopes will be restricted to isolated stone artefacts dispersed as a result of past vegetation clearing, grass slashing, erosion and cattle grazing/treadage.
- The study area's alluvial flat will contain stone artefacts, representing an extension of the reasonably widespread background artefact distribution already identified in the Rainbow Beach locality. These background artefacts will occur intermittently across the alluvial flat, increasing in density with proximity to Duchess Gully and the eastern dune systems. Despite the aggrading landscape context, it is anticipated that artefacts on the alluvial flat will have been disturbed/displaced to some extent through vegetation clearing, the excavation of drains, a lake and stormwater ponds, and other earthworks associated with the previous sports resort/golf course development.
- Scarred trees will be restricted in their distribution to the sand flat near the Duchess Gully/tributary confluence, which contains some large mature blackbutts.

5 FIELD SURVEY

5.1 Method and procedure

Field survey of the study area was undertaken by the consultant with the assistance of Lindsay Moran (Birpai LALC senior sites officer and member of the Bril Bril Traditional Owners group), Trevor Donovan and Stan Chatfield (Bunyah LALC sites officers), Brett Nicholson (Bunyah LALC trainee sites officer) and John Heath (Bril Bril Traditional Owners representative) on the 15th of June 2009. Weather conditions were fine and sunny, and were conducive to the detection of surface archaeological materials.

Due to the expected distribution and types of archaeological sites (cf Section 4.6) and the limitations imposed by surface vegetation, re-deposited sediments and standing water, blanket coverage of the study area was not considered warranted. Instead, a selective survey strategy was adopted to ensure full coverage of all available surface exposures on the potentially sensitive hill footslopes, knoll crest and sand flat. The hillslopes and alluvial flats were selectively sampled. A general wide-area reconnaissance was additionally undertaken to locate and inspect any mature trees for signs of Aboriginal marking/scarring.

The detailed survey was conducted on foot by the six team members walking in parallel transects, with spacings between members tailored to suit the type and extent of the available ground surface exposures. Spacings ranged from abreast on vehicle tracks, up to a maximum of ten metres apart on the hillslopes, the alluvial flat and densely grassed sections of the sand flats.

5.2 Coverage

For reporting purposes, the study area was divided into eight separate survey units (SUs), defined on the basis of topography, exposure and visibility (cf Figure 5). The extent of surface inspection undertaken across each of the SUs is mapped on Figure 6, and their landform/disturbance context summarised in Table 1.

In all, approximately 11 hectares (19 percent) of the study area was covered during the field survey. To provide data suitable for evaluating survey effectiveness, variables constraining archaeological visibility were estimated for each of the survey units. These include an estimation of the mean frequency with which surface exposures were encountered, as well as an estimation of the quality of visibility on those exposures (mean frequency of bare ground suitable for artefact detection). Once the variables of exposure and visibility are taken into account, it is estimated that 8.5 percent of the surveyed area and 1.6 percent of the total study area was subject to effective surface inspection (Table 2), including 4.5 percent of the eastern knoll (SU-3) and ten percent of the elevated sand flats (SU-7 and SU-8).

Table 1. Environmental context of survey units

| Survey unit | Landform element | Disturbance | Sources of exposure |
|-------------|---|--|--|
| SU-1 | Moderate to low hillslope | Vegetation clearing, cattle grazing/treadage | Nil |
| SU-2 | Moderate to low hillslope | Vegetation clearing, cattle grazing/treadage, erosion, cleared fencelines | Erosion pads, vehicle track, cleared fencelines, patchy ground cover |
| SU-3 | Knoll crest/moderate to steep hillslope | Vegetation clearing, cattle grazing/treadage, vehicle track | Vehicle track, occasional patchy ground cover, erosion scours |
| SU-4 | Alluvial flat | Vegetation clearing, grazing, drain & lake construction, other mechanical activity | Mechanical disturbances, cattle tracks, drain & lake cutting/margins |
| SU-5 | Indurated sand & alluvial flat | Vegetation clearing, mechanical activity on western margin | Mechanical disturbances, occasional wash exposures in tributary bed |
| SU-6 | Indurated sand & alluvial flat | Vegetation clearing, vehicle tracks, erosion | Vehicle tracks, occasional erosion scours |
| SU-7 | Indurated sand flat | Vegetation clearing, vehicle track, sewer pipe installation | Vehicle track, patchy ground cover |
| SU-8 | Indurated sand flat | Vegetation clearing & grass slashing, vehicle tracks, power line installation, possible sandmining, construction, use & demolition of house & outbuildings | Vehicle tracks, mechanical disturbances, patchy ground cover |

Table 2. Effective survey coverage data

| Survey unit | Approx. total area (m ²) | Survey area (m ²) | % of surface exposed | % visibility on exposures | Effective survey cover (m ²) | # sites/PADs detected |
|--------------|--------------------------------------|-------------------------------|----------------------|---------------------------|--|-----------------------|
| SU-1 | 6,200 | 6,200 | 0 | 0 | 0 | 0 |
| SU-2 | 13,670 | 13,670 | 10 | 90 | 1,230 | 0 |
| SU-3 | 10,620 | 10,620 | 5 | 90 | 478 | 0 |
| SU-4 | 422,030 | 36,250 | 10 | 100 | 3,625 | 0 |
| SU-5 | 47,180 | 4,300 | 5 | 90 | 194 | 0 |
| SU-6 | 14,450 | 1,400 | 5 | 100 | 70 | 0 |
| SU-7 | 10,300 | 10,300 | 10 | 100 | 1,030 | 0* |
| SU-8 | 60,550 | 28,250 | 10 | 100 | 2,825 | 0* |
| Total | 585,000 | 110,990 | | | 9,452 | 0 |

* Artefact scatter (#30-6-032) previously recorded by Happ & Bowdler (1983) not re-located

* Artefact scatter (#30-6-107) previously recorded by Collins (1996) not re-located

ABORIGINAL ARCHAEOLOGICAL INVESTIGATIONS 2009

INVESTIGATION AREA
65 ha



REVISIONS:
A: 11.6.08

Rainbow Beach Estate
Property Management Plan Series
Job No. 4509/ND Dwn: RM
Luke and Company Pty Ltd

SCALE:
1:9000@A3 1:4000@A1
The printed area of this drawing shall be printed at the scale of 1:9000@A3 and 1:4000@A1.
The drawing shall be used for the purpose of the investigation only.




Figure 6. Land covered for surface evidence (pink) and approximate location of knoll crest recommended for development monitoring (yellow) (base map: Luke and Company 2009)

5.3 Results

No archaeological sites/materials or other evidence of Aboriginal activity were detected during the field survey, nor were any Potential Archaeological Deposits (PADs) identified.

As plotted on Figures 2 and 6 and outlined in Section 4.4, however, two small stone artefact scatters have been previously recorded in the study area, one within the tributary gully near the Bonny Hills STP boundary in SU-7 (#30-6-032), and one on the bank of Duchess Gully in the north-west corner of the 'eco-tourist' site in SU-8 (#30-6-107 [M-2]). While the #30-6-032 artefacts will no doubt have been washed downstream since their 1983 recording, the #30-6-107 (M-2) location offered very low surface visibility due to vegetation regrowth and it is assumed its constituent artefacts are still in place. In the absence of any contrary evidence, it is nevertheless concluded that neither of the previously recorded sites is representative of a more extensive artefact scatter/campsite.

6 SIGNIFICANCE ASSESSMENT

6.1 Concept and method

Unlike aspects of the natural environment, cultural heritage sites and places are social constructs that have no intrinsic significance- "cultural heritage places are not alive in themselves, people give them 'life' and meaning by the way they treat them and by the way they think and feel about them. ... their value lies entirely within human culture" (Byrne *et al* 2001:22-23). The degree and type of value of a place will be different for various groups and individuals. All places are not equally significant or important, and consequently are not equally worthy of conservation and management (Pearson and Sullivan 1999:17). Assessments of significance thus form the basis for management decisions and guide the development of impact mitigation strategies where these are warranted.

Aboriginal sites and places may have educational, tourism and other public values, but their primary values are generally those relating to their cultural/social significance to Aboriginal people, and scientific significance from an archaeological perspective (NPWS 1997:25). While sites considered to be scientifically significant are usually also significant to the Aboriginal community, others may be of outstanding Aboriginal cultural/social significance but have little or no scientific value.

Aboriginal cultural/social significance

Aboriginal cultural heritage is not confined to physical (archaeological) evidence. The cultural environment contains an invisible overlay of attachments and meanings, and Aboriginal people can and do hold equally strong and equally legitimate attachments to natural, unmodified, features of the landscape, and to entire landscapes themselves. The preservation of sites and places of cultural/social significance can be fundamental to maintaining an Aboriginal community's integrity, sense of place and unique cultural identity.

The level of significance that an individual site or place may hold for the present-day Aboriginal community is often dependent upon a variety of factors, including the nature, type and integrity of the site/place, the spiritual, emotional, historical and/or contemporary attachments attributed to it, its setting and importance within the traditional and/or contemporary cultural landscape, and the perceived value of the site/place in connecting past, present and future generations. The assessments of Aboriginal cultural/social significance presented in Section 6.2 below follow those communicated by Aboriginal stakeholder field representatives.

Scientific/archaeological significance

This type of significance is essentially an assessment of a site's potential to add to our understanding of past human behaviour. Such assessment is made not only with regard to currently available knowledge, theories and data retrieval methods, but with consideration of likely future scientific developments. Sites have particular potential, and thus greater scientific significance, if there are few other sites that can contribute similar types of information, if they are in a good state of preservation, if they can provide a chronology extending back into the past, and/or if they form part of a larger site complex (NPWS 1997:26-28).

From a management and research perspective it is desirable that a representative sample of Aboriginal sites be maintained for the future. This means that not only are rare and unusual site types scientifically significant, but that a well-preserved site that provides a characteristic example of other sites common to its specific type, content and setting may also be of scientific significance. Any determination of representativeness must, by necessity, be based on the known sites in a region. Clearly, this will depend on the extent to which a region has been surveyed and as more work is completed and additional sites recorded, site representation (and significance) can change.

The assessments of scientific/archaeological significance presented in Section 6.2 are based on past and present field observations, background experience of the consultant, a review of local ethno-historical and archaeological literature, including the unpublished reports reviewed in Sections 4.1, 4.2 and 4.3, and the types and distribution of Aboriginal sites registered on the DECC AHIMS database (Section 4.4).

6.2 Significance of the previously registered sites

#30-6-032 stone artefact scatter

Happ and Bowdler (1983:18) assessed the #30-6-032 artefact scatter to be of low Aboriginal cultural/social and scientific/archaeological significance owing to its lack of spatial integrity and negligible potential to yield any further research information. Given that this site occurred in a re-deposited context when recorded in 1983 and appears to have since been removed by water wash, Happ and Bowdler's (1983) scientific/archaeological significance assessment is supported.

#30-6-107 (M-2) stone artefact scatter

The #30-6-107 (M-2) artefact scatter was previously assessed by Collins (1996a:37) to be of low scientific/archaeological significance due to its small size, level of past disturbance, apparent lack of associated cultural deposits, and limited further research opportunities. This assessment is re-confirmed by the present results,

which revealed no evidence to suggest that M-2 is any larger or more diverse in terms of its cultural contents than originally recorded.

Because Aboriginal archaeological sites contain material evidence of prior occupation and/or use of the landscape, the Aboriginal stakeholders consider all sites within their territory to have at least some general heritage value. However, following a consideration of the field survey results, the stakeholders assessed the #30-6-032 and #30-6-107 (M-2) artefact scatters to have a low level of cultural/social significance.

6.3 Significance of the identified Rainbow Beach site complex

As plotted on Figure 2, the wider Rainbow Beach locality contains an unusually dense concentration of archaeological sites (artefact scatters, isolated artefacts, middens and a scarred tree), reflective of a traditional Aboriginal coastal landuse system. The cultural/social and scientific/archaeological significance of the Rainbow Beach sites is thus seen to lie more in their grouping together, than in any special features exhibited by the individual sites themselves. Together, the Rainbow Beach sites form an inter-related complex, which is locally unique and significant.

As an outcome of the often intensive disturbance caused by land clearing and past development activities, some sites nevertheless have a higher cultural/social value and greater potential to provide further research information than others. Even when assessed in terms of their representativeness within the Rainbow Beach site complex, the #30-6-032 and #30-6-107 (M-2) artefact scatters are considered to be of low cultural/social and scientific/archaeological significance. This assessment is based on the known archaeological record of Rainbow Beach, and on the understanding that similar but apparently more intact examples of small artefact scatters (on both sand and alluvial substrates) are targeted for conservation within the previously assessed northern section of the proposed Rainbow Beach development area (Collins 2006:Table 3).

7 ASSESSMENT CONCLUSIONS AND IMPACT MITIGATION

Past survey results in conjunction with environmental reconstructions and Aboriginal stakeholder accounts of the wider Rainbow Beach area provide an overview of a resource-rich cultural landscape that includes traditional (and probably historic) camping places, and resource-gathering places. No sites of Aboriginal ceremonial, mythological or otherwise spiritual significance have been recorded in the Rainbow Beach area, the closest site of spiritual attachment being on the summit of the Jolly Nose escarpment more than two kilometres to the west (cf Collins 2003:6).

As outlined in Section 5.3, the present study area contains two registered artefact scatters assessed individually to be of low Aboriginal cultural/social and archaeological/scientific significance, but which form part of a locally unique and significant site complex. One of these artefact scatters (#30-6-032) is (or was once) situated within the Duchess Gully tributary near the Bonny Hills STP, falls within the STP buffer zone, and would not be affected by the proposed development (cf Luke and Company 2006).

The other registered artefact scatter (#30-6-107 [M-2]) lies on the north-west corner of the proposed 'eco-tourist' site. While detailed plans for this site are yet to be developed, the Concept Plan (Luke and Company 2006) is consistent with the 1996 recommendation that the required road crossing of Duchess Gully be kept on the existing track/bridge alignment to allow M-2 to be preserved (Collins 1996a:39).

Well-drained rises on the inner barrier sands close to Duchess Gully and former backswamps appear to have been preferred for traditional occupation, but small camps were also sometimes established on nearby low-gradient bedrock-soil footslopes (Collins 1996a, 2006). While it was initially anticipated that stone artefact scatters and/or middens could occur within SU-8 (Figure 6), towards the western (Duchess Gully) boundary of the 'eco-tourist' site, the field survey revealed virtually all of this survey unit to have been disturbed to such an extent as to leave very little (if any) potential for the survival of intact archaeological deposits, irrespective of its generally aggrading landscape character. It was further concluded that of the sand-based survey units, the only unit with any real potential to contain significant archaeological evidence is SU-7 (Figure 6) west of Duchess Gully (near the tributary confluence, and within the site #30-6-032 locality). This unit is reasonably well elevated, and despite the installation of a sewer pipe, standing mature trees testify to a substantially lower level of disturbance than observed over the remainder of the study area. SU-7 lies within the STP buffer zone, which would not be affected by the proposed development (cf Luke and Company 2006).

Of the bedrock-soil footslopes to be possibly affected by the development, only those represented within SU-1 on the south-west study boundary (Figure 6) did not provide surface exposures sufficient to rule out the existence of any substantial artefact scatter. However, the SU-1 footslopes fall gradually away to the alluvial flat without offering any level landform elements (eg terraces) that might have attracted Aboriginal occupation in their own right, such that SU-1 is assessed to have minimal further archaeological potential.

Although unprecedented due to the scarcity of such landforms in the coastal environment, it was predicted that an artefact scatter/open campsite could occur on the degrading crest of the isolated knoll in SU-3 (Figure 6). Ten percent of the northern half of the knoll crest was effectively surveyed in 2006 (Collins 2006), including a fully-exposed vehicle track that leads up to and over the crest from the west. The southern half of the crest was inspected during the present assessment, yielding effective survey coverage of approximately five percent. The vehicle track was also re-inspected. The absence of any archaeological evidence during either survey reinforces the 2006 conclusion that the knoll crest has a low level of archaeological sensitivity (Collins 2006:24). As a precautionary measure, the Aboriginal stakeholders nevertheless request that any vegetation clearing/topsoil disturbance associated with construction of a road and picnic area on the knoll crest be monitored by their representatives in an effort to mitigate impacts on potential sites of cultural/social significance.

As demonstrated by past surveys and test excavations in the M-3 (#30-6-108), M-6 (#30-6-111) and M-7 (#30-6-112) localities (Collins 2007), the poorly-drained alluvial flats contain a background distribution of artefacts, lost or discarded during the course of traditional resource extraction. This background artefact distribution appears to be dominated by heavy-duty pebble 'tools', suggestive of the exploitation of plant resources such as fern and rush rhizomes, which still occur in and around Duchess Gully (Collins 1996a:32). The available evidence further suggests that the background artefact distribution increases in density with proximity to

Duchess Gully and the inner barrier sands, but is concealed by 20-30 centimetres of alluvium (Collins 2007), such that its constituent artefacts are only detectable where intercepted by drain cuttings and other subsurface exposures (Collins1996a:32). On the basis of this evidence, it seems certain that background artefacts will occur within the present study area, where survey coverage of the alluvial grounds was minimised due to the widespread extent of standing water, dense vegetation and past development earthworks, in tandem with a consideration of the low probability of finding any cultural materials, let alone materials that could shed further light on the local traditional landuse system. Because the locations of background artefacts cannot be predicted, and that no development requiring excavations in excess of 20 centimetres below the present surface is proposed on the more sensitive eastern portion of the alluvial flat, no further archaeological investigations are considered warranted in relation to development of the southern periphery of the proposed residential estate, southern school, artificial wetlands or cycle/walkways. It is envisaged that any loss of background artefacts caused by these developments would be sufficiently compensated by the permanent conservation of the balance of the open space/drainage/habitat corridor.

8 MANAGEMENT RECOMMENDATIONS

The management recommendations presented in this section are designed to mitigate impacts of the proposed Rainbow Beach development (within the study area assessed in this report) on Aboriginal cultural heritage sites and values, and have been endorsed by nominated representatives of the registered Aboriginal stakeholder groups (Appendix A). The recommendations are predicated on the adoption of the current development Concept Plan (Luke and Company 2006), which avoids direct impact on the registered site #30-6-032 and #30-6-107 (M-2) artefact occurrences.

Recommendation 1

Aboriginal consultation and archaeological field survey and assessment results have revealed no impediments to the proposed development Concept Plan providing Recommendations 2 and 3 below are implemented.

Recommendation 2

Although not assessed to be of sufficiently high archaeological sensitivity to warrant recording as a PAD (Potential Archaeological Deposit), Aboriginal stakeholders have advised that they would require monitoring of any vegetation clearing and topsoil disturbance associated with road construction and the development of a picnic area on the level crest of the SU-3 knoll (cf Figure 6).

In the event that a picnic area is to be developed on the knoll, it is further recommended that consideration be given to the involvement of Aboriginal stakeholders in the planning and construction of this picnic area, and in the development and installation of appropriate interpretive signage to facilitate a public appreciation of the Aboriginal values and traditional uses of the Rainbow Beach area.

Recommendation 3

In the event that any identified or suspected Aboriginal cultural materials are detected either during the Aboriginal monitoring (as per Recommendation 2), or elsewhere at any other time-

- 1) All disturbance in the vicinity of the find should immediately cease and temporary protective fencing be erected around the find to define a 'no-go zone'.
- 2) The developer should contact the Aboriginal stakeholder groups and the Department of Environment and Climate Change (Planning and Aboriginal Heritage Section, North East Branch, Coffs Harbour) to inspect the find so that appropriate actions and management recommendations can be formulated. In the event that the find consists of or includes possible or identified Aboriginal skeletal remains, the NSW Police Department should be additionally contacted.
- 3) Work may proceed at an agreed distance from the find, in consultation with the Aboriginal stakeholders and the Department of Environment and Climate Change.
- 4) If the find is identified as an Aboriginal object, work causing any disturbance or destruction of the object may not recommence until an appropriate archaeological inspection/investigation has been carried out to the satisfaction of the Department of Environment and Climate Change and the Department of Planning.

REFERENCES

- BYRNE, D., H. BRAYSHAW and T. IRELAND 2001 Social Significance. A Discussion Paper. NSW National Parks and Wildlife Service, Hurstville.
- CLANCY, G.P. and R. AYRES 1983 *Vegetation report- Bonny Hills proposed international sports and leisure village*. Report to Cox and Corkill Pty Ltd.
- COLLINS, J.P. 1993 *Proposed extension to an existing gravel quarry at Grants Head, NSW mid-north coast. Archaeological survey for Aboriginal sites*. Report to Mitchell McCotter and Associates.
- 1995 *Hastings district water supply southern arm trunk main from the Pacific Highway to Bonny Hills reservoir, mid-north coast of NSW. Archaeological survey for Aboriginal sites*. Report to Connell Wagner Pty Ltd.
- 1996a *Proposed Meridian residential subdivision, Bonny Hills, NSW mid-north coast. Archaeological assessment*. Report to Luke and Company NSW Pty Ltd.
- 1996b *Proposed 40 lot residential subdivision area at Bonny Hills, NSW mid-north coast. Archaeological survey for Aboriginal sites*. Report to Luke and Company NSW Pty Ltd.
- 2003a *Lake Cathie-Bonny Hills Stage 1A Environmental Study. Aboriginal heritage assessment*. Report to Deicke Richards Architects.
- 2003b *Lake Cathie-Bonny Hills Stage 1B Environmental Study. Cultural heritage assessment*. Report to King and Campbell Pty Ltd.
- 2004 *'Carnegie Cove' retirement village and golf course community at Bonny Hills, NSW mid-north coast. Amended development proposal. Aboriginal heritage assessment*. Report to Hopkins Consultants Pty Ltd.
- 2006 *Proposed development at Rainbow Beach, Bonny Hills, NSW mid-north coast. Aboriginal cultural heritage re-assessment*. Report to Luke and Company NSW Pty Ltd.
- 2007 *Proposed development at Rainbow Beach, Bonny Hills, NSW mid-north coast. Archaeological test excavations (DECC Preliminary Research Permit #2548)*. Report to Luke and Company NSW Pty Ltd.
- 2008 *Correspondence to Luke and Company, dated 29th May 2008*.
- COX AND CORKILL PTY LTD 1983 *International sports and leisure village. Local environmental study*. Report to Hastings Shire Council.
- EDAW/AECOM 2006 *Rainbow Beach- Preliminary environmental assessment and identification of issues. Open space corridor and constructed wetland*. Report to Tierney Property Services and St Vincents Foundation.
- ERM 2002 *Indigenous archaeological and cultural heritage assessment of the proposed Bonny Hills retirement village and golf course*. Report to the Australian Retirement Group Pty Ltd.
- HAPP, G. and S. BOWDLER 1983 *An Aboriginal sites survey at Bonny Hills, near Port Macquarie, NSW*. Report to McDonald Cox Corkill Pty Ltd.
- HISCOCK, P. 1988 *Prehistoric settlement patterns and artefact manufacture at Lawn Hill, northwest Queensland*. Unpublished Ph D Thesis, University of Queensland.
- LONG, A. 2005 Aboriginal Scarred Trees in NSW. Department of Environment and Conservation NSW, Hurstville.

LUKE and COMPANY 2006 *Concept plan. Lot 92 DP 1078055, Lot 5 DP 25886 and Lots 1-4 DP 45956, Rainbow Beach, Bonny Hills*. Report to St Vincents Foundation.

NATIONAL PARKS and WILDLIFE SERVICE (NSW) [NPWS] 1997 *Guidelines for archaeological survey reporting. Working draft*. Cultural Heritage Services Division, NSW National Parks and Wildlife Service, Hurstville.

PEARSON, M. and S. SULLIVAN 1999 Looking After Heritage Places. The Basics of Heritage Planning for Managers, Landowners and Administrators. Melbourne University Press.

STANILAND MOUNSER CONSULTING PTY LTD 1994 *Flood investigation, resort development, Ocean Drive Bonny Hills*. Report to Luke and Company.

STARLING, J.A. 1971 *A survey of the Aboriginal sites on the north coast of NSW, 1970-71*. Report to the NSW National Parks and Wildlife Service.

WINWARD, K. 1974 *Quaternary coastal sediments*. In N.L. Markham and H. Basden (eds), The Mineral Deposits of New South Wales. Geological Survey of NSW, Department of Mines, Sydney. Pp 596-621.

GLOSSARY

ALLUVIAL FLAT

A level landscape unit with extremely low relief. There may be frequently active erosion and aggradation by channelled and overbank stream flow, or the landforms may be relict to these processes (Speight 1990:48).

ALLUVIUM

General term for detrital deposits made by rivers or streams (Lapidus 1987:18).

ARCHAEOLOGICAL SITE

A place containing cultural materials of sufficient quality and quantity to allow inferences about human behaviour at that location (Plog *et al* 1978:383).

ARTEFACT

Any object having attributes as a consequence of human activity (Dunnell 1971).

ASSEMBLAGE

A set of artefacts found in association with each other and therefore assumed to belong to the one phase or one group of people (Champion 1980:11).

BIPOLAR CORE

An artefact with either negative flake scars present on opposite ends, or with negative flake scars and crushing (point initiations) present on opposite ends (McCarthy 1976:102).

BLOCK FRACTURED PIECE

An irregular, chunky block of stone, not having a bulb of percussion or negative scars (Witter 1986:3).

CHALCEDONY

A cryptocrystalline variety of silica, having a compact fibrous structure and a waxy lustre. It may be translucent or semi-transparent and occurs in a variety of colours. Chalcedony is often found as a deposit, lining or filling cavities in rocks (Lapidus 1987:99).

CHERT

A dense, extremely hard, microcrystalline or cryptocrystalline siliceous sedimentary rock, consisting mainly of inter-locking quartz crystals, sub-microscopic and sometimes containing opal (amorphous silica). Chert occurs mainly as nodular or concretionary aggregations in limestone and dolomite, and less frequently as layered deposits (banded chert). It may be an organic deposit (radiolarian chert), an inorganic precipitate (the primary deposit of colloidal silica), or as a siliceous replacement of pre-existing rocks. Flint is a variety of chert occurring as nodules in chalk and having a conchoidal fracture (Lapidus 1987:102).

CONGLOMERATE

A coarse-grained clastic sedimentary rock, composed of rounded fragments or particles at least 2mm. in diameter (granules, pebbles, cobbles, boulders), set in a fine-textured matrix of sand or silt and commonly cemented by calcium carbonate, silica, iron oxide or hardened clay (Lapidus 1987:119).

CORE

A piece of stone that has been used as a source for flake production. Cores are thus generally characterised by negative flake scars (Morwood and L'Oste-Brown 1995:162).

CORTEX

The natural weathered surface of rock, not the result of human activity (McCarthy 1976:101).

DUNE

A moderately inclined to very steep ridge or hillock built up by the wind (Speight 1990:30).

FLAKE

A piece of stone detached from a larger mass by the application of force and having a feather, hinge or step termination and a bulb of percussion. A platform may be present if the proximal end is unbroken (Crabtree 1972:64).

FLAKE TOOL

A flake that has been sharpened through deliberate retouch or which exhibits other evidence (eg usewear) to indicate that it has been used as a tool (Witter 1992:35).

FLAKED PIECE

Chipped artefacts with negative flake scars which cannot be classified as a flake, core or retouched flake (Hiscock 1988:64).

FOOTSLOPE

A slope landform element not adjacent below a crest or flat but adjacent above a flat or depression (Speight 1990:11-34).

GULLY

An open depression with short, precipitous walls and moderately inclined floor or stream channel, eroded by channelled stream flow and consequent collapse and water-aided mass movement (Speight 1990:31).

HILL

Part of a landsystem of high relief with gently inclined to precipitous slopes. Fixed, shallow erosional stream channels, close to very widely spaced, form a non-directional or convergent integrated tributary network (Speight 1990:51).

HILLCREST

A very gently inclined to steep crest, smoothly convex, eroded mainly by creep and sheet wash (Speight 1990:31).

HILLSLOPE

A gently inclined to precipitous slope, commonly simple and maximal, eroded by sheet wash, creep, or water-aided mass movement (Speight 1990:31).

INDURATION

The hardening of rock by heat, pressure or cementation. Also, the hardening of a soil horizon by chemical action to form a hardpan (Lapidus 1987:293).

INNER COASTAL BARRIER

A sand deposit located landward of the outer coastal barrier, usually separated from the outer barrier by a lagoon or creek system. Inner barrier sands are characterised by low widely spaced ridges indurated by humic material, which abut bedrock outcrop on their western margin. Inner barrier deposits are thought to be Pleistocene in age and may be eroded or overlain by fluvial, estuarine, paludal or lagoon sediments (Winward 1974:597).

JASPER

A compact, microcrystalline variety of quartz. Its colours are variable, including white, grey, red, brown and black (Lapidus 1987:308).

LANDFORM ELEMENT

A topographic feature 40 metres or more in maximum dimension which forms part of a larger unit, the landform pattern (Speight 1990:9).

MID-SLOPE

A slope landform element not adjacent below a crest or flat and not adjacent above a flat or depression (Speight 1990:11-34).

MUDSTONE

A commonly-used synonym for Mudrock. A fine-grained sedimentary rock composed chiefly of particles in the silt-clay size range. Mudrock/mudstone is a general term used to distinguish the finer-grained sedimentary rocks from sandstones or limestones (Lapidus 1987:362).

MULTI-PLATFORM CORE

A core with at least one negative scar running in a different direction to the remainder. Multi-directional scars indicate that the core has been rotated to get the most economical use of the raw material (Hiscock 1986a:49).

NUCLEAR TOOL

A core which, rather than being specifically used to supply flakes to be used as tools, is itself the tool. A nuclear tool is thus a core-like tool that did not originate as a flake (Witter 1992:30).

PEBBLE

Stone worn and rounded by water and other natural forces (McCarthy 1976:101).

PEBBLE TOOL

A flaked and/or edge-ground nuclear tool that preserves some of the original pebble cortex.

PLATFORM

The plane or surface against which force is applied in order to detach a flake from a core. The platform may be the natural surface of the stone, or cortex, it may be a surface produced by the prior removal of one or more flakes, or a surface produced by grinding or abrading (Phagan 1976:11).

PLEISTOCENE

The lower division of the Quaternary Period dating from two million to 10,000 years ago (Lapidus 1987:96,411).

QUARTZ

Crystalline silica rock having no cleavage but a conchoidal fracture (Lapidus 1987:429).

RETOUCH

The alteration to the primary termination of a flake caused by deliberate secondary flaking in order to resharpen or modify the edge (Crabtree 1972:89).

RIDGE

A compound landform element comprising a narrow spine crest and its immediately adjoining slope with the spine length being greater than the width (Packard 1992:100).

SANDSTONE

A sedimentary rock composed of sand-sized grains, mainly of quartz, in a matrix of clay or silt, and bound together by a cement that may be carbonate (Lapidus 1987:449).

SILCRETE

A siliceous duricrust composed of sand and gravel cemented by opal, chert and quartz, formed by chemical weathering and water evaporation (Lapidus 1987:472).

SILTSTONE

A fine-grained sedimentary rock principally composed of silt-grade material. Intermediate between sandstone and shale, siltstone contains less clay than shale and lacks its fissility and fine laminations (Lapidus 1987:474).

SINGLE PLATFORM CORE

A single platform is indicated when all scars on a core or the dorsal surface of a flake run in the same direction. A single platform on a core signifies less efficient use of the raw material than a rotated core with multiple platforms (Hiscock 1986b:49).

SPUR

Landform element comprising a lower, subsidiary ridge leading down from a locally dominant ridge or crest (Packard 1992:100).

STONE ARTEFACT

Fragment of stone that generally possesses one or more of the following characteristics:

- Positive or negative ring crack
- Distinct positive or negative bulb of force
- Definite errillure scar in position beneath a platform
- Definite remnants of flake scars (ie dorsal scars and ridges)

These traits indicate the application of an external force to a core, and are characteristic of the spalls removed by humans using direct percussion. Stone artefacts which have none of the above may be identified as such if they possess ground facet/s characteristic of human industry (Hiscock 1984:128).

VOLCANIC ROCK

Very fine-grained or glassy igneous rock produced by volcanic action at or near the earth's surface, either extruded as lava or expelled explosively (Lapidus 1987:535).

Glossary References

- CHAMPION, S. 1980 A Dictionary of Terms and Techniques in Archaeology. Facts on File Inc, New York.
- CRABTREE, D. 1972 *An introduction to the technology of stone tools. Part II. Occasional Papers of the Idaho State Museum*, No 28.
- DUNNELL, R.C. 1971 Systematics in Prehistory. Free Press, New York.
- HISCOCK, P. 1984 *A preliminary report on the stone artefacts from Colless Creek Cave northwest Queensland*. Queensland Archaeological Research, 1:120-151.
- 1986a *Raw material rationing as an explanation of assemblage differences: a case study of Lawn Hill, northwest Queensland*. In G.K. Ward (ed), Archaeology at ANZAAS Canberra 1984. Canberra Archaeological Society. Pp 178-190.
- 1986b *Technological change in the Hunter Valley and its implications for the interpretation of late Holocene change in Australia*. Archaeology in Oceania, 21:40-50.
- 1988 *Technological change at Platypus rockshelter (KB:A70), southeast Queensland*. Queensland Archaeological Research, 5:63-89.
- LAPIDUS, D.F. 1987 Dictionary of Geology. Collins, London.
- MCCARTHY, F.D. 1976 Australian Aboriginal Stone Implements. The Australian Museum, Sydney.
- MORWOOD, M.J. and S. L'OSTE-BROWN 1995 *Chronological changes in stone artefact technology*. In M.J. Morwood and D.R. Hobbs (eds), Quinkan Prehistory: The Archaeology of Aboriginal Art in SE Cape York Peninsula, Australia. Tempus 3. University of Queensland, St Lucia.
- PACKARD, P. 1992 *An archaeological assessment of State Forests in the Kempsey and Wauchope Forestry Management Areas*. Report to the Forestry Commission.
- PHAGAN, C.J. 1976 *A method for the analysis of flakes in archaeological assemblages: A Peruvian example*. Unpublished Ph D Thesis, Ohio State University.
- PLOG, S., F. PLOG and W. WAIT 1978 *Decision making in modern surveys*. In M. Schiffer (ed), Advances in Archaeological Method and Theory, 1:383-421.
- SPEIGHT, J.G. 1990 *Landform*. In R.C. McDonald, R.F. Isbell, J.G. Speight, J. Walker and M.S. Hopkins (eds), Australian Soil and Land Survey: Field Handbook. Inkata Press, Sydney. Pp 9-57.
- WINWARD, K. 1974 *Quaternary coastal sediments*. In N.L. Markham and H. Basden (eds), The Mineral Deposits of NSW. Department of Mines, Sydney. Pp 596-621.
- WITTER, D.C. 1986 *Detailed stone artefact recording*. Report to the NSW National Parks and Wildlife Service.
- 1992 *Regions and resources*. Unpublished Ph D Thesis, Australian National University.

APPENDIX A

Aboriginal stakeholder correspondence

Lindsay James Moran

P.O.Box 433
Wauchope NSW 2446
6586 1241 6587 7170 0448602483

24th June 2009

St Vincent's Foundation
Rainbow Estate,
Bonny Hills NSW

Archaeological Survey

An archaeological survey was undertaken, at Bonny Hills in the area known as the rainbow estate area.

Site One

A school project and playground area is proposed for this area, no artefact material was located on this site.

Site Two

Investigation was undertaken of the dune system adjacent to the sewerage treatment plant. No artefact material was uncovered, however artefacts have been uncovered at this site during previous surveys of the area. A walking trail and recreation area is proposed for this area.

Site Three

This survey was undertaken on this site. Area was traversed on foot and no artefact material was uncovered at this site, however artefacts have been located during previous surveys of the Duchess Creek area.

Site Determination.

Sites one, two & three.

All the sites that were surveyed are situated within a known semi permanent aboriginal occupation site.

Although no artefacts were uncovered during this recent survey, the fact that artefacts have been located within close proximity to sites one two and three, should be noted.

Site one was a previous waterway that led down to Rainbow Beach.

Recommendations


It is therefore agreed that as Birpais' senior cultural heritage and sites officer I have no objections to the development proposal.

However due to the fact that artefacts have been previously located over all the proposed development areas, it is requested that all contractors, and their employees be instructed on their legal obligations under the act, that is:- national Parks and Wildlife Act section 90 (1) as amended

"A person who without the consent of the director general knowingly destroys defaces or damages or knowingly causes or permits the destruction, the defacement of or damage to, an Aboriginal object or an Aboriginal place is guilty of an offence under this act."

Furthermore if any artefact material is uncovered during the development, all work must cease and it is requested that the appropriate Government departments and individuals be contacted. I.e. National Parks and Wildlife Service, Department of Environment and Climate Change, Hastings Council, Jackie Collins and Mr L. Moran.

Yours in Unity



Lindsay J Moran

Senior Heritage, Cultural & Sites Officer
Birpai Nation

BUNYAH LOCAL ABORIGINAL LAND COUNCIL

PO Box 287 Wauchope NSW 2446
Telephone 02 6585 3882 Fax 02 6585 2550

SITE SURVEY REPORT

Date of Survey: 15 June 2009

Location: Rainbow Beach NSW, a parcel of land east of Ocean Road, South of the "Ghost Rd" reaching an area just north of Bonny Hill settlement..

Reason for Survey: survey conducted in relation to proposed redevelopment of the area.


Survey carried out by: Trevor ROBERTS & Stanley CHATFIELD

Results of survey: No artifacts or sites of significance were located on the areas surveyed

Report: The site surveyed is a large parcel of land with a mainly flat to undulating landscape, the land subject to this survey has been subject to significantly disturbed by clearing, grazing and some runoff and the flow of water over the area during wet periods.

There are no natural freshwater sources or other reasons why this property would hold either campsite or other sites of significance to the Local Traditional Custodians of the area.

Recommendation: As no indications of a site of significance were located the Bunyah Local Aboriginal Land Council has no objection whatsoever to any proposed works proceeding. Naturally, should any item of significance be located during the proposed works, any such discovery should immediately be reported to the Bunyah Land Council and the NPWS.



Guy Jones
Chief Executive Officer
Bunyah Local Aboriginal Land Council

Goori-Murri Cultural Services

John Heath

12 Seawind Chase

Bonny Hills

NSW 2445

02-65848649

john.mavisheath@bigpond.com.au

ABN 28 116 305 642

St Vincent Foundation
c/- Luke and Company NSW Pty Ltd
PO Box 669
Port Macquarie NSW 2444


14th July 2009

Attention: Michelle Hollis

**Re: Aboriginal Heritage Archaeological Investigation-Rainbow
Beach South**

As a Traditional Owner and representative of the Bril Bril Traditional Owners, and one who participated in the Field Study as well as providing input into the report compiled by Jackie Collins, I join the other stakeholder group representatives in endorsing the report and supporting the Management Recommendations. In doing so I draw your attention to Recommendation 2 and encourage you to consider Goori involvement in the development of the proposed picnic area as it provides a good opportunity to acknowledge an Aboriginal sense of place and at the same time enhance intercultural understandings through appropriate signage and features. An example of this is available at nearby Grants Head Reserve and I invite you take the time to visit this site which I believe is a positive step in moving our communities forward.

Yours respectfully,



John Heath

Bril Bril Traditional Owners