

Kew-Kendall Sewerage Scheme		
SPS No	Commisioning Date	Cost
1	30/06/02	\$203,505
2	30/06/02	\$207,528
3	30/06/02	\$151,712
4	30/06/02	\$278,743
5	30/06/02	\$91,276
6	30/06/02	\$499,253
		\$1,432,017

Appendix C

Capital Works Program

Project		Type of work	Improved LOS	Assets	2024/25	2025/26	2026/27	2027/28	2028/29	2029/30	2030/31	2031/32	2032/33	2033/34	2034/35	2035/36	2036/37	2037/38	2038/39	2039/40	2040/41	2041/42	2042/43	2043/44	2044/45	2045/46	2046/47	2047/48	2048/49	2049/50	2050/51	2051/52	2052/53	2053/54	2054/55	2055/56	2056/57	2057/58	2058/59	2059/60	2060/61	2061/62	2062/63	2063/64	2064/65	2065/66	2066/67	2067/68	2068/69	2069/70	2070/71	2071/72	2072/73	2073/74	2074/75	2075/76	2076/77	2077/78	2078/79	2079/80	2080/81	2081/82	2082/83	2083/84	2084/85	2085/86	2086/87	2087/88	2088/89	2089/90	2090/91	2091/92	2092/93	2093/94	2094/95	2095/96	2096/97	2097/98	2098/99	2099/00	2100/01	2101/02	2102/03	2103/04	2104/05	2105/06	2106/07	2107/08	2108/09	2109/10	2110/11	2111/12	2112/13	2113/14	2114/15	2115/16	2116/17	2117/18	2118/19	2119/20	2120/21	2121/22	2122/23	2123/24	2124/25	2125/26	2126/27	2127/28	2128/29	2129/30	2130/31	2131/32	2132/33	2133/34	2134/35	2135/36	2136/37	2137/38	2138/39	2139/40	2140/41	2141/42	2142/43	2143/44	2144/45	2145/46	2146/47	2147/48	2148/49	2149/50	2150/51	2151/52	2152/53	2153/54	2154/55	2155/56	2156/57	2157/58	2158/59	2159/60	2160/61	2161/62	2162/63	2163/64	2164/65	2165/66	2166/67	2167/68	2168/69	2169/70	2170/71	2171/72	2172/73	2173/74	2174/75	2175/76	2176/77	2177/78	2178/79	2179/80	2180/81	2181/82	2182/83	2183/84	2184/85	2185/86	2186/87	2187/88	2188/89	2189/90	2190/91	2191/92	2192/93	2193/94	2194/95	2195/96	2196/97	2197/98	2198/99	2199/00	2200/01	2201/02	2202/03	2203/04	2204/05	2205/06	2206/07	2207/08	2208/09	2209/10	2210/11	2211/12	2212/13	2213/14	2214/15	2215/16	2216/17	2217/18	2218/19	2219/20	2220/21	2221/22	2222/23	2223/24	2224/25	2225/26	2226/27	2227/28	2228/29	2229/30	2230/31	2231/32	2232/33	2233/34	2234/35	2235/36	2236/37	2237/38	2238/39	2239/40	2240/41	2241/42	2242/43	2243/44	2244/45	2245/46	2246/47	2247/48	2248/49	2249/50	2250/51	2251/52	2252/53	2253/54	2254/55	2255/56	2256/57	2257/58	2258/59	2259/60	2260/61	2261/62	2262/63	2263/64	2264/65	2265/66	2266/67	2267/68	2268/69	2269/70	2270/71	2271/72	2272/73	2273/74	2274/75	2275/76	2276/77	2277/78	2278/79	2279/80	2280/81	2281/82	2282/83	2283/84	2284/85	2285/86	2286/87	2287/88	2288/89	2289/90	2290/91	2291/92	2292/93	2293/94	2294/95	2295/96	2296/97	2297/98	2298/99	2299/00	2300/01	2301/02	2302/03	2303/04	2304/05	2305/06	2306/07	2307/08	2308/09	2309/10	2310/11	2311/12	2312/13	2313/14	2314/15	2315/16	2316/17	2317/18	2318/19	2319/20	2320/21	2321/22	2322/23	2323/24	2324/25	2325/26	2326/27	2327/28	2328/29	2329/30	2330/31	2331/32	2332/33	2333/34	2334/35	2335/36	2336/37	2337/38	2338/39	2339/40	2340/41	2341/42	2342/43	2343/44	2344/45	2345/46	2346/47	2347/48	2348/49	2349/50	2350/51	2351/52	2352/53	2353/54	2354/55	2355/56	2356/57	2357/58	2358/59	2359/60	2360/61	2361/62	2362/63	2363/64	2364/65	2365/66	2366/67	2367/68	2368/69	2369/70	2370/71	2371/72	2372/73	2373/74	2374/75	2375/76	2376/77	2377/78	2378/79	2379/80	2380/81	2381/82	2382/83	2383/84	2384/85	2385/86	2386/87	2387/88	2388/89	2389/90	2390/91	2391/92	2392/93	2393/94	2394/95	2395/96	2396/97	2397/98	2398/99	2399/00	2400/01	2401/02	2402/03	2403/04	2404/05	2405/06	2406/07	2407/08	2408/09	2409/10	2410/11	2411/12	2412/13	2413/14	2414/15	2415/16	2416/17	2417/18	2418/19	2419/20	2420/21	2421/22	2422/23	2423/24	2424/25	2425/26	2426/27	2427/28	2428/29	2429/30	2430/31	2431/32	2432/33	2433/34	2434/35	2435/36	2436/37	2437/38	2438/39	2439/40	2440/41	2441/42	2442/43	2443/44	2444/45	2445/46	2446/47	2447/48	2448/49	2449/50	2450/51	2451/52	2452/53	2453/54	2454/55	2455/56	2456/57	2457/58	2458/59	2459/60	2460/61	2461/62	2462/63	2463/64	2464/65	2465/66	2466/67	2467/68	2468/69	2469/70	2470/71	2471/72	2472/73	2473/74	2474/75	2475/76	2476/77	2477/78	2478/79	2479/80	2480/81	2481/82	2482/83	2483/84	2484/85	2485/86	2486/87	2487/88	2488/89	2489/90	2490/91	2491/92	2492/93	2493/94	2494/95	2495/96	2496/97	2497/98	2498/99	2499/00	2500/01	2501/02	2502/03	2503/04	2504/05	2505/06	2506/07	2507/08	2508/09	2509/10	2510/11	2511/12	2512/13	2513/14	2514/15	2515/16	2516/17	2517/18	2518/19	2519/20	2520/21	2521/22	2522/23	2523/24	2524/25	2525/26	2526/27	2527/28	2528/29	2529/30	2530/31	2531/32	2532/33	2533/34	2534/35	2535/36	2536/37	2537/38	2538/39	2539/40	2540/41	2541/42	2542/43	2543/44	2544/45	2545/46	2546/47	2547/48	2548/49	2549/50	2550/51	2551/52	2552/53	2553/54	2554/55	2555/56	2556/57	2557/58	2558/59	2559/60	2560/61	2561/62	2562/63	2563/64	2564/65	2565/66	2566/67	2567/68	2568/69	2569/70	2570/71	2571/72	2572/73	2573/74	2574/75	2575/76	2576/77	2577/78	2578/79	2579/80	2580/81	2581/82	2582/83	2583/84	2584/85	2585/86	2586/87	2587/88	2588/89	2589/90	2590/91	2591/92	2592/93	2593/94	2594/95	2595/96	2596/97	2597/98	2598/99	2599/00	2600/01	2601/02	2602/03	2603/04	2604/05	2605/06	2606/07	2607/08	2608/09	2609/10	2610/11	2611/12	2612/13	2613/14	2614/15	2615/16	2616/17	2617/18	2618/19	2619/20	2620/21	2621/22	2622/23	2623/24	2624/25	2625/26	2626/27	2627/28	2628/29	2629/30	2630/31	2631/32	2632/33	2633/34	2634/35	2635/36	2636/37	2637/38	2638/39	2639/40	2640/41	2641/42	2642/43	2643/44	2644/45	2645/46	2646/47	2647/48	2648/49	2649/50	2650/51	2651/52	2652/53	2653/54	2654/55	2655/56	2656/57	2657/58	2658/59	2659/60	2660/61	2661/62	2662/63	2663/64	2664/65	2665/66	2666/67	2667/68	2668/69	2669/70	2670/71	2671/72	2672/73	2673/74	2674/75	2675/76	2676/77	2677/78	2678/79	2679/80	2680/81	2681/82	2682/83	2683/84	2684/85	2685/86	2686/87	2687/88	2688/89	2689/90	2690/91	2691/92	2692/93	2693/94	2694/95	2695/96	2696/97	2697/98	2698/99	2699/00	2700/01	2701/02	2702/03	2703/04	2704/05	2705/06	2706/07	2707/08	2708/09	2709/10	2710/11	2711/12	2712/13	2713/14	2714/15	2715/16	2716/17	2717/18	2718/19	2719/20	2720/21	2721/22	2722/23	2723/24	2724/25	2725/26	2726/27	2727/28	2728/29	2729/30	2730/31	2731/32	2732/33	2733/34	2734/35	2735/36	2736/37	2737/38	2738/39	2739/40	2740/41	2741/42	2742/43	2743/44	2744/45	2745/46	2746/47	2747/48	2748/49	2749/50	2750/51	2751/52	2752/53	2753/54	2754/55	2755/56	2756/57	2757/58	2758/59	2759/60	2760/61	2761/62	2762/63	2763/64	2764/65	2765/66	2766/67	2767/68	2768/69	2769/70	2770/71	2771/72	2772/73	2773/74	2774/75	2775/76	2776/77	2777/78	2778/79	2779/80	2780/81	2781/82	2782/83	2783/84	2784/85	2785/86	2786/87	2787/88	2788/89	2789/90	2790/91	2791/92	2792/93	2793/94	2794/95	2795/96	2796/97	2797/98	2798/99	2799/00	2800/01	2801/02	2802/03	2803/04	2804/05	2805/06	2806/07	2807/08	2808/09	2809/10	2810/11	2811/12	2812/13	2813/14	2814/15	2815/16	2816/17	2817/18	2818/19	2819/20	2820/21	2821/22	2822/23	2823/24	2824/25	2825/26	2826/27	2827/28	2828/29	2829/30	2830/31	2831/32	2832/33	2833/34	2834/35	2835/36	2836/37	2837/38	2838/39	2839/40	2840/41	2841/42	2842/43	2843/44	2844/45	2845/46	2846/47	2847/48	2848/49	2849/50	2850/51	2851/52	2852/53	2853/54	2854/55	2855/56	2856/57	2857/58	2858/59	2859/60	2860/61	2861/62	2862/63	2863/64	2864/65	2865/66	2866/67	2867/68	2868/69	2869/70	2870/71	2871/72	2872/73	2873/74	2874/75	2875/76	2876/77	2877/78	2878/79	2879/80	2880/81	2881/82	2882/83	2883/84	2884/85	2885/86	2886/87	2887/88	2888/89	2889/90	2890/91	2891/92	2892/93	2893/94	2894/95	2895/96	2896/97	2897/98	2898/99	2899/00	2900/01	2901/02	2902/03	2903/04	2904/05	2905/06	2906/07	2907/08	2908/09	2909/10	2910/11	2911/12	2912/13	2913/14	2914/15	2915/16	2916/17	2917/18	2918/19	2919/20	2920/21	2921/22	2922/23	2923/24	2924/25	2925/26	2926/27	2927/28	2928/29	2929/30	2930/31	2931/32	2932/33	2933/34	2934/35	2935/36	2936/37	2937/38	2938/39	2939/40	2940/41	2941/42	2942/43	2943/44	2944/45	2945/46	2946/47	2947/48	2948/49	2949/50	2950/51	2951/52	2952/53	2953/54	2954/55	2955/56	2956/57	2957/58	2958/59	2959/60	2960/61	2961/62	2962/63	2963/64	2964/65	2965/66	2966/67	2967/68	2968/69	2969/70	2970/71	2971/72	2972/73	2973/74	2974/75	2975/76	2976/77	2977/78	2978/79	2979/80	2980/81	2981/82	2982/83	2983/84	2984/85	2985/86	2986/87	2987/88	2988/89	2989/90	2990/91	2991/92	2992/93	2993/94	2994/95	2995/96	2996/97	2997/98	2998/99	2999/00	3000/01	3001/02	3002/03	3003/04	3004/05	3005/06	3006/07	3007/08	3008/09	3009/10	3010/11	3011/12	3012/13	3013/14	3014/15	3015/16	3016/17	3017/18	3018/19	3019/20	3020/21	3021/22	3022/23	3023/24	3024/25	3025/26	3026/27	3027/28	3028/29	3029/30	3030/31	3031/32	3032/33	3033/34	3034/35	3035/36	3036/37	3037/38	3038/39	3039/40	3040/41	3041/42	3042/43	3043/44	3044/45	3045/46	3046/47	3047/48	3048/49	3049/50	3050/51	3051/52	3052/53	3
---------	--	--------------	--------------	--------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---

Appendix D

Calculation of the Capital Charge

Hastings Council Capital Charge Calculation
Wauchope Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary													Totals			
per ET													Capital Charge		\$5,733	
Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commiss- ioned	Effective year commiss- ioned	Present value 2003 (\$'000) ⁴	Year of full take- up	Years to full take- up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)			
Treatment Works																
Existing (pre 1996)																
Wauchope STP	4099	1996	5030	1992	1996	5030	2021	26	3%	1.41	7103					
Future																
Wauchope STP upgrade																
HEMS - Wauchope storage & disinfection system	5200	2001	5468	2011	2011	3183	2021	11	7%	1.37	4363					
	1500	2001	1577	2005	2005	1378	2021	17	7%	1.63	2242					
											13,709	3,478	3,941			
Pumping Stations																
Existing (pre 1996)																
Wauchope SPS11	87	1996	107	1992	1996	107	2021	26	3%	1.41	150					
Wauchope SPS13	89	1996	110	1989	1996	110	2021	26	3%	1.41	155					
Wauchope SPS14	61	1996	74	1994	1996	74	2021	26	3%	1.41	105					
Wauchope SPS1	245	1996	301	1991	1996	301	2021	26	3%	1.41	425					
Wauchope SPS2	133	1996	163	1987	1996	163	2021	26	3%	1.41	230					
Wauchope SPS3	97	1996	119	1991	1996	119	2021	26	3%	1.41	168					
Wauchope SPS4	129	1996	158	1988	1996	158	2021	26	3%	1.41	223					
Wauchope SPS5	55	1996	68	1992	1996	68	2021	26	3%	1.41	96					
Wauchope SPS6	86	1996	105	1990	1996	105	2021	26	3%	1.41	149					
Wauchope SPS7	208	1996	256	1988	1996	256	2021	26	3%	1.41	361					
Wauchope SPS8	148	1996	181	1991	1996	181	2021	26	3%	1.41	256					
											2,318	2,749	843			
Mains																
Existing (pre 1996)																
W8P039	7	1996	8	1981	1996	8	2021	26	3%	1.41	12					
W8P040	15	1996	18	1981	1996	18	2021	26	3%	1.41	25					
W8P045	7	1996	9	1981	1996	9	2021	26	3%	1.41	13					
W8P046	9	1996	11	1981	1996	11	2021	26	3%	1.41	15					
W8P047	7	1996	9	1981	1996	9	2021	26	3%	1.41	12					
W8P048	6	1996	7	1981	1996	7	2021	26	3%	1.41	10					
W8P049	8	1996	9	1981	1996	9	2021	26	3%	1.41	13					
W8P050	3	1996	4	1981	1996	4	2021	26	3%	1.41	6					
W8P051	20	1996	24	1981	1996	24	2021	26	3%	1.41	34					
W8P052	9	1996	11	1981	1996	11	2021	26	3%	1.41	15					
WTW003	29	1996	35	1983	1996	35	2021	26	3%	1.41	50					
WTW004	26	1996	32	1983	1996	32	2021	26	3%	1.41	45					
WTW005	34	1996	42	1983	1996	42	2021	26	3%	1.41	59					
WTW006	20	1996	25	1983	1996	25	2021	26	3%	1.41	35					
WTW007	48	1996	59	1983	1996	59	2021	26	3%	1.41	84					
WTW008	8	1996	10	1983	1996	10	2021	26	3%	1.41	15					
WTW009	11	1996	13	1983	1996	13	2021	26	3%	1.41	19					
WTW010	18	1996	22	1983	1996	22	2021	26	3%	1.41	32					
WTW011	29	1996	35	1983	1996	35	2021	26	3%	1.41	50					
WTW012	8	1996	9	1983	1996	9	2021	26	3%	1.41	13					
WTW013	28	1996	34	1983	1996	34	2021	26	3%	1.41	49					
WTW014	22	1996	27	1983	1996	27	2021	26	3%	1.41	38					
WTW015	36	1996	44	1983	1996	44	2021	26	3%	1.41	63					
WTW016	41	1996	50	1983	1996	50	2021	26	3%	1.41	71					
WTW017	46	1996	56	1983	1996	56	2021	26	3%	1.41	79					
WTW018	49	1996	61	1983	1996	61	2021	26	3%	1.41	86					
WTW019	27	1996	33	1983	1996	33	2021	26	3%	1.41	47					
W:\003\360042 Haslinds Sewerage USD\Documents\SPS\SPS11\11011																

W:\Jobs\380042\Hastings Sewerage DSP Documents\Report\mat DSP Appendices\380042 Capital Charge Calculation Data\380042

Hastings Council Capital Charge Calculation
Wauchope Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary	
per ET	Totals
Capital Charge	\$5,733

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commiss- ioned	Effective year commiss- ioned	Present value 2003 (\$'000) ⁴	Year of full take- up	Years to full take- up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
WTW020	27	1996	33	1983	1996	33	2021	26	3%	1.41	47		
WTW021	22	1996	27	1983	1996	27	2021	26	3%	1.41	38		
WTW022	13	1996	16	1983	1996	16	2021	26	3%	1.41	22		
WTW024	10	1996	12	1983	1996	12	2021	26	3%	1.41	16		
WTW025	32	1996	39	1983	1996	39	2021	26	3%	1.41	55		
WTW026	19	1996	24	1983	1996	24	2021	26	3%	1.41	33		
WTW027	16	1996	19	1983	1996	19	2021	26	3%	1.41	27		
WTW028	12	1996	14	1983	1996	14	2021	26	3%	1.41	20		
WTW029	22	1996	27	1983	1996	27	2021	26	3%	1.41	38		
WTW030	17	1996	21	1983	1996	21	2021	26	3%	1.41	30		
WTW031	11	1996	13	1983	1996	13	2021	26	3%	1.41	19		
WSP001	1	1996	1	1985	1996	1	2021	26	3%	1.41	2		
WSP029	1	1996	2	1985	1996	2	2021	26	3%	1.41	3		
WSP030	1	1996	2	1985	1996	2	2021	26	3%	1.41	2		
WSP031	2	1996	3	1985	1996	3	2021	26	3%	1.41	4		
WSP032	3	1996	3	1985	1996	3	2021	26	3%	1.41	4		
WSP033	1	1996	1	1985	1996	1	2021	26	3%	1.41	2		
WSP034	19	1996	23	1985	1996	23	2021	26	3%	1.41	32		
WSP035	7	1996	9	1985	1996	9	2021	26	3%	1.41	13		
WSP067	4	1996	6	1985	1996	6	2021	26	3%	1.41	8		
WSP068	9	1996	11	1985	1996	11	2021	26	3%	1.41	15		
WSP069	4	1996	5	1985	1996	5	2021	26	3%	1.41	7		
WSP070	6	1996	7	1985	1996	7	2021	26	3%	1.41	10		
WSP071	7	1996	9	1985	1996	9	2021	26	3%	1.41	13		
WSP072	9	1996	11	1985	1996	11	2021	26	3%	1.41	15		
WSP002	22	1996	27	1988	1996	27	2021	26	3%	1.41	38		
WSP003	2	1996	3	1988	1996	3	2021	26	3%	1.41	4		
WSP004	13	1996	16	1988	1996	16	2021	26	3%	1.41	23		
WSP001	1	1996	1	1988	1996	1	2021	26	3%	1.41	1		
WSP014	10	1996	12	1988	1996	12	2021	26	3%	1.41	17		
WSP015	7	1996	8	1988	1996	8	2021	26	3%	1.41	12		
WSP016	15	1996	19	1988	1996	19	2021	26	3%	1.41	26		
WSP017	16	1996	19	1988	1996	19	2021	26	3%	1.41	27		
WSP018	15	1996	19	1988	1996	19	2021	26	3%	1.41	27		
WSP019	13	1996	16	1988	1996	16	2021	26	3%	1.41	23		
WSP023	4	1996	5	1988	1996	5	2021	26	3%	1.41	8		
W4P140	22	1996	27	1994	1996	27	2021	26	3%	1.41	39		
W4P141	15	1996	18	1994	1996	18	2021	26	3%	1.41	26		
W4P146	9	1996	11	1994	1996	11	2021	26	3%	1.41	16		
WTW119	14	1996	17	1994	1996	17	2021	26	3%	1.41	24		
WTW120	15	1996	18	1994	1996	18	2021	26	3%	1.41	26		
WTW122	3	1996	4	1994	1996	4	2021	26	3%	1.41	5		
WTW187	15	1996	19	1994	1996	19	2021	26	3%	1.41	26		
WTW197	1	1996	1	1994	1996	1	2021	26	3%	1.41	2		
WTW198	18	1996	23	1994	1996	23	2021	26	3%	1.41	32		
WTW199	28	1996	35	1994	1996	35	2021	26	3%	1.41	49		
WTW200	30	1996	36	1994	1996	36	2021	26	3%	1.41	51		
WTW201	19	1996	23	1994	1996	23	2021	26	3%	1.41	33		
WTW202	28	1996	34	1994	1996	34	2021	26	3%	1.41	49		
W2P062	9	1996	10	1995	1996	10	2021	26	3%	1.41	15		
W2P063	12	1996	15	1995	1996	15	2021	26	3%	1.41	21		
W2P068	6	1996	7	1995	1996	7	2021	26	3%	1.41	10		
WTW123	3	1996	4	1995	1996	4	2021	26	3%	1.41	5		
WTW124	1	1996	1	1995	1996	1	2021	26	3%	1.41	1		

W:\Jobs\360042\Hastings Sewerage DSP\Documents\Reports\Final DSP\Appendices\Appendix 4 Capital Charge Calculation (raw data).xls

Hastings Council Capital Charge Calculation
Wauchope Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary	
per ET	Totals
Capital Charge	\$5,733

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commiss- ioned	Effective year commiss- ioned	Present value 2003 (\$'000) ⁴	Year of full take- up	Years to full take- up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
WTW127	9	1996	11	1995	1996	11	2021	26	3%	1.41	16		
WTW128	10	1996	12	1995	1996	12	2021	26	3%	1.41	17		
WTW129	10	1996	13	1995	1996	13	2021	26	3%	1.41	18		
WTW130	2	1996	3	1995	1996	3	2021	26	3%	1.41	4		
WTW137	12	1996	15	1995	1996	15	2021	26	3%	1.41	21		
WTW171	8	1996	10	1995	1996	10	2021	26	3%	1.41	14		
WTW188	8	1996	10	1995	1996	10	2021	26	3%	1.41	14		
WTW192	10	1996	12	1995	1996	12	2021	26	3%	1.41	17		
WTW193	12	1996	15	1995	1996	15	2021	26	3%	1.41	21		
WTW194	12	1996	15	1995	1996	15	2021	26	3%	1.41	21		
WTW195	8	1996	10	1995	1996	10	2021	26	3%	1.41	15		
WTW204	1	1996	1	1995	1996	1	2021	26	3%	1.41	1		
W4P133	1	1996	1	1995	1996	1	2021	26	3%	1.41	2		
W4P136	2	1996	3	1995	1996	3	2021	26	3%	1.41	4		
W4P137	3	1996	2	1995	1996	2	2021	26	3%	1.41	3		
W4P138	11	1996	14	1995	1996	14	2021	26	3%	1.41	19		
W4P139	7	1996	9	1995	1996	9	2021	26	3%	1.41	12		
W4P142	6	1996	7	1995	1996	7	2021	26	3%	1.41	11		
W4P143	4	1996	5	1995	1996	5	2021	26	3%	1.41	7		
W4P144	7	1996	9	1995	1996	9	2021	26	3%	1.41	13		
W4P145	13	1996	16	1995	1996	16	2021	26	3%	1.41	22		
W4P147	10	1996	13	1995	1996	13	2021	26	3%	1.41	18		
W4P148	7	1996	9	1995	1996	9	2021	26	3%	1.41	13		
W4P149	2	1996	3	1995	1996	3	2021	26	3%	1.41	4		
W1P009	17	1996	21	1995	1996	21	2021	26	3%	1.41	29		
WTW001	4	1996	5	1995	1996	5	2021	26	3%	1.41	6		
WTW002	24	1996	29	1995	1996	29	2021	26	3%	1.41	41		
WTW032	3	1996	3	1995	1996	3	2021	26	3%	1.41	5		
WTW203	17	1996	21	1995	1996	21	2021	26	3%	1.41	30		
											2,523	2,749	918
Council Wide Works													
Existing (post 1996)													
Lab Equipment	20	2001	21	2001	2001	21	2021	21	7%	1.81	38		
	10	2001	11	2002	2002	11	2021	20	7%	1.76	19		
Minor Extensions	10	2001	11	2003	2003	11	2021	19	7%	1.72	18		
	20	2001	21	2001	2001	21	2021	21	7%	1.81	38		
	20	2001	21	2002	2002	21	2021	20	7%	1.76	37		
Pumping stations and telemetry	20	2001	21	2003	2003	21	2021	19	7%	1.72	36		
	30	2001	32	2001	2001	32	2021	21	7%	1.81	57		
	30	2001	32	2002	2002	32	2021	20	7%	1.76	56		
Wet well washers	30	2001	32	2003	2003	32	2021	19	7%	1.72	54		
Laboratory extension - new fume	50	2001	53	2001	2001	53	2021	21	7%	1.81	95		
	50	2001	53	2002	2002	53	2021	20	7%	1.76	93		
Future													
Lab Equipment	10	2001	11	2004	2004	10	2021	18	7%	1.67	16		
	10	2001	11	2005	2005	9	2021	17	7%	1.63	15		
	10	2001	11	2006	2006	9	2021	16	7%	1.58	14		
	10	2001	11	2007	2007	8	2021	15	7%	1.54	12		
	10	2001	11	2008	2008	7	2021	14	7%	1.50	11		
	10	2001	11	2009	2009	7	2021	13	7%	1.45	10		
	10	2001	11	2010	2010	7	2021	12	7%	1.41	9		

W:\Jobs\360047 Hastings Sewerage DSP\Documents\Report\mai DSP\Appendices\360042 Capital Charge Calculation 0311152010.xls

Hastings Council Capital Charge Calculation
Wauchope Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary												per ET	Totals
												Capital Charge	\$5,733
Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commiss- ioned	Effective year commiss- ioned	Present value 2003 (\$'000) ⁴	Year of full take- up	Years to full take- up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
	10	2001	11	2011	2011	6	2021	11	7%	1.37	8		
	10	2001	11	2012	2012	6	2021	10	7%	1.33	8		
	10	2001	11	2013	2013	5	2021	9	7%	1.29	7		
	10	2001	11	2014	2014	5	2021	8	7%	1.25	6		
	10	2001	11	2015	2015	5	2021	7	7%	1.21	6		
	10	2001	11	2016	2016	4	2021	6	7%	1.18	5		
	10	2001	11	2017	2017	4	2021	5	7%	1.14	5		
	10	2001	11	2018	2018	4	2021	4	7%	1.10	4		
	10	2001	11	2019	2019	4	2021	3	7%	1.07	4		
	10	2001	11	2020	2020	3	2021	2	7%	1.03	3		
	10	2001	11	2021	2021	3	2021	1	7%	1.00	3		
Minor Extensions	20	2001	21	2004	2004	20	2021	18	7%	1.67	33		
	20	2001	21	2005	2005	18	2021	17	7%	1.63	30		
	20	2001	21	2006	2006	17	2021	16	7%	1.58	27		
	20	2001	21	2007	2007	16	2021	15	7%	1.54	25		
	20	2001	21	2008	2008	15	2021	14	7%	1.50	22		
	20	2001	21	2009	2009	14	2021	13	7%	1.45	20		
	20	2001	21	2010	2010	13	2021	12	7%	1.41	18		
	20	2001	21	2011	2011	12	2021	11	7%	1.37	17		
	20	2001	21	2012	2012	11	2021	10	7%	1.33	15		
	20	2001	21	2013	2013	11	2021	9	7%	1.29	14		
	20	2001	21	2014	2014	10	2021	8	7%	1.25	13		
	20	2001	21	2015	2015	9	2021	7	7%	1.21	11		
	20	2001	21	2016	2016	9	2021	6	7%	1.18	10		
	20	2001	21	2017	2017	8	2021	5	7%	1.14	9		
	20	2001	21	2018	2018	8	2021	4	7%	1.10	8		
	20	2001	21	2019	2019	7	2021	3	7%	1.07	8		
	20	2001	21	2020	2020	7	2021	2	7%	1.03	7		
	20	2001	21	2021	2021	6	2021	1	7%	1.00	6		
Pumping stations and telemetry	30	2001	32	2004	2004	29	2021	18	7%	1.67	49		
											1032	33,346	31
													\$ 5,733

- Notes**
1. Capital cost from Council's asset registers and MEERA cost for future works
 2. Base year of capital cost varies depending on asset data
 3. Capital cost adjusted to 2003\$ using CPI for Sydney (ABS)
 4. Capital cost of future works discounted to 2003\$

Hastings Council Capital Charge Calculation
Kew/Kendall Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary	
per ET	Totals
Capital Charge	\$17,687

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commissioned	Effective year commissioned	Present value 2003 (\$'000) ⁴	Year of full take-up	Years to full take-up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
KK6P012	8.8	2001	9	2001	2001	9	2021	21	7%	1.81	17		
KK6P013	1.1	2001	1	2001	2001	1	2021	21	7%	1.81	2		
KK6P14B	6.1	2001	6	2001	2001	6	2021	21	7%	1.81	12		
KK6P014	14.6	2001	15	2001	2001	15	2021	21	7%	1.81	28		
KK6P015	9.5	2001	10	2001	2001	10	2021	21	7%	1.81	18		
KK6P016	18.8	2001	20	2001	2001	20	2021	21	7%	1.81	36		
KK6P017	20.8	2001	22	2001	2001	22	2021	21	7%	1.81	40		
KK6P018	18.9	2001	20	2001	2001	20	2021	21	7%	1.81	36		
KK6P019	12.6	2001	13	2001	2001	13	2021	21	7%	1.81	24		
KK6P020	4.7	2001	5	2001	2001	5	2021	21	7%	1.81	9		
KK6P21B	5.5	2001	6	2001	2001	6	2021	21	7%	1.81	10		
KK6P021	23.8	2001	25	2001	2001	25	2021	21	7%	1.81	45		
KK6P022	9.2	2001	10	2001	2001	10	2021	21	7%	1.81	18		
											820	533	1539
Council Wide Works													
Existing (post 1996)													
Lab Equipment	20	2001	21	2001	2001	21	2021	21	7%	1.81	38		
	10	2001	11	2002	2002	11	2021	20	7%	1.76	19		
	10	2001	11	2003	2003	11	2021	19	7%	1.72	18		
Minor Extensions	20	2001	21	2001	2001	21	2021	21	7%	1.81	38		
	20	2001	21	2002	2002	21	2021	20	7%	1.76	37		
	20	2001	21	2003	2003	21	2021	19	7%	1.72	36		
Pumping stations and telemetry	30	2001	32	2001	2001	32	2021	21	7%	1.81	57		
	30	2001	32	2002	2002	32	2021	20	7%	1.76	56		
	30	2001	32	2003	2003	32	2021	19	7%	1.72	54		
Wet well washers	50	2001	53	2001	2001	53	2021	21	7%	1.81	95		
Laboratory extension - new fume	50	2001	53	2002	2002	53	2021	20	7%	1.76	93		
Future													
Lab Equipment	10	2001	11	2004	2004	10	2021	18	7%	1.67	16		
	10	2001	11	2005	2005	9	2021	17	7%	1.63	15		
	10	2001	11	2006	2006	9	2021	16	7%	1.58	14		
	10	2001	11	2007	2007	8	2021	15	7%	1.54	12		
	10	2001	11	2008	2008	7	2021	14	7%	1.50	11		
	10	2001	11	2009	2009	7	2021	13	7%	1.45	10		
	10	2001	11	2010	2010	7	2021	12	7%	1.41	9		
	10	2001	11	2011	2011	6	2021	11	7%	1.37	8		
	10	2001	11	2012	2012	6	2021	10	7%	1.33	8		
	10	2001	11	2013	2013	5	2021	9	7%	1.29	7		
	10	2001	11	2014	2014	5	2021	8	7%	1.25	6		
	10	2001	11	2015	2015	5	2021	7	7%	1.21	6		
	10	2001	11	2016	2016	4	2021	6	7%	1.18	5		
	10	2001	11	2017	2017	4	2021	5	7%	1.14	5		
	10	2001	11	2018	2018	4	2021	4	7%	1.10	4		
	10	2001	11	2019	2019	4	2021	3	7%	1.07	4		
	10	2001	11	2020	2020	3	2021	2	7%	1.03	3		
	10	2001	11	2021	2021	3	2021	1	7%	1.00	3		
Minor Extensions	20	2001	21	2004	2004	20	2021	18	7%	1.67	33		
	20	2001	21	2005	2005	18	2021	17	7%	1.63	30		

W:\Jobs\360642-Hastings Sewerage DGP\Documents\Report\incl DGP\Appendices\360642 Capital Charge Calculations\Kendall

Hastings Council Capital Charge Calculation
Kew/Kendall Sewerage

Pre 1996 discount rate	Post 1996 discount rate
3%	7%

Summary	
per ET	Totals
Capital Charge	\$17,687

[illegible]

Hastings Council Capital Charge Calculation
Lake Cathie/Bonny Hills Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary													
											per ET	Totals	
											Capital Charge	\$6,459	

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commissioned	Effective commissioned	Present value 2003 (\$'000) ⁴	Year of full take-up	Years to full take-up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
Treatment Works													
Existing (pre 1996)													
Lake Cathie STP (6,000 EP)	2846	1996	3493	1983	1996	3493	2021	26	3%	1.41	4932		
Existing (post 1996)													
Lake Cathie/Bonny Hills Treatment Plant Augmentation 1 (3,000 EP)	5300	2001	5574	2003	2003	5573.7	2021	19	7%	1.72	9576		
Future													
Lake Cathie/Bonny Hills Treatment Plant Augmentation 2 (3,000 EP)	7600	2001	7992	2014	2014	3797.1	2021	8	7%	1.25	4754		
STP Carrier Upgrade	100	2001	105	2004	2004	98.3	2022	19	7%	1.72	169		
											19431	5000	3886
Pumping Stations													
Existing (pre 1996)													
Lake Cathie SPS12	339	1996	416	1991	1996	415.6	2021	26	3%	1.41	587		
Lake Cathie SPS13	150	1996	184	1994	1996	184.2	2021	26	3%	1.41	260		
Lake Cathie SPS14	116	1996	142	1996	1996	141.7	2021	26	3%	1.41	200		
Lake Cathie SPS15	82	1996	100	1994	1996	100.3	2021	26	3%	1.41	142		
Lake Cathie SPS16	114	1996	140	1995	1996	139.7	2021	26	3%	1.41	197		
Lake Cathie SPS1	324	1996	397	1984	1996	397.4	2021	26	3%	1.41	561		
Lake Cathie SPS2	224	1996	275	1988	1996	275.2	2021	26	3%	1.41	389		
Lake Cathie SPS3	31	1996	38	1988	1996	37.5	2021	26	3%	1.41	53		
Lake Cathie SPS4	73	1996	89	1984	1996	89.3	2021	26	3%	1.41	126		
Lake Cathie SPS5	123	1996	151	1988	1996	151.0	2021	26	3%	1.41	213		
Lake Cathie SPS6	109	1996	134	1984	1996	133.5	2021	26	3%	1.41	189		
Lake Cathie SPS7	69	1996	85	1984	1996	85.2	2021	26	3%	1.41	120		
Lake Cathie SPS8	64	1996	79	1984	1996	78.6	2021	26	3%	1.41	111		
Lake Cathie SPS9	60	1996	74	1984	1996	73.9	2021	26	3%	1.41	104		
Future													
LC/BH SPS 1 Upgrade	80	2001	84	2004	2004	78.6	2021	18	7%	1.67	131		
LC/BH SPS 1 Rising Main Upgrade	500	2001	526	2004	2004	491.4	2021	18	7%	1.67	822		
LC/BH SPS 2 Upgrade	80	2001	84	2004	2004	78.6	2021	18	7%	1.67	131		
LC/BH SPS 12 Upgrade	50	2001	53	2004	2004	49.1	2021	18	7%	1.67	82		
LC/BH SPS 13 Upgrade	50	2001	53	2004	2004	49.1	2021	18	7%	1.67	82		
											4502	4,288	1,050
Mains													
Existing (pre 1996)													
LC2P001	3	1996	3	1985	1996	3.1	2021	26	3%	1.41	4		
LC2P002	28	1996	34	1985	1996	34.0	2021	26	3%	1.41	48		
LC2P003	8	1996	9	1985	1996	9.3	2021	26	3%	1.41	13		
LC2P004	10	1996	12	1985	1996	12.0	2021	26	3%	1.41	17		
LC2P005	2	1996	2	1985	1996	2.3	2021	26	3%	1.41	3		
LC2P006	19	1996	24	1985	1996	23.7	2021	26	3%	1.41	34		
LC2P007	17	1996	20	1985	1996	20.4	2021	26	3%	1.41	29		
LC2P008	9	1996	11	1985	1996	11.3	2021	26	3%	1.41	16		
LC2P009	9	1996	11	1985	1996	11.4	2021	26	3%	1.41	16		
LC2P010	11	1996	14	1985	1996	13.5	2021	26	3%	1.41	19		
LC2P011	12	1996	15	1985	1996	14.9	2021	26	3%	1.41	21		
LC2P012	15	1996	18	1985	1996	18.3	2021	26	3%	1.41	26		
LC2P013	30	1996	37	1985	1996	36.7	2021	26	3%	1.41	52		
LC2P014	8	1996	10	1985	1996	9.8	2021	26	3%	1.41	14		
LC2P015	4	1996	4	1985	1996	4.4	2021	26	3%	1.41	6		
LC2P016	4	1996	5	1985	1996	5.2	2021	26	3%	1.41	7		
LC2P017	15	1996	19	1985	1996	18.5	2021	26	3%	1.41	26		
LC2P018	9	1996	11	1985	1996	11.0	2021	26	3%	1.41	16		
LC2P019	16	1996	20	1985	1996	20.2	2021	26	3%	1.41	29		

Hastings Council Capital Charge Calculation
Lake Cathie/Bonny Hills Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary	
per ET	Totals
Capital Charge	\$6,459

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commiss- ioned	Effective year commiss- ioned	Present value 2003 (\$'000) ⁴	Year of full take- up	Years to full take- up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
LC2P020	12	1996	15	1985	1996	14.7	2021	26	3%	1.41	21		
LC2P021	17	1996	21	1985	1996	20.5	2021	26	3%	1.41	29		
LC2P022	2	1996	2	1985	1996	2.3	2021	26	3%	1.41	3		
LC2P023	24	1996	30	1985	1996	30.0	2021	26	3%	1.41	42		
LC2P024	9	1996	11	1985	1996	11.4	2021	26	3%	1.41	16		
LC2P025	3	1996	3	1985	1996	3.5	2021	26	3%	1.41	5		
LC2P026	13	1996	15	1985	1996	15.4	2021	26	3%	1.41	22		
LC2P027	8	1996	9	1985	1996	9.2	2021	26	3%	1.41	13		
LC6P001	0	1996	1	1985	1996	0.5	2021	26	3%	1.41	1		
LC6P002	16	1996	20	1985	1996	20.2	2021	26	3%	1.41	29		
LC6P003	13	1996	16	1985	1996	16.3	2021	26	3%	1.41	23		
LC6P004	8	1996	10	1985	1996	9.6	2021	26	3%	1.41	14		
LC6P116	6	1996	7	1985	1996	7.2	2021	26	3%	1.41	10		
LC6P117	10	1996	12	1985	1996	12.4	2021	26	3%	1.41	18		
LC6P118	7	1996	8	1985	1996	8.1	2021	26	3%	1.41	11		
LC1P001	5	1996	6	1985	1996	5.7	2021	26	3%	1.41	8		
LC1P002	14	1996	17	1985	1996	17.4	2021	26	3%	1.41	25		
LC1P003	11	1996	14	1985	1996	14.0	2021	26	3%	1.41	20		
LC1P004	11	1996	13	1985	1996	13.2	2021	26	3%	1.41	19		
LC1P005	16	1996	19	1985	1996	19.1	2021	26	3%	1.41	27		
LC1P006	8	1996	10	1985	1996	10.3	2021	26	3%	1.41	15		
LC1P007	13	1996	15	1985	1996	15.4	2021	26	3%	1.41	22		
LC1P008	11	1996	13	1985	1996	12.9	2021	26	3%	1.41	18		
LC1P009	3	1996	4	1985	1996	3.7	2021	26	3%	1.41	5		
LC1P010	26	1996	31	1985	1996	31.4	2021	26	3%	1.41	44		
LC1P011	6	1996	8	1985	1996	7.6	2021	26	3%	1.41	11		
LC1P012	24	1996	29	1985	1996	29.4	2021	26	3%	1.41	42		
LC1P013	11	1996	13	1985	1996	12.9	2021	26	3%	1.41	18		
LC1P014	22	1996	27	1985	1996	27.3	2021	26	3%	1.41	39		
LC1P015	4	1996	5	1985	1996	4.6	2021	26	3%	1.41	6		
LC1P016	22	1996	27	1985	1996	27.1	2021	26	3%	1.41	38		
LC1P017	25	1996	31	1985	1996	31.3	2021	26	3%	1.41	44		
LC1P018	23	1996	28	1985	1996	27.9	2021	26	3%	1.41	39		
LC1P019	12	1996	15	1985	1996	15.0	2021	26	3%	1.41	21		
LC1P020	3	1996	3	1985	1996	3.1	2021	26	3%	1.41	4		
LC1P021	12	1996	15	1985	1996	15.3	2021	26	3%	1.41	22		
LC1P022	17	1996	21	1985	1996	20.8	2021	26	3%	1.41	29		
LC1P023	2	1996	2	1985	1996	2.5	2021	26	3%	1.41	3		
LC1P024	33	1996	40	1985	1996	40.1	2021	26	3%	1.41	57		
LC1P025	17	1996	21	1985	1996	21.2	2021	26	3%	1.41	30		
LC1P026	4	1996	5	1985	1996	5.0	2021	26	3%	1.41	7		
LC1P027	23	1996	28	1985	1996	28.5	2021	26	3%	1.41	40		
LC1P028	13	1996	16	1985	1996	16.3	2021	26	3%	1.41	23		
LC1P029	8	1996	10	1985	1996	10.0	2021	26	3%	1.41	14		
LC1P030	8	1996	10	1985	1996	10.4	2021	26	3%	1.41	15		
LC1P031	6	1996	8	1985	1996	7.6	2021	26	3%	1.41	11		
LC1P032	5	1996	6	1985	1996	6.1	2021	26	3%	1.41	9		
LC1P033	11	1996	14	1985	1996	13.6	2021	26	3%	1.41	19		
LC1P034	2	1996	3	1985	1996	2.7	2021	26	3%	1.41	4		
LC1P035	8	1996	10	1985	1996	10.1	2021	26	3%	1.41	14		
LC1P036	27	1996	33	1985	1996	33.3	2021	26	3%	1.41	47		
LC1P037	18	1996	22	1985	1996	22.2	2021	26	3%	1.41	31		
LC1P038	19	1996	23	1985	1996	23.1	2021	26	3%	1.41	33		
LC1P039	18	1996	22	1985	1996	21.8	2021	26	3%	1.41	31		
LC1P040	38	1996	47	1985	1996	46.7	2021	26	3%	1.41	66		
LC1P041	15	1996	19	1985	1996	19.0	2021	26	3%	1.41	27		

Hastings Council Capital Charge Calculation
Lake Cathie/Bonny Hills Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary	
per ET	Totals
Capital Charge	\$6,459

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commissioned	Effective year commissioned	Present value 2003 (\$'000) ⁴	Year of full take-up	Years to full take-up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
LC1P158	15	1996	19	1985	1996	19.0	2021	26	3%	1.41	27		
LC1P159	3	1996	3	1985	1996	3.5	2021	26	3%	1.41	5		
LC1P160	14	1996	17	1985	1996	16.8	2021	26	3%	1.41	24		
LC1P161	6	1996	7	1985	1996	6.9	2021	26	3%	1.41	10		
LC1P162	8	1996	9	1985	1996	9.3	2021	26	3%	1.41	13		
LC1P163	13	1996	16	1985	1996	15.8	2021	26	3%	1.41	22		
LC1P164	7	1996	8	1985	1996	8.3	2021	26	3%	1.41	12		
LC1P165	17	1996	21	1985	1996	21.2	2021	26	3%	1.41	30		
LC1P166	24	1996	30	1985	1996	29.7	2021	26	3%	1.41	42		
LC1P167	21	1996	26	1985	1996	26.3	2021	26	3%	1.41	37		
LC1P168	14	1996	17	1985	1996	17.1	2021	26	3%	1.41	24		
LC1P169	14	1996	18	1985	1996	17.7	2021	26	3%	1.41	25		
LC5P001	2	1996	2	1985	1996	2.0	2021	26	3%	1.41	3		
LC9P001	1	1996	1	1985	1996	1.0	2021	26	3%	1.41	1		
LC13P001	1	1996	1	1994	1996	0.8	2021	26	3%	1.41	1		
LC13P002	10	1996	12	1994	1996	12.4	2021	26	3%	1.41	18		
LC13P003	23	1996	28	1994	1996	28.2	2021	26	3%	1.41	40		
LC13P004	23	1996	28	1994	1996	28.3	2021	26	3%	1.41	40		
LC13P005	21	1996	26	1994	1996	25.5	2021	26	3%	1.41	36		
LC13P006	19	1996	23	1994	1996	22.8	2021	26	3%	1.41	32		
LC1P204	1	1996	1	1995	1996	1.3	2021	26	3%	1.41	2		
LC1P205	12	1996	15	1995	1996	14.8	2021	26	3%	1.41	21		
LC1P206	16	1996	19	1995	1996	19.3	2021	26	3%	1.41	27		
LC1P207	17	1996	20	1995	1996	20.2	2021	26	3%	1.41	29		
LC1P208	10	1996	13	1995	1996	12.6	2021	26	3%	1.41	18		
LC1P209	18	1996	22	1995	1996	22.3	2021	26	3%	1.41	32		
LC1P210	17	1996	20	1995	1996	20.2	2021	26	3%	1.41	29		
LC1P211	19	1996	23	1995	1996	23.1	2021	26	3%	1.41	33		
LC1P212	13	1996	16	1995	1996	16.1	2021	26	3%	1.41	23		
LC1P213	7	1996	9	1995	1996	8.5	2021	26	3%	1.41	12		
LC1P214	9	1996	12	1995	1996	11.6	2021	26	3%	1.41	16		
LC1P215	3	1996	4	1995	1996	4.0	2021	26	3%	1.41	6		
Future													
Lk Cathie Trunk System Augmentation	100	2001	105	2010	2010	65.5	2021	12	7%	1.41	92		
Lk Cathie Trunk System Augmentation	500	2001	526	2011	2011	306.0	2021	11	7%	1.37	420		
Lk Cathie Trunk System Augmentation	500	2001	526	2012	2012	286.0	2021	10	7%	1.33	381		
Lk Cathie Trunk System Augmentation	500	2001	526	2013	2013	267.3	2021	9	7%	1.29	345		
HEMS											3606	4288	841
Existing (post 1996)													
HEMS - Southern effluent pipelines	5500	2001	5784	2002	2002	5784	2021	20	7%	1.76	10205		
Future													
HEMS - Western Pipelines	5000	2001	5258	2006	2006	4292	2021	16	7%	1.58	6794		
HEMS Total											16999	26117	651
Council Wide Works													
Existing (post 1996)													
Lab Equipment	20	2001	21	2001	2001	21	2021	21	7%	1.81	38		
	10	2001	11	2002	2002	11	2021	20	7%	1.76	19		
	10	2001	11	2003	2003	11	2021	19	7%	1.72	18		
Minor Extensions	20	2001	21	2001	2001	21	2021	21	7%	1.81	38		
	20	2001	21	2002	2002	21	2021	20	7%	1.76	37		
	20	2001	21	2003	2003	21	2021	19	7%	1.72	36		
Pumping stations and telemetry	30	2001	32	2001	2001	32	2021	21	7%	1.81	57		
	30	2001	32	2002	2002	32	2021	20	7%	1.76	56		
	30	2001	32	2003	2003	32	2021	19	7%	1.72	54		

Hastings Council Capital Charge Calculation Lake Cathie/Bonny Hills Sewerage

	Pre 1996 discount rate	Post 1996 discount rate
3%		
7%		

Summary													
per ET												Totals	
Capital Charge												\$6,459	
Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commissioned	Effective year commissioned	Present value 2003 (\$'000) ⁴	Year of full take-up	Years to full take-up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
Wet well washers	50	2001	53	2001	2001	53	2021	21	7%	1.81	95		
Laboratory extension - new fume	50	2001	53	2002	2002	53	2021	20	7%	1.76	93		
Future													
Lab Equipment	10	2001	11	2004	2004	10	2021	18	7%	1.67	16		
	10	2001	11	2005	2005	9	2021	17	7%	1.63	15		
	10	2001	11	2006	2006	9	2021	16	7%	1.58	14		
	10	2001	11	2007	2007	8	2021	15	7%	1.54	12		
	10	2001	11	2008	2008	7	2021	14	7%	1.50	11		
	10	2001	11	2009	2009	7	2021	13	7%	1.45	10		
	10	2001	11	2010	2010	7	2021	12	7%	1.41	9		
	10	2001	11	2011	2011	6	2021	11	7%	1.37	8		
	10	2001	11	2012	2012	6	2021	10	7%	1.33	8		
	10	2001	11	2013	2013	5	2021	9	7%	1.29	7		
	10	2001	11	2014	2014	5	2021	8	7%	1.25	6		
	10	2001	11	2015	2015	5	2021	7	7%	1.21	6		
	10	2001	11	2016	2016	4	2021	6	7%	1.18	5		
	10	2001	11	2017	2017	4	2021	5	7%	1.14	5		
	10	2001	11	2018	2018	4	2021	4	7%	1.10	4		
	10	2001	11	2019	2019	4	2021	3	7%	1.07	4		
	10	2001	11	2020	2020	3	2021	2	7%	1.03	3		
	10	2001	11	2021	2021	3	2021	1	7%	1.00	3		
Minor Extensions	20	2001	21	2004	2004	20	2021	18	7%	1.67	33		
	20	2001	21	2005	2005	18	2021	17	7%	1.63	30		
	20	2001	21	2006	2006	17	2021	16	7%	1.58	27		
	20	2001	21	2007	2007	16	2021	15	7%	1.54	25		
	20	2001	21	2008	2008	15	2021	14	7%	1.50	22		
	20	2001	21	2009	2009	14	2021	13	7%	1.45	20		
	20	2001	21	2010	2010	13	2021	12	7%	1.41	18		
	20	2001	21	2011	2011	12	2021	11	7%	1.37	17		
	20	2001	21	2012	2012	11	2021	10	7%	1.33	15		
	20	2001	21	2013	2013	11	2021	9	7%	1.29	14		
	20	2001	21	2014	2014	10	2021	8	7%	1.25	13		
	20	2001	21	2015	2015	9	2021	7	7%	1.21	11		
	20	2001	21	2016	2016	9	2021	6	7%	1.18	10		
	20	2001	21	2017	2017	8	2021	5	7%	1.14	9		
	20	2001	21	2018	2018	8	2021	4	7%	1.10	8		
	20	2001	21	2019	2019	7	2021	3	7%	1.07	8		
	20	2001	21	2020	2020	7	2021	2	7%	1.03	7		
	20	2001	21	2021	2021	6	2021	1	7%	1.00	6		
Pumping stations and telemetry	30	2001	32	2004	2004	29	2021	18	7%	1.67	49		
Various Total													
	</												

Hastings Council Capital Charge Calculation
Port Macquarie Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary		per ET	Totals
		Capital Charge	\$
			4,875

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commissioned	Effective year commissioned	Present value (\$'000) ⁴	Year of full take-up	Years to full take-up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
Treatment Works													
Existing (pre 1996)													
Port Macquarie STP A	5109	2003	5109	1984				Before the scope of this DSP					
Port Macquarie STP B	3693	2003	3693	1978	1996	3693	2021	26	3%	1.41	5497		
Port Macquarie STP C	3450	2003	3450	1985	1996	3450	2021	26	3%	1.41	4872		
Port Macquarie STP D	5496	2003	5496	1995	1996	5496	2021	26	3%	1.41	7760		
Port Macquarie STP E	13167	2003	13167	1996	1996	13167	2021	26	7%	2.05	27055		
Port Macquarie STP F	1629	2003	1629	1997	1997	1629	2021	25	7%	2.00	3765		
Port Macquarie STP G	52	2003	52	1998	1998	52	2021	24	7%	1.96	102		
Port Macquarie STP H	90	2003	90	1999	1999	90	2021	23	7%	1.91	172		
Port Macquarie STP I	22	2003	22	2000	2000	22	2021	22	7%	1.86	41		
	32907												
Future													
Port Macquarie STP Upgrade - filtration system	800	2001	841	2004	2004	786	2021	18	7%	1.67	1315		
West Lindfield	800	2001	841	2004	2004	786	2021	18	7%	1.67	1315		
											51,393	21,667	2,372
Pumping Stations													
Existing (pre 1996)													
Port SPS10	259	1996	318	1988	1996	318	2021	26	3%	1.41	449		
Port SPS13a	25	1996	31	1988	1996	31	2021	26	3%	1.41	43		
Port SPS13	133	1996	164	1978	1996	164	2021	26	3%	1.41	231		
Port SPS14a	25	1996	31	1988	1996	31	2021	26	3%	1.41	44		
Port SPS14	87	1996	107	1981	1996	107	2021	26	3%	1.41	151		
Port SPS17a	61	1996	75	1988	1996	75	2021	26	3%	1.41	106		
Port SPS17	195	1996	239	1981	1996	239	2021	26	3%	1.41	338		
Port SPS18a	284	1996	349	1980	1996	349	2021	26	3%	1.41	482		
Port SPS18	61	1996	75	1988	1996	75	2021	26	3%	1.41	106		
Port SPS1b	44	1996	54	1977	1996	54	2021	26	3%	1.41	76		
Port SPS1	39	1996	48	1989	1996	48	2021	26	3%	1.41	68		
Port SPS21	295	1996	362	1993	1996	362	2021	26	3%	1.41	511		
Port SPS22	122	1996	150	1983	1996	150	2021	26	3%	1.41	212		
Port SPS23a	303	1996	372	1988	1996	372	2021	26	3%	1.41	526		
Port SPS23	38	1996	47	1978	1996	47	2021	26	3%	1.41	66		
Port SPS24	80	1996	98	1979	1996	98	2021	26	3%	1.41	138		
Port SPS25	57	1996	70	1972	1996	70	2021	26	3%	1.41	98		
Port SPS26a	31	1996	38	1987	1996	38	2021	26	3%	1.41	54		
Port SPS26	33	1996	41	1972	1996	41	2021	26	3%	1.41	58		
Port SPS27a	38	1996	46	1984	1996	46	2021	26	3%	1.41	65		
Port SPS27	33	1996	40	1974	1996	40	2021	26	3%	1.41	57		
Port SPS28	66	1996	81	1985	1996	81	2021	26	3%	1.41	114		
Port SPS29	25	1996	32	1981	1996	32	2021	26	3%	1.41	43		
Port SPS2a	96	1996	117	1990	1996	117	2021	26	3%	1.41	165		
Port SPS2b	81	1996	99	1991	1996	99	2021	26	3%	1.41	140		
Port SPS31	59	1996	73	1982	1996	73	2021	26	3%	1.41	102		
Port SPS32	89	1996	109	1987	1996	109	2021	26	3%	1.41	154		
Port SPS33	101	1996	123	1988	1996	123	2021	26	3%	1.41	174		
Port SPS35	62	1996	76	1982	1996	76	2021	26	3%	1.41	107		
Port SPS37a	30	1996	36	1990	1996	36	2021	26	3%	1.41	51		
Port SPS37	52	1996	63	1982	1996	63	2021	26	3%	1.41	90		
Port SPS38a	15	1996	19	1988	1996	19	2021	26	3%	1.41	26		
Port SPS38	50	1996	62	1978	1996	62	2021	26	3%	1.41	87		
Port SPS39a	17	1996	21	1987	1996	21	2021	26	3%	1.41	30		
Port SPS39	65	1996	80	1979	1996	80	2021	26	3%	1.41	113		
Port SPS3a	34	1996	42	1983	1996	42	2021	26	3%	1.41	59		
Port SPS40a	161	1996	197	1987	1996	197	2021	26	3%	1.41	278		
Port SPS40	13	1996	15	1987	1996	15	2021	26	3%	1.41	22		
Port SPS41a	20	1996	24	1981	1996	24	2021	26	3%	1.41	34		
Port SPS41	53	1996	65	1979	1996	65	2021	26	3%	1.41	92		
Port SPS42	51	1996	63	1980	1996	63	2021	26	3%	1.41	89		
Port SPS43	38	1996	46	1982	1996	46	2021	26	3%	1.41	65		
Port SPS44	43	1996	53	1986	1996	53	2021	26	3%	1.41	74		
Port SPS45	103	1996	126	1974	1996	126	2021	26	3%	1.41	178		
Port SPS46	77	1996	95	1985	1996	95	2021	26	3%	1.41	134		
Port SPS47	291	1996	358	1983	1996	358	2021	26	3%	1.41	505		
Port SPS48	63	1996	77	1984	1996	77	2021	26	3%	1.41	109		
Port SPS49	67	1996	83	1984	1996	83	2021	26	3%	1.41	117		
Port SPS4a	34	1996	42	1987	1996	42	2021	26	3%	1.41	59		
Port SPS50	48	1996	59	1983	1996	59	2021	26	3%	1.41	84		
Port SPS50a	28	1996	35	1983	1996	35	2021	26	3%	1.41	47		

Hastings Council Capital Charge Calculation
Port Macquarie Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary	
per ET	Totals
Capital Charge	\$ 4,875

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commiss- ioned	Effective year commiss- ioned	Present value 2003 (\$'000) ⁴	Year of full take- up	Years to full take- up	Discount Rate	ROI factor	Capital ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
Port SPS52	71	1996	87	1988	1996	87	2021	26	3%	1.41	123		
Port SPS53	112	1996	137	1987	1996	137	2021	26	3%	1.41	193		
Port SPS54	131	1996	160	1987	1996	160	2021	26	3%	1.41	226		
Port SPS55	86	1996	106	1987	1996	106	2021	26	3%	1.41	150		
Port SPS56	69	1996	85	1987	1996	85	2021	26	3%	1.41	119		
Port SPS57	159	1996	195	1989	1996	195	2021	26	3%	1.41	276		
Port SPS58	34	1996	42	1988	1996	42	2021	26	3%	1.41	59		
Port SPS60	322	1996	395	1990	1996	395	2021	26	3%	1.41	558		
Port SPS61	75	1996	92	1990	1996	92	2021	26	3%	1.41	130		
Port SPS62	51	1996	63	1990	1996	63	2021	26	3%	1.41	89		
Port SPS63	70	1996	85	1991	1996	85	2021	26	3%	1.41	121		
Port SPS64	881	1996	1081	1993	1996	1081	2021	26	3%	1.41	1526		
Port SPS67	86	1996	106	1992	1996	106	2021	26	3%	1.41	149		
Port SPS68	80	1996	98	1992	1996	98	2021	26	3%	1.41	138		
Port SPS69	85	1996	79	1993	1996	79	2021	26	3%	1.41	112		
Port SPS70	53	1996	102	1988	1996	102	2021	26	3%	1.41	144		
Port SPS71	610	1996	749	1995	1996	749	2021	26	3%	1.41	129		
Port SPS72	77	1996	95	1994	1996	95	2021	26	3%	1.41	134		
Port SPS73	129	1996	158	1995	1996	158	2021	26	3%	1.41	223		
Port SPS76	796	1996	977	1988	1996	977	2021	26	3%	1.41	1379		
Port SPS7	22	1996	27	1989	1996	27	2021	26	3%	1.41	38		
Port SPS8a	183	1996	225	1978	1986	225	2021	26	3%	1.41	317		
Port SPS8b	22	1996	27	1981	1986	27	2021	26	3%	1.41	38		
Port SPS8	17	1996	21	1981	1986	21	2021	26	3%	1.41	29		
Port SPS9	465	1996	559	1988	1996	559	2021	26	3%	1.41	789		
Lighthouse Beach SPS19a	20	1996	24	1984	1986	24	2021	26	3%	1.41	34		
Lighthouse Beach SPS19	44	1996	53	1977	1996	53	2021	26	3%	1.41	75		
Lighthouse Beach SPS20a	34	1996	42	1984	1996	42	2021	26	3%	1.41	59		
Lighthouse Beach SPS20	166	1996	203	1977	1996	203	2021	26	3%	1.41	287		
Lighthouse Beach SPS31	144	1996	177	1984	1996	177	2021	26	3%	1.41	250		
Lighthouse Beach SPS11a	979	1996	1201	1977	1996	1201	2021	26	3%	1.41	1696		
Lighthouse Beach SPS11	17	1996	21	1980	1996	21	2021	26	3%	1.41	30		
Lighthouse Beach SPS34	66	1996	82	1984	1996	82	2021	26	3%	1.41	115		
Lighthouse Beach SPS34	58	1996	71	1977	1996	71	2021	26	3%	1.41	101		
Existing (post 1996)													
Lighthouse Beach SPS74	0	1997	0	1997	1997	0	2021	25	7%	2.00	0		
Port SPS 2 Wet Well Conversion	250	2001	263	2001	2001	263	2021	21	7%	1.81	476		
Port SPS 4 Inlet reconstruction	40	2001	42	2001	2001	42	2021	21	7%	1.81	76		
Industrial Area Gravity Duplication	400	2001	421	2001	2001	421	2021	21	7%	1.81	762		
Future													
Port Macquarie SPS 71 Upgrade	200	2001	210	2004	2004	197	2021	18	7%	1.67	329		
Port Macquarie SPS 71 Switchboard Upgrade	35	2001	37	2004	2004	34	2021	18	7%	1.67	58		
Port Macquarie SPS 60 Upgrade	250	2001	263	2004	2004	246	2021	18	7%	1.67	411		
Port Macquarie SPS 60 Switchboard Upgrade	50	2001	53	2004	2004	49	2021	18	7%	1.67	82		
Port Macquarie SPS 60 Rising Main Upsizing	250	2001	263	2004	2004	246	2021	18	7%	1.67	411		
Port Macquarie Innes Lake Carrier Upsizing	80	2001	84	2004	2004	79	2021	18	7%	1.67	131		
Lighthouse Beach Sewerage Upgrade	2000	2001	2103	2012									
Beyond the scope of this DSP													
Mains											20,906	21,828	958
Existing (pre 1996)													
PM97105	7	1996	9	1974	1996	9	2021	26	3%	1.41	13		
PM97106	9	1996	11	1974	1996	11	2021	26	3%	1.41	16		
PM97107	7	1996	8	1974	1996	8	2021	26	3%	1.41	12		
PM97108	9	1996	11	1974	1996	11	2021	26	3%	1.41	16		
PM97109	1	1996	8	1974	1996	8	2021	26	3%	1.41	12		
PM98P001	1	1996	1	1978	1996	1	2021	26	3%	1.41	2		
PM98P005	2	1996	2	1978	1996	2	2021	26	3%	1.41	3		
PM98P006	10	1996	12	1978	1996	12	2021	26	3%	1.41	17		
PM98P007	13	1996	16	1978	1996	16	2021	26	3%	1.41	23		
PM98P008	19	1996	23	1978	1996	23	2021	26	3%	1.41	33		
PM98P077	23	1996	28	1978	1996	28	2021	26	3%	1.41	39		
PM98P078	22	1996	28	1978	1996	28	2021	26	3%	1.41	39		
PM98P079	22	1996	28	1978	1996	28	2021	26	3%	1.41	39		

Notes: 1. Capital Charge Calculation based on the 2003 values. 2. Discount rate of 7% applied to all future cash flows. 3. Capital Charge Calculation based on the 2003 values. 4. Discount rate of 7% applied to all future cash flows.

Hastings Council Capital Charge Calculation
Port Macquarie Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary per ET		Totals	
Capital Charge	\$	Capital Charge	\$
			4,875

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commiss- ioned	Effective commiss- ioned	Present value (\$'000) ⁴	Year of full take- up	Years to full take- up	Discount Rate	ROI factor	Capital ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
PMSP079	21	1996	26	1978	1996	26	2021	26	3%	1.41	37		
PMSP080	10	1996	12	1978	1996	12	2021	26	3%	1.41	17		
PMSP081	21	1996	25	1978	1996	25	2021	26	3%	1.41	36		
PMSP082	25	1996	30	1978	1996	30	2021	26	3%	1.41	42		
PMSP083	17	1996	21	1978	1996	21	2021	26	3%	1.41	30		
PMSP084	18	1996	23	1978	1996	23	2021	26	3%	1.41	32		
PMSP085	12	1996	15	1978	1996	15	2021	26	3%	1.41	21		
PMSP086	8	1996	10	1978	1996	10	2021	26	3%	1.41	14		
PMSP087	21	1996	26	1978	1996	26	2021	26	3%	1.41	36		
PMSP088	26	1996	32	1978	1996	32	2021	26	3%	1.41	46		
PMSP089	16	1996	19	1978	1996	19	2021	26	3%	1.41	27		
PMSP090	5	1996	6	1978	1996	6	2021	26	3%	1.41	9		
PMSP091	9	1996	11	1978	1996	11	2021	26	3%	1.41	16		
PMSP092	13	1996	16	1978	1996	16	2021	26	3%	1.41	22		
PMSP093	12	1996	15	1978	1996	15	2021	26	3%	1.41	21		
PMSP094	23	1996	28	1978	1996	28	2021	26	3%	1.41	39		
PMSP095	17	1996	21	1978	1996	21	2021	26	3%	1.41	29		
PMSP096	10	1996	13	1978	1996	13	2021	26	3%	1.41	18		
PMSP097	19	1996	24	1978	1996	24	2021	26	3%	1.41	33		
PMSP098	18	1996	22	1978	1996	22	2021	26	3%	1.41	32		
PMSP099	6	1996	7	1978	1996	7	2021	26	3%	1.41	10		
PMSP100	12	1996	14	1978	1996	14	2021	26	3%	1.41	20		
PMSP101	22	1996	28	1978	1996	28	2021	26	3%	1.41	39		
PMSP102	10	1996	12	1978	1996	12	2021	26	3%	1.41	17		
PMSP103	1	1996	1	1980	1996	1	2021	26	3%	1.41	1		
PMSP105	1	1996	1	1980	1996	1	2021	26	3%	1.41	2		
PMSP1056	14	1996	17	1980	1996	17	2021	26	3%	1.41	24		
PMSP1057	9	1996	12	1980	1996	12	2021	26	3%	1.41	16		
PMSP1058	9	1996	12	1980	1996	12	2021	26	3%	1.41	16		
PMSP1059	11	1996	14	1980	1996	14	2021	26	3%	1.41	19		
PMSP1060	11	1996	14	1980	1996	14	2021	26	3%	1.41	19		
PMSP1061	12	1996	15	1980	1996	15	2021	26	3%	1.41	22		
PMSP1062	12	1996	15	1980	1996	15	2021	26	3%	1.41	22		
PMSP1066	8	1996	10	1980	1996	10	2021	26	3%	1.41	15		
PMSP1067	8	1996	9	1981	1996	9	2021	26	3%	1.41	13		
PMSP1008	10	1996	13	1981	1996	13	2021	26	3%	1.41	18		
PMSP1009	15	1996	19	1981	1996	19	2021	26	3%	1.41	26		
PMSP1010	15	1996	18	1981	1996	18	2021	26	3%	1.41	26		
PMSP1011	16	1996	19	1981	1996	19	2021	26	3%	1.41	27		
PMSP1012	22	1996	27	1981	1996	27	2021	26	3%	1.41	39		
PMSP1013	13	1996	16	1981	1996	16	2021	26	3%	1.41	22		
PMSP1014	12	1996	15	1981	1996	15	2021	26	3%	1.41	21		
PMSP1015	7	1996	9	1981	1996	9	2021	26	3%	1.41	12		
PMSP1016	16	1996	20	1981	1996	20	2021	26	3%	1.41	28		
PMSP1017	11	1996	14	1981	1996	14	2021	26	3%	1.41	20		
PMSP1018	12	1996	14	1981	1996	14	2021	26	3%	1.41	20		
PMSP1019	6	1996	7	1981	1996	7	2021	26	3%	1.41	10		
PMSP1020	14	1996	17	1981	1996	17	2021	26	3%	1.41	24		
PMSP1021	6	1996	7	1981	1996	7	2021	26	3%	1.41	11		
PMSP1022	6	1996	8	1981	1996	8	2021	26	3%	1.41	11		
PMSP1023	14	1996	17	1981	1996	17	2021	26	3%	1.41	24		
PMSP1024	11	1996	14	1981	1996	14	2021	26	3%	1.41	19		
PMSP1025	11	1996	13	1981	1996	13	2021	26	3%	1.41	19		
PMSP1026	12	1996	15	1981	1996	15	2021	26	3%	1.41	22		
PMSP1027	6	1996	8	1981	1996	8	2021	26	3%	1.41	11		
PMSP1028	21	1996	26	1981	1996	26	2021	26	3%	1.41	37		
PMSP1029	7	1996	8	1981	1996	8	2021	26	3%	1.41	11		
PMSP1030	12	1996	15	1981	1996	15	2021	26	3%	1.41	21		
PMSP1031	8	1996	10	1981	1996	10	2021	26	3%	1.41	14		
PMSP1032	8	1996	10	1981	1996	10	2021	26	3%	1.41	14		
PMSP1033	17	1996	21	1981	1996	21	2021	26	3%	1.41	30		
PMSP1034	17	1996	21	1981	1996	21	2021	26	3%	1.41	30		
PMSP1035	5	1996	6	1981	1996	6	2021	26	3%	1.41	9		
PMSP1036	9	1996	10	1981	1996	10	2021	26	3%	1.41	15		
PMSP1037	15	1996	18	1981	1996	18	2021	26	3%	1.41	26		

Hastings Council Capital Charge Calculation
Port Macquarie Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary	
per ET	
Capital Charge	\$
Totals	4,875

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000) ³	Year commissioned	Effective year commissioned	Present value 2003 (\$'000) ⁴	Year of full take-up	Years to full take-up	Discount Rate	ROI factor	Capital Charge (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
PM92317	21	1996	26	1981	1996	26	2021	26	3%	1.41	37		
PM92318	16	1996	19	1981	1996	19	2021	26	3%	1.41	27		
PM92319	14	1996	17	1981	1996	17	2021	26	3%	1.41	24		
PM92320	13	1996	16	1981	1996	16	2021	26	3%	1.41	23		
PM92321	14	1996	17	1981	1996	17	2021	26	3%	1.41	24		
PM92322	17	1996	21	1981	1996	21	2021	26	3%	1.41	28		
PM92323	11	1996	13	1981	1996	13	2021	26	3%	1.41	19		
PM92354	8	1996	9	1981	1996	9	2021	26	3%	1.41	13		
PM92357	9	1996	11	1981	1996	11	2021	26	3%	1.41	16		
PM92358	11	1996	13	1981	1996	13	2021	26	3%	1.41	18		
PM92364	9	1996	11	1981	1996	11	2021	26	3%	1.41	15		
PM92408	12	1996	15	1981	1996	15	2021	26	3%	1.41	21		
PM92411	6	1996	9	1981	1996	9	2021	26	3%	1.41	13		
PM1P001	2	1996	2	1981	1996	2	2021	26	3%	1.41	3		
PM1P002	1	1996	1	1981	1996	1	2021	26	3%	1.41	2		
PM1P003	1	1996	1	1981	1996	1	2021	26	3%	1.41	1		
PM1P004	10	1996	13	1981	1996	13	2021	26	3%	1.41	18		
PM1P005	10	1996	12	1981	1996	12	2021	26	3%	1.41	17		
PM1P006A	11	1996	14	1981	1996	14	2021	26	3%	1.41	20		
PM1P007	1	1996	2	1981	1996	2	2021	26	3%	1.41	3		
PM1P008	8	1996	10	1981	1996	10	2021	26	3%	1.41	14		
PM1P009	21	1996	26	1981	1996	26	2021	26	3%	1.41	36		
PM1P158	22	1996	27	1981	1996	27	2021	26	3%	1.41	38		
PM1P159	26	1996	32	1981	1996	32	2021	26	3%	1.41	45		
PM1P160	27	1996	34	1981	1996	34	2021	26	3%	1.41	47		
PM1P161	26	1996	32	1981	1996	32	2021	26	3%	1.41	45		
PM1P162	26	1996	32	1981	1996	32	2021	26	3%	1.41	45		
PM1P163	29	1996	35	1981	1996	35	2021	26	3%	1.41	49		
PM1P164	17	1996	21	1981	1996	21	2021	26	3%	1.41	29		
PM1P165	16	1996	19	1981	1996	19	2021	26	3%	1.41	27		
PM1P166	9	1996	11	1981	1996	11	2021	26	3%	1.41	16		
PM1P167	10	1996	12	1981	1996	12	2021	26	3%	1.41	17		
PM1P168	26	1996	32	1981	1996	32	2021	26	3%	1.41	45		
PM1P169	8	1996	10	1981	1996	10	2021	26	3%	1.41	14		
PM23P002	8	1996	10	1982	1996	10	2021	26	3%	1.41	14		
PM23P003	3	1996	4	1982	1996	4	2021	26	3%	1.41	6		
PM23P004	2	1996	2	1982	1996	2	2021	26	3%	1.41	3		
PM23P007	2	1996	2	1982	1996	2	2021	26	3%	1.41	3		
PM23P008	9	1996	11	1982	1996	11	2021	26	3%	1.41	16		
PM23P009	4	1996	5	1982	1996	5	2021	26	3%	1.41	7		
PM23P010	7	1996	9	1982	1996	9	2021	26	3%	1.41	13		
PM23P011	6	1996	8	1982	1996	8	2021	26	3%	1.41	11		
PM23P012	6	1996	7	1982	1996	7	2021	26	3%	1.41	10		
PM23P013	12	1996	14	1982	1996	14	2021	26	3%	1.41	20		
PM23P015	10	1996	12	1982	1996	12	2021	26	3%	1.41	17		
PM23P016	9	1996	11	1982	1996	11	2021	26	3%	1.41	16		
PM23P017	14	1996	17	1982	1996	17	2021	26	3%	1.41	24		
PM23P018	4	1996	5	1982	1996	5	2021	26	3%	1.41	7		
PM23P019	4	1996	5	1982	1996	5	2021	26	3%	1.41	7		
PM23P020	3	1996	3	1982	1996	3	2021	26	3%	1.41	6		
PM23P021	13	1996	16	1982	1996	16	2021	26	3%	1.41	23		
PM23P022	6	1996	7	1982	1996	7	2021	26	3%	1.41	10		
PM23P028	1	1996	1	1982	1996	1	2021	26	3%	1.41	1		
PM23P028B	3	1996	4	1982	1996	4	2021	26	3%	1.41	6		
PM23P029	1	1996	1	1982	1996	1	2021	26	3%	1.41	1		
PM23P030	3	1996	4	1982	1996	4	2021	26	3%	1.41	6		
PM24P007	7	1996	9	1982	1996	9	2021	26	3%	1.41	13		
PM24P008	5	1996	6	1982	1996	6	2021	26	3%	1.41	8		
PM24P009	17	1996	21	1982	1996	21	2021	26	3%	1.41	29		
PM25P002	9	1996	11	1982	1996	11	2021	26	3%	1.41	15		
PM25P003	7	1996	9	1982	1996	9	2021	26	3%	1.41	13		
PM25P004	11	1996	13	1982	1996	13	2021	26	3%	1.41	19		
PM25P005	11	1996	14	1982	1996	14	2021	26	3%	1.41	19		
PM25P006	1	1996	1	1982	1996	1	2021	26	3%	1.41	2		
PM25P007	8	1996	10	1982	1996	10	2021	26	3%	1.41	14		
PM25P008	3	1996	3	1982	1996	3	2021	26	3%	1.41	5		
PM25P009	4	1996	5	1982	1996	5	2021	26	3%	1.41	7		
PM27P002	3	1996	3	1982	1996	3	2021	26	3%	1.41	5		
PM27P003	3	1996	3	1982	1996	3	2021	26	3%	1.41	5		
PM27P004	5	1996	6	1982	1996	6	2021	26	3%	1.41	8		
PM27P004	10	1996	12	1982	1996	12	2021	26	3%	1.41	16		

Hastings Council Capital Charge Calculation
Port Macquarie Sewerage

Pre 1996 discount rate 3%
Post 1996 discount rate 7%

Summary per ET		Totals	
Capital Charge	\$	Capital Charge	\$
			4,875

Asset	Capital cost (\$'000) ¹	Year dollars ²	Capital Cost (\$'000, 2003\$) ³	Year commiss- ioned	Effective commiss- ioned	Present value 2003 (\$'000) ⁴	Year of full take- up	Years to full take- up	Discount Rate	ROI factor	Capital Cost + ROI (\$'000, 2003\$)	Capacity (ETs)	Capital Charge (\$/ET)
PM27P005	5	1996	7	1982	1996	7	2021	26	3%	1.41	9		
PM27P006	7	1996	8	1982	1996	8	2021	26	3%	1.41	12		
PM27P007	3	1996	4	1982	1996	4	2021	26	3%	1.41	5		
PM27P008	6	1996	7	1982	1996	7	2021	26	3%	1.41	10		
PM27P012	9	1996	11	1982	1996	11	2021	26	3%	1.41	15		
PM27P019	2	1996	2	1982	1996	2	2021	26	3%	1.41	3		
PM17P001	1	1996	1	1982	1996	1	2021	26	3%	1.41	1		
PM17P009	1	1996	2	1982	1996	2	2021	26	3%	1.41	2		
PM17P010	4	1996	5	1982	1996	5	2021	26	3%	1.41	7		
PM17P011	3	1996	4	1982	1996	4	2021	26	3%	1.41	6		
PM17P018	5	1996	6	1982	1996	6	2021	26	3%	1.41	9		
PM46P003	7	1996	8	1982	1996	8	2021	26	3%	1.41	12		
PM6P008	11	1996	14	1982	1996	14	2021	26	3%	1.41	19		
PM6P001	2	1996	3	1982	1996	3	2021	26	3%	1.41	4		
PM6P002	3	1996	4	1982	1996	4	2021	26	3%	1.41	6		
PM6P003	17	1996	21	1982	1996	21	2021	26	3%	1.41	29		
PM6P004	82	1996	100	1982	1996	100	2021	26	3%	1.41	141		
PM6P005	71	1996	87	1982	1996	87	2021	26	3%	1.41	123		
PM6P006	29	1996	35	1982	1996	35	2021	26	3%	1.41	50		
PM6P007	56	1996	68	1982	1996	68	2021	26	3%	1.41	97		
PM6P008	42	1996	52	1982	1996	52	2021	26	3%	1.41	73		
PM6P009	31	1996	38	1982	1996	38	2021	26	3%	1.41	54		
PM6P005	38	1996	46	1982	1996	46	2021	26	3%	1.41	65		
PM6P006	6	1996	7	1982	1996	7	2021	26	3%	1.41	10		
PM6P007	7	1996	9	1982	1996	9	2021	26	3%	1.41	12		
PM6P008	7	1996	9	1982	1996	9	2021	26	3%	1.41	13		
PM6P009	8	1996	10	1982	1996	10	2021	26	3%	1.41	14		
PM6P010	9	1996	11	1982	1996	11	2021	26	3%	1.41	15		
PM6P011	3	1996	3	1982	1996	3	2021	26	3%	1.41	4		
PM6P012	6	1996	7	1982	1996	7	2021	26	3%	1.41	11		
PM13P002	3	1996	3	1982	1996	3	2021	26	3%	1.41	5		
PM13P012	9	1996	11	1982	1996	11	2021	26	3%	1.41	16		
PM13P013	8	1996	10	1982	1996	10	2021	26	3%	1.41	14		
PM31P001	1	1996	1	1982	1996	1	2021	26	3%	1.41	1		
PM21P002	27	1996	34	1982	1996	34	2021	26	3%	1.41	47		
PM21P003	21	1996	26	1982	1996	26	2021	26	3%	1.41	36		
PM21P004	23	1996	28	1982	1996	28	2021	26	3%	1.41	39		
PM21P005	23	1996	28	1982	1996	28	2021	26	3%	1.41	39		
PM21P006	7	1996	8	1982	1996	8	2021	26	3%	1.41	12		
PM21P007	3	1996	4	1982	1996	4	2021	26	3%	1.41	6		
PM21P008	6	1996	8	1982	1996	8	2021	26	3%	1.41	11		
PM21P009	6	1996	7	1982	1996	7	2021	26	3%	1.41	10		
PM21P010	7	1996	8	1982	1996	8	2021	26	3%	1.41	12		
PM21P011	4	1996	5	1982	1996	5	2021	26	3%	1.41	7		
PM21P012	4	1996	5	1982	1996	5	2021	26	3%	1.41	7		
PM21P013	9	1996	11	1982	1996	11	2021	26	3%	1.41	16		
PM21P014	5	1996	7	1982	1996	7	2021	26	3%	1.41	9		
PM21P015	7	1996	8	1982	1996	8	2021	26	3%	1.41	12		
PM21P016	3	1996	4	1982	1996	4	2021	26	3%	1.41	6		
PM21P017	8	1996	10	1982	1996	10	2021	26	3%	1.41	14		
PM21P018	4	1996	5	1982	1996	5	2021	26	3%	1.41	7		
PM21P022	65	1996	80	1982	1996	80	2021	26	3%	1.41	113		
PM21P073	3	1996	3	1982	1996	3	2021	26	3%	1.41	5		
PM21P074	8	1996	9	1982	1996	9	2021	26	3%	1.41	13		
PM21P078	28	1996	35	1982	1996	35	2021	26	3%	1.41	49		
PM21P079	30	1996	37	1982	1996	37	2021	26	3%	1.41	52		
PM21P127	24	1996	30	1982	1996	30	2021	26	3%	1.41	42		
PM21P128	26	1996	34	1982	1996	34	2021	26	3%	1.41	48		
PM21P139	13	1996	16	1982	1996	16	2021	26	3%	1.41	23		
PM21P140	14	1996	17	1982	1996	17	2021	26	3%	1.41	24		
PM21P141	15	1996	18	1982	1996	18	2021	26	3%	1.41	26		
PM21P142	19	1996	23	1982	1996	23	2021	26	3%	1.41	32		
PM21P143	11	1996	13	1982	1996	13	2021	26	3%	1.41	19		
PM21P144	5	1996	6	1982	1996	6	2021	26	3%	1.41	8		
PM21P145	6	1996	7	1982	1996	7	2021	26	3%	1.41	10		
PM21P146	9	1996	11	1982	1996	11	2021	26	3%	1.41	16		
PM21P147	12	1996	14	1982	1996	14	2021	26	3%	1.41	20		
PM21P148	12	1996	15	1982	1996	15	2021	26	3%	1.41	21		
PM21P149	16	1996	20	1982	1996	20	2021	26	3%	1.41	28		
PM21P150	8	1996	10	1982	1996	10	2021	26	3%	1.41	14		