




PHOTO 1: EXAMPLE OF RECENTLY CONSTRUCTED BIOFILTRATION BASIN WITH A WIDTH OF APPROXIMATELY 4m



DETAIL 1: INDICATIVE OUTLET DETAIL (DECCW - GUIDELINES FOR CONTROLLED ACTIVITIES OUTLET STRUCTURES, FEBRUARY 2008)

CAUTION

This plan has been prepared for the purpose of a concept plan application. The information shown herein is only reliable for the above purpose. It should not therefore be used for any other purpose without verification.



King & Campbell Pty Ltd www.kingcampbell.com.au A: PO Box 243 Port Macquarie NSW 2444 T: 02 6586 2555

F: 02 6583 4064 E: info@kingcampbell.com.au REV. DATE DESCRIPTION


A 07.07.2010 ISSUED FOR EA

B 14.10.2010 ISSUED FOR EA

444

0 25 NOTE: DO NOT SCALE OFF DRAWINGS. USE FIX REPORT ANY DISCREPANCIES TO THE AUTHOR	
REPORT ANY DISCREPANCIES TO THE AUTHOR	
PROPERTY OF KING & CAMPBELL PTY LTD, IS P	THIS DRAWING, BEING THE ROTECTED BY COPYRIGHT
AND MUST NOT BE USED , REPRODUCED OR C WITHOUT THE WRITTEN PERMISSION OF KING (

PROJECT NO:	4898	DRAWING TITLE:	EXHIBIT 08B: INDICATIVE SOU	TH WESTERN		
DA NO.:		District Tree.	BIOFILTRATION BASIN DETAIL			
DESIGNED BY:	PJR	PRO JECT:	LOT 1 DP 374315 & LOT 4 DP615261			
DRAWN BY:	MW	PROJECT:	OCEAN DRIVE, PORT MACQUARIE			
CHECKED BY:	PJR	CLIENT:	MILLAND PTY LTD & SEAWIDE PTY LTD	DRAWING NO:	SHEET:	REVISION:
DATE CREATED:	FEB 2010	GEIEINI.	WILLIAMD PIT LID & SEAWIDE PIT LID	4898P_Exhibits.dwg	2	В



CAUTION

This plan has been prepared for the purpose of a concept plan application. The information shown herein is only reliable for the above purpose. It should not therefore be used for any other purpose without verification.

KING + CAMPBELL

King & Campbell Pty Ltd www.kingcampbell.com.au A: PO Box 243 Port Macquarie NSW 2444 T: 02 6586 2555

F: 02 6583 4064

E: info@kingcampbell.com.au


REV.	DATE	DESCRIPTION
A	06.07.2010	ISSUED FOR INFORMATION
В	07.07.2010	ISSUED FOR EA
С	14.10.2010	ISSUED FOR EA


SCALE: NOT TO SCALE DATUM: AHD © King & Campbell Pty Ltd

PROJECT NO:	4898	DRAWING TITLE:	EXHIBIT 08C: WESTERN CATC	HMENTS		
DA NO.:		DIAWING TITLE.	MUSIC MODEL SETUP POST D	EVELOPMENT		
DESIGNED BY:	ES/MT	PRO JECT:	LOT 1 DP 374315 & LOT 4 DP615261			
DRAWN BY:	MW	PROJECT:	OCEAN DRIVE, PORT MACQUARIE			
CHECKED BY:	PJR	CLIENT:	MILLAND PTY LTD & SEAWIDE PTY LTD	DRAWING NO:	SHEET:	REVISION:
DATE CREATED:	FEB 2010	CLIENT:	MILLAND PTY LTD & SEAWIDE PTY LTD	14898_DrainsData.dwg	3	С

Southwestern Pre-dev N SWPredev







CAUTION

This plan has been prepared for the purpose of a concept plan application. The information shown herein is only reliable for the above purpose. It should not therefore be used for any other purpose without verification.

KING + CAMPBELL

King & Campbell Pty Ltd www.kingcampbell.com.au A: PO Box 243 Port Macquarie NSW 2444 T: 02 6586 2555 F: 02 6583 4064 E: info@kingcampbell.com.au

REV.	DATE	DESCRIPTION
A	06.07.2010	ISSUED FOR INFORMATION
В	07.07.2010	ISSUED FOR EA
С	14.10.2010	ISSUED FOR EA

SCALE: NOT TO SCALE DATUM: AHD © King & Campbell Pty Ltd

PROJECT NO:	4898	DRAWING TITLE:	EXHIBIT 08D: WESTERN CATC	HMENTS		
DA NO.:		DIAWING TITLE.	DRAINS MODEL LAYOUT			
DESIGNED BY:	ES/MT	PROJECT:	LOT 1 DP 374315 & LOT 4 DP615261			
DRAWN BY:	MW	PROJECT:	OCEAN DRIVE, PORT MACQUARIE			
CHECKED BY:	PJR	CLIENT:	MILLAND PTY LTD & SEAWIDE PTY LTD	DRAWING NO:	SHEET:	REVISION:
DATE CREATED:	FFR 2010	GLIEINI.	IVIILLAINU PIT LIU & SEAWIDE PIT LIU	14898 DrainsData dwg	4	С

STORMWATER PRE DEVELOPMENT INFLOW DATA "DRAINS"

PIT / NODI	E DETAILS		Version 9										
Name	Туре	Family	Size	Ponding	Pressure	Surface	Max Pond	Base	Blocking	Х	у	Bolt-dowr	id
				Volume	Change	Elev (m)	Depth (m	Inflow	Factor			lid	
				(cu.m)	Coeff. Ku			(cu.m/s)					
N SWPred	Node					5		0		246.667	-125		1
N NWPred	Node					10		0		666.548	-111.153		2
DETENTIO	N BASIN D	ETAILS											
Name	Elev	Surf. Area	Init Vol. (d	Outlet Typ	K	Dia(mm)	Centre RL	Pit Family	Pit Type	Х	у	HED	Crest RL
SUB-CATC	HMENT DE	TAILS											
Name	Pit or	Total	Paved	Grass	Supp	Paved	Grass	Supp	Paved	Grass	Supp	Paved	Grass
	Node	Area	Area	Area	Area	Time	Time	Time	Length	Length	Length	Slope(%)	Slope
		(ha)	%	%	%	(min)	(min)	(min)	(m)	(m)	(m)	%	%
Southwes	N SWPred	10.23	0	100	0	0	0	0	0	500	0	0	5
Northwes	N NWPred	10.46	0	100	0	0	0	0	0	350	0	0	4.5

STORMWATER PRE DEVELOPMENT OUTPUTS

DRAINS results prepared 08 July, 2010 from Version	n 2009.09			
PIT / NODE DETAILS				Version 8
Name	Max HGL	Max Pond	Max Surface	Max Pond
		HGL	Flow Arriving	Volume
			(cu.m/s)	(cu.m)
SUB-CATCHMENT DETAILS				
Name	Max	Paved	Grassed	Paved
	Flow Q	Max Q	Max Q	Tc
	(cu.m/s)	(cu.m/s)	(cu.m/s)	(min)
Southwestern Pre-dev	3.206	0	3.206	0
Northwestern Pre-dev	3.708	0	3.708	0
Outflow Volumes for Total Catchment (0.00 imper	vious + 20.7 pe	rvious = 20.7 total	ha)	
Storm	Total Rainfall	Total Runoff	Impervious Runoff	Pervious Runoff
	cu.m	cu.m (Runoff %)	cu.m (Runoff %)	cu.m (Runoff %)
AR&R 100 year, 10 minutes storm, Coastal Region	8034.62	5046.82 (62.8%)	0.00 (0.0%)	5046.82 (62.8%)
AR&R 100 year, 20 minutes storm, Coastal Region	12207.1	8646.88 (70.8%)	0.00 (0.0%)	8646.88 (70.8%)
AR&R 100 year, 30 minutes storm, Coastal Region	15310.6	11200.31 (73.2%)	0.00 (0.0%)	11200.31 (73.2%)
AR&R 100 year, 1 hour storm, Coastal Region	21931.4	16759.83 (76.4%)	0.00 (0.0%)	16759.83 (76.4%)
AR&R 100 year, 2 hours storm, Coastal Region	27724.6	21030.85 (75.9%)	0.00 (0.0%)	21030.85 (75.9%)

CAUTION

This plan has been prepared for the purpose of a concept plan application. The information shown herein is only reliable for the above purpose. It should not therefore be used for any other purpose without verification.

KING + CAMPBELL

King & Campbell Pty Ltd www.kingcampbell.com.au A: PO Box 243 Port Macquarie NSW 2444 T: 02 6586 2555

F: 02 6583 4064 E: info@kingcampbell.com.au DATUM: AHD SCALE: NOT TO SCALE

NOTE: DO NOT SCALE OFF DRAWINGS. USE FIGURED DIMENSIONS ONLY.
BEPORT ANY DISCREPANCIES TO THE AUTHOR. THIS DRAWING, BEING THE
PROPERTY OF KING & CAMPBELL PTYL TO. IS PROTECTED BY COPPRIGHT
AND MUST NOT BE USED, REPRODUCED OR COPIED WHOLLY OR IN PART
WITHOUT THE WRITTEN PERMISSION OF KING & CAMPBELL PTYLTD.

© King & Campbell PY Ltd

PROJECT NO:	4898	DRAWING TITLE:	EXHIBIT 08E: WESTERN CATC	HMENTS		
DA NO.:		DRAWING TITLE.	DRAINS MODEL PRE DEVELOR	PMENT INPUT & OL	JTPUTS	•
DESIGNED BY:	ES/MT	PROJECT:	LOT 1 DP 374315 & LOT 4 DP615261			
DRAWN BY:	MW	PROJECT:	OCEAN DRIVE, PORT MACQUARIE			
CHECKED BY:	PJR	CLIENT:	MILLAND PTY LTD & SEAWIDE PTY LTD	DRAWING NO:	SHEET:	REVISION:
DATE CREATER.	EED 2010	CLIENI.	WILLAND PIT LID & SEAWIDE PIT LID	14000 Drainc Data dua		C

PIT / NODE DETAILS			Version 9										
Name	Type	Family	Size	Ponding	Pressure	Surface	Max Pond	Base	Blocking	х	у	Bolt-dow	r id
	J.			Volume	Change	Elev (m)	Depth (m)	Inflow	Factor			lid	
				(cu.m)	Coeff. Ku			(cu.m/s)					
N SWComm	Node					2	4		0	279.86	1 -227.778	3	20
N out SW	Node					5.	5		0	101.62	-236.458	3	1.
N SW MDRes	Node					2	0		0	344.16	7 -280)	3
N SW LDRes	Node						6		0	309.16	7 -380)	3
N NW Comm	Node					2	4		0	686.66	7 -385	5	3.
N out NW	Node					1	1		0	868.98	1 -279.861	ı	1:
N NW MDRes	Node					2	1		0	585	-333.333	3	3:
N NW LDRes	Node					1	2		0	622.14	4 -251.743	3	34
N NW undev	Node						2		0	747.5			48911
	11000												
DETENTION BASIN DETAILS													
Name	Elev	Surf. Area	Init Vol. (cu.m)	Outlet Type	К	Dia(mm)	Centre RL	Pit Family	Pit Type	х	V	HED	Crest RL
SW Basin	4.5			0 Culvert	0.5					201.15	,		
err Basin	4.75			- Julian	- Oit					201110	2001712	- 110	
	5												
	5.5												
	6												
NW Basin	9.6			0 Culvert	0.5					769.49	-280.209	No	
IVV Basiii	10			o curvert	0.0	,				707.47	200.207	/ 140	
	10.5												
	10.3												
	12												
	12	2 2200	,										
SUB-CATCHMENT DETAILS													
Name	Pit or	Total	Paved	Grass	Supp	Paved	Grass	Supp	Paved	Grass	Supp	Paved	Grass
Name	Node	Area	Area	Area	Area	Time	Time	Time					
	Node	(ha)	%	%	%	(min)		(min)	Length	Length	Length	Slope(%) %	%
SW Commercial	N SWComm					` '	(min) 5	` '	(m) 0	(m)	(m)	70	70
		0.68					5	0	0				
SW Med Dens Res	N SW MDRes	1.27		5 25				0		200) (-
SW Low Dens Res	N SW LDRes	8.28		0 40			0	-		300 20	, () !	5 2
NW Commercial	N NW Comm	0.73		0 10			5 5	0	0				
NW Med Dens Res	N NW MDRes			5 25				0	0	200			-
NW Low Dens Res	N NW LDRes	7.56		0 40			0	0		300 20			
NW Undeveloped area	N NW undev	1.83	i	0 100) ()	0	0	0	0 200) () () 2
DIDE DETAILS													
PIPE DETAILS	-	-		11/6 !!	D /C II	61	-	D.			D: 1	N D'	01 5
Name	From	То	Length	U/S IL	D/S IL	Slope	Туре	Dia	I.D.	Rough	Pipe Is	No. Pipes	Chg From
D CIM C	NI CLAZO	CIALD :	(m)	(m)	(m)	(%)	F DOD CL. O	(mm)	(mm)	(10	Man Fi		N CVA/C
P SW Comm		SW Basin			4.5		5 RCP Class 2	60			NewFixed		N SWComm
Pipe out SW	SW Basin	N out SW		0 4.5			5 RCP Class 2		-		NewFixed		SW Basin
P SW MD Res	N SW MDRes			0 5			5 RCP Class 2	60			NewFixed		N SW MDRes
P SW LD Res	N SW LDRes			0 !			5 RCP Class 2				NewFixed		N SW LDRes
P NW Comm	N NW Comm			0 10.7			1 RCP Class 2	60			NewFixed		N NW Comm
Pipe out NW	NW Basin	N out NW		0 9.6			1 RCP Class 2	60			NewFixed	_	NW Basin
P NW MD Res	N NW MDRes	NW Basin	2	0 10.7	7 10.5	5	1 RCP Class 2	60	00	610 0.3	3 NewFixed	1	I N NW MDRes

1 RCP Class 2

1 RCP Class 2

600

600

610

610

0.6 NewFixed

0.6 NewFixed

CAUTION

P NW LDRes

P NW undev

This plan has been prepared for the purpose of a concept plan application. The information shown herein is only reliable for the above purpose. It should not therefore be used for any other purpose without verification.

KING + CAMPBELL

N NW LDRes NW Basin

N NW undev NW Basin

King & Campbell Pty Ltd www.kingcampbell.com.au
A: PO Box 243 Port Macquarie NSW 2444 T: 02 6586 2555

10.7

10.7

10.5

10.5

20

20

DESCRIPTION
ISSUED FOR INFORMATION
ISSUED FOR EA
ISSUED FOR EA 06.07.2010 07.07.2010 14.10.2010 F: 02 6583 4064 E: info@kingcampbell.com.au

DATUM: AHD SCALE: NOT TO SCALE © King & Campbell Pty Ltd


3 N NW LDRes


3 N NW undev

PROJECT NO: EXHIBIT 08F: WESTERN CATCHMENTS DRAWING TITLE: DRAINS MODEL POST DEVELOPMENT INPUT AND OUTPUTS DESIGNED BY: ES/MT LOT 1 DP 374315 & LOT 4 DP615261 PROJECT: OCEAN DRIVE, PORT MACQUARIE PJR SHEET: REVISION: CHECKED BY: DRAWING NO: MILLAND PTY LTD & SEAWIDE PTY LTD CLIENT: DATE CREATED: FEB 2010 14898_DrainsData.dwg 6

DRAINS POST DEVELOPMENT OUTPUTS

PIT / NODE DETAILS				Version 8	
Name	Max HGL	Max Pond	Max Surface		Min
		HGL	Flow Arriving		Freeboard
			(cu.m/s)	(cu.m)	(m)
N SWComm	5.51		0.53		
N out SW	4.78		5.337		
N SW MDRes	5.67		0.976		
N SW LDRes	5.9		5.908		
N NW Comm	11.3		0.569		
N out NW	10.11		1.802		
N NW MDRes	11.3		0.184		
N NW LDRes	12.35		5.395		
N NW undev	11.3		0.094		
SUB-CATCHMENT DETAILS					
Name	Max	Paved	Grassed	Paved	Grassed
Name	Flow Q	Max Q	Max Q	Tc	Tc
	(cu.m/s)	(cu.m/s)	(cu.m/s)	(min)	(min)
SW Commercial	0.53	0.481	0.049		
SW Med Dens Res	0.976			5	
SW Low Dens Res	5.908	3.705	2.294	6.3	5.4
NW Commercial	0.569	0.517	0.052	5	
NW Med Dens Res	0.184	0.142	0.043	5	
NW Low Dens Res	5.395	3.382	2.094		5.4
NW Undeveloped area	0.094	0.002			
·					
Outflow Volumes for Total Catchment (11.9 impervious + 8.68 pervious = 20.6 total ha)	Total Rainfall		Impervious Runoff		
	cu.m	cu.m (Runoff %)	cu.m (Runoff %)	cu.m (Runoff %)	
AR&R 100 year, 10 minutes storm, Coastal Regi-	c 7995.78	6576.83 (82.3%)	4504.25 (97.4%)	2072.58 (61.5%)	
AR&R 100 year, 20 minutes storm, Coastal Regi	c 12148.1	10225.78 (84.2%)	6905.17 (98.3%)	3320.60 (64.8%)	
AR&R 100 year, 30 minutes storm, Coastal Regi		12894.26 (84.6%)		4203.25 (65.4%)	
AR&R 100 year, 1 hour storm, Coastal Region		18689.08 (85.6%)		6188.34 (67.2%)	
	21020.1	10007.00 (00.070)	12000.74 (77.170)		
AR&R 100 year, 2 hours storm, Coastal Region	27590.6	23669.91 (85.8%)	15834.22 (99.3%)	7835.69 (67.3%)	
	27590.6	23669.91 (85.8%)	15834.22 (99.3%)	7835.69 (67.3%)	
PIPE DETAILS		23669.91 (85.8%) Max V			Due to Storm
PIPE DETAILS	Max Q	Max V	Max U/S	Max D/S	Due to Storm
PIPE DETAILS Name	Max Q (cu.m/s)	Max V (m/s)	Max U/S HGL (m)	Max D/S HGL (m)	
PIPE DETAILS Name P SW Comm	Max Q (cu.m/s) 0.53	Max V (m/s)	Max U/S HGL (m) 5.506	Max D/S HGL (m) 5.414	AR&R 100 year, 20 minutes storm, Coastal Regi
PIPE DETAILS Name P SW Comm Pipe out SW	Max Q (cu.m/s) 0.53 1.163	Max V (m/s) 2.1	Max U/S HGL (m) 5.506 5.047	Max D/S HGL (m) 5.414 4.775	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res	Max Q (cu.m/s) 0.53 1.163 0.976	Max V (m/s) 2 2.1	Max U/S HGL (m) 5.506 5.047 5.669	Max D/S HGL (m) 5.414 4.775 5.414	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res	Max Q (cu.m/s) 0.53 1.163 0.976 5.908	Max V (m/s) 2 2.1 3.3 4	Max U/S HGL (m) 5.506 5.047 5.669 5.905	Max D/S HGL (m) 5.414 4.775 5.414 5.414	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res	Max Q (cu.m/s) 0.53 1.163 0.976	Max V (m/s) 2 2.1	Max U/S HGL (m) 5.506 5.047 5.669 5.905	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm	Max Q (cu.m/s) 0.53 1.163 0.976 5.908	Max V (m/s) 2 2.1 3.3 4	Max U/S HGL (m) 5.506 5.047 5.669 5.905	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569	Max V (m/s) 2 2.1 3.3 4 2	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 10.11	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 2 hours storm, Coastal Region
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184	Max V (m/s) 2 2.1 3.3 4 2 2 3.1 0.6	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 10.11	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Region AR&R 100 year, 2 hours storm, Coastal Region AR&R 100 year, 20 minutes storm, Coastal Region
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LDRes P NW MD Res	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797	Max V (m/s) 2 2.1 3.3 4 2 3.1	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 10.11 11.301	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 2 minutes storm, Coastal Region AR&R 100 year, 20 minutes storm, Coastal Region
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P P NW MD Res P NW DRes	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 10.11 11.301	AR&R 100 year, 20 minutes storm, Coastal Region AR&R 100 year, 20 minutes stor
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LORES P NW LORES P NW LORES P NW Undev CHANNEL DETAILS	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 10.11 11.301 11.301	AR&R 100 year, 20 minutes storm, Coastal Regical Raker 100 year, 20 minutes storm, Coastal Raker 100 year, 20 minutes year, 20
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LORES P NW LORES P NW LORES P NW Undev CHANNEL DETAILS	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301 Chainage	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 11.301 11.301 Max	AR&R 100 year, 20 minutes storm, Coastal Region AR&R 100 year, 20 minutes stor
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P P NW MD Res P NW LORES P NW LORES P NW LORES P NW LORES P NW Undev CHANNEL DETAILS	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 10.11 11.301 11.301	AR&R 100 year, 20 minutes storm, Coastal Regical Raker 100 year, 20 minutes storm, Coastal Raker 100 year, 20 minutes year, 20
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LDRes P NW LDRes P NW LDRes P NW LDRes NW LDRes NW LDRes P NW	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1 Max V (m/s)	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301 Chainage (m)	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 10.11 11.301 11.301 Max HGL (m)	AR&R 100 year, 20 minutes storm, Coastal Regians Raker 100 year, 20 minutes storm, Coastal Region Raker 100 year, 20 minutes storm, Coastal Region Due to Storm
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LORES P NW LDRES P NW MORES	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094 Max Q (cu.m/s)	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1 Max V (m/s)	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301 Chainage (m)	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 10.11 11.301 11.301 Max HGL (m) Max D	AR&R 100 year, 20 minutes storm, Coastal Regic AR&R 100 year, 2 hours storm, Coastal Regic Due to Storm
AR&R 100 year, 2 hours storm, Coastal Region PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LORES P NW LDRES P NW UNDRES P NW UNDR	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094 Max Q (cu.m/s)	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1 Max V (m/s) Max O D/S 5.337	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301 Chainage (m) Safe Q 2.545	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 11.301 11.301 11.301 Max HGL (m) Max D 0.456	AR&R 100 year, 20 minutes storm, Coastal Regio AR&R 100 year, 20 minutes storm, Coastal Region AR&R 100 year, 20 minutes storm, Coastal Region Due to Storm
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LDRes P NW LDRes P NW UDRes P NW UDRes P NW Undev CHANNEL DETAILS Name OVERFLOW ROUTE DETAILS Name OF SW	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094 Max Q (cu.m/s)	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1 Max V (m/s) Max O D/S 5.337	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301 Chainage (m) Safe Q 2.545	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 11.301 11.301 11.301 Max HGL (m) Max D 0.456	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 2 hours storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 2 hours storm, Coastal Region Due to Storm
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LDRes P NW undev CHANNEL DETAILS Name OVERFLOW ROUTE DETAILS Name OF SW OF NW	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094 Max Q (cu.m/s)	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1 Max V (m/s) Max O D/S 5.337	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301 Chainage (m) Safe Q 2.545	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 11.301 11.301 11.301 Max HGL (m) Max D 0.456	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 2 hours storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 2 hours storm, Coastal Region Due to Storm
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LDRes P NW UDRES	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094 Max Q (cu.m/s) Max Q U/S 5.337 1.802	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1 Max V (m/s) Max V (m/s) 5.337 1.802	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301 Chainage (m) Safe Q 2.545	Max D/S HGL (m) 5.414 4.775 5.414 11.301 10.11 11.301 11.301 Max HGL (m) Max D 0.456 0.246	AR&R 100 year, 20 minutes storm, Coastal Regia AR&R 100 year, 20 minutes storm, Coastal Regia R&B 100 year, 20 minutes storm, Coastal Regia AR&R 100 year, 20 minutes storm, Coastal Regia AR&R 100 year, 20 minutes storm, Coastal Regia AR&R 100 year, 20 minutes storm, Coastal Region Due to Storm Max DxV 0.4
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LDRes P NW LOFE NAME OF SW OF NW DETENTION BASIN DETAILS	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094 Max Q (cu.m/s)	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1 Max V (m/s) Max O D/S 5.337	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301 Chainage (m) Safe Q 2.545	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 11.301 11.301 11.301 Max HGL (m) Max D 0.456	AR&R 100 year, 20 minutes storm, Coastal Regia AR&R 100 year, 20 minutes storm, Coastal Region Due to Storm Max DxV 0.4
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LDRes P NW LOFE NAME OF SW OF NW DETENTION BASIN DETAILS	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094 Max Q (cu.m/s) Max Q U/S 5.337 1.802	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1 Max V (m/s) Max V (m/s) 5.337 1.802	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301 Chainage (m) Safe Q 2.545	Max D/S HGL (m) 5.414 4.775 5.414 11.301 10.11 11.301 11.301 Max HGL (m) Max D 0.456 0.246	AR&R 100 year, 20 minutes storm, Coastal Regia AR&R 100 year, 20 minutes storm, Coastal Regia R&B 100 year, 20 minutes storm, Coastal Regia AR&R 100 year, 20 minutes storm, Coastal Regia AR&R 100 year, 20 minutes storm, Coastal Regia AR&R 100 year, 20 minutes storm, Coastal Region Due to Storm Max DxV 0.4
PIPE DETAILS Name P SW Comm Pipe out SW P SW MD Res P SW LD Res P NW Comm Pipe out NW P NW MD Res P NW LD Res OVERFLOW ROUTE DETAILS Name	Max Q (cu.m/s) 0.53 1.163 0.976 5.908 0.569 1.797 0.184 5.395 0.094 Max Q (cu.m/s) Max Q U/S 5.337 1.802	Max V (m/s) 2 2.1 3.3 4 2 3.1 0.6 6.2 0.1 Max V (m/s) Max V (m/s) 5.337 1.802	Max U/S HGL (m) 5.506 5.047 5.669 5.905 11.301 10.267 11.303 12.352 11.301 Chainage (m) Safe Q 2.545 2.545 Max Q Total	Max D/S HGL (m) 5.414 4.775 5.414 5.414 11.301 11.301 11.301 11.301 Max HGL (m) Max D 0.456 0.246 Max Q Low Level	AR&R 100 year, 20 minutes storm, Coastal Regi AR&R 100 year, 20 minutes storm, Coastal Region Due to Storm Max DxV O. Max DxV O. Max Q High Level





DRAINS RESULTS FOR 1 IN 100 YR ARI STORM DRAINS PRE-DEVELOPMENT MODEL INPUT DETAILS (PRE-DEVELOPMENT) PIT / NODE DETAILS DRAINS results prepared 22 June, 2009 from Version 2008.07 Ponding Pressure Surface Max Pond Base Type Family Blocking x Bolt-down id Volume Change Elev (m) Depth (m) Inflow PIT / NODE DETAILS Version 8 Max HGL Max Pond Max Surface Max Pond Overflow Constraint Name C1pre-node 60.671 93.454 53061608 HGL Flow Arriving Volume Freeboard (cu.m/s) C2pre-node NA 132.57 91.736 53061856 (cu.m/s) (cu.m) (m) C3pre-node Node NA 198.089 53061857 274.405 89.527 C4pre-node Node SUB-CATCHMENT DETAILS Name Max Paved Grassed Paved Grassed Supp. Due to Storm DETENTION BASIN DETAILS Flow O Max O Max O Surf. Area Init Vol. (Outlet Typ K Dia(mm) Centre RL Pit Family Pit Type x Crest RL Elev HED Name (cu.m/s) (cu.m/s) (cu.m/s) (min) (min) (min) C1 - pre-dev 0 AR&R 100 year, 20 minutes stor 0.434 0.434 10 SUB-CATCHMENT DETAILS C2 - pre-dev 1.613 1.613 11.4 0 AR&R 100 year, 20 minutes stor Paved Grass Supp Pit or Total Paved Grass Supp Paved Grass Supp Paved Name Grass C3 - pre-dev 1.835 1.835 11.96 0 AR&R 100 year, 20 minutes stor Node Area Area Area Time Time Time Length Length Slope(%) Slope C4 - pre-dev 0.259 0.259 0 AR&R 100 year, 20 minutes stor (min) (min) (min) (m) (m) C1 - pre-dev C1nre-node 0.647 100 10 C2 - pre-dev C2pre-node 2 597 100 11.4 Outflow Volumes for Total Catchment (0.00 impervious + 6.55 pervious = 6.55 total ha) C3 - pre-dev C3pre-node 2.954 100 11.96 Total Rain Total Runoff | Impervious Runoff | Pervious Runoff C4 - pre-dev C4pre-node 0.352 100 5.33 cu.m (Runoff %) cu.m (Runoff %) cu.m (Runoff %) 3275 2805.15 (85.7%) 0.00 (0.0%) AR&R 100 year, 15 minutes storm, average 200 mm/h, Zone 1 PIPE DETAILS AR&R 100 year, 20 minutes storm, average 177 mm/h, Zone 1 3864.5 3360.66 (87.0%) 0.00 (0.0%) 3360.66 (87.0%) Length U/S IL D/S IL Slope Type Dia I.D. AR&R 100 year, 25 minutes storm, average 161 mm/h, Zone 1 4393.96 3855.69 (87.7%) 0.00 (0.0%) 3855.69 (87.7%) (m) (m) (%) (mm) AR&R 100 year, 30 minutes storm, average 148 mm/h, Zone 1 4847 4275.10 (88.2%) 0.00 (0.0%) 4275.10 (88.2%) DETAILS of SERVICES CROSSING PIPES PIPE DETAILS Bottom Height of Chg Bottom Height of Chg Bottom Height of etc Max O Max V Max U/S Max D/S Due to Storm Name Elev (m) (m) (m) Elev (m) Elev (m) (m) (m) (m) (m) etc (cu.m/s) (m/s) HGL (m) HGL (m) CHANNEL DETAILS CHANNEL DETAILS Type Length U/S IL D/S IL Slope Base Widt L.B. Slope R.B. Slope Manning Depth Roofed Name Max Q Max V Chainage Max Due to Storm (m) (%) (m) (1:?) n (cu.m/s) (m/s) HGL (m) DETENTION BASIN DETAILS Max WL MaxVol Max Q Max Q Max Q Total Low Level High Level CONTINUITY CHECK for AR&R 100 year, 20 minutes storm, average 177 mm/h, Zone 1 Inflow Outflow Storage Change Difference (cu.m) (cu.m) (cu.m) C1pre-node 332.43 332.43 C2pre-node 1331.78 1331.78 C3pre-node 1514.86 1514.86 C4pre-node 181.59 181.59 Run Log for P0601504JX03_V2.drn run at 10:16:03 on 22/6/2009 **EXHIBIT 08I EASTERN CATCHMENTS** (REPRODUCED FROM SHEET 8 OF 11 **MARTENS & ASSOCIATES REPORT** APPENDIX D). REV. DESCRIPTION ISSUED DESIGNED LIENT/ PROJECT DATE SHEET **Consulting Engineers** DMM 1.0 DRAFT 26.06.09 DMM DRAINS MODEL Environment martens HORIZONTAL RATIO HASTINGS COUNCIL PRE-DEVELOPMENT INPUTS AND OUTPUT Water BR NA Geotechnical & Associates Pty Ltd /ERTICAL RATIO: PROJECT MANAGER DRAWING NUMBER: OF 11 6/37 Leighton Place, Hornsby, NSW 2077 Australia Phone: (02) 9476 9999 Fax: (02) 9476 8767 Email: mail@martens.com.au Internet: http://www.martens.com.au A1/A3 NA DR D. MARTENS P0601504JD04-V1.TCW

DRAINS POST-DEVELO	OPMENT MO	DDEL INP	UT DETAIL	S							DRAINS RESULTS FOR 1 IN 100 YR ARI STORM (POST-DEVELOPMENT)						
PIT / NODE DETAILS			Version 9								DRAINS results prepared 22 June, 2009 from Version 2008.07						
Name	Туре	Family	Size	Ponding Volume		ev (m) Depth (m)	Base Inflow	Blocking Factor	x	У	PIT / NODE DETAILS				Version 8		
				(cu.m)	Coeff. Ku	ev (iii) Beptii (iii)	(cu.m/				Name	Max HGL Max	x Pond	Max Surface		Min Overflox	w Constrair
C1 -pd	Node					10		0		13.604		HGI	L	Flow Arriving	Volume	Freeboard (cu.m/s))
C3 -pd C4 -pd	Node Node					10		0	200.592	2 10.954 2 43.051	C1 -pd	9.62		(cu.m/s)	(cu.m)	(m)	
C2 -pd	Node					10		0		10.954	C3 -pd	9.68			0		
DETENTION DACIN DETAILS											C2 -pd	9.7			0		
DETENTION BASIN DETAILS Name	Elev	Surf. Area	Init Vol. (cu.n	n) Outlet Type	e K Di	a(mm) Centre RL	Pit Fam	nily Pit Type	x	V	SUB-CATCHMENT DETAILS						
C1 Basin	:	10	0	0 Culvert	0.5			, ,,,		42.413	Name	Max Pav		Grassed	Paved	Grassed Supp.	Due to St
C2 Basin	10		0	O Culvert	0.5				200 207	7 40.605		Flow Q Max (cu.m/s) (cu.	x Q	Max Q (cu.m/s)	Tc (min)	Tc Tc (min)	
C3 Basin		i.6 149		0 Culvert	0.5				200.297	7 40.695	C1 - post-dev	0.487	0.4		0.087		0 AR&R 100
C2 Basin	:	10	0	0 Culvert	0.5				134.213	3 43.803	C3 - post-dev	2.224	1.826		0.398		0 AR&R 100
	10.8	85 56	0								C4 - post-dev C2-post-dev	0.258 1.963	1.646				0 AR&R 100 0 AR&R 100
SUB-CATCHMENT DETAILS												1.505	1.040		= 4		
Name	Pit or	Total	Paved	Grass		ved Grass	Supp			Supp	Outling Vol. 11 Co. L. 11						
	Node	Area (ha)	Area %	Area %		me Time nin) (min)	Time (min)	Length (m)		Length (m)	Outflow Volumes for Total Catchment (4.95 impervious + 1.60 pervious = 6.55 total Storm		tal Runoff	Impervious Ru	noff Pervious Runof	f	
C1 - post-dev	C1 Basir	0.64	7	79 2	1 0	5	10	0	,	,,		cu.m cu.ı	m (Runoff %) cu.m (Runoff %	%) cu.m (Runoff %		
C3 - post-dev	C3 Basir				1 0	5	10	0			AR&R 100 year, 15 minutes storm, average 200 mm/h, Zone 1			2424.70 (98.0%			
C4 - post-dev C2-post-dev	C4 -pd C2 Basir	0.35 n 2.59		0 10 81 1	0 0 9 0	5	5.33 10	0			AR&R 100 year, 20 minutes storm, average 177 mm/h, Zone 1 AR&R 100 year, 25 minutes storm, average 161 mm/h, Zone 1			2870.05 (98.3%) 3270.04 (98.5%)			
											AR&R 100 year, 30 minutes storm, average 148 mm/h, Zone 1			3612.30 (98.6%			
PIPE DETAILS Name	From	То	Length	U/S IL	D/S IL SI	оре Туре	Dia	I.D.	Rough	Pipe Is	PIPE DETAILS						
	7 10111		(m)	(m)	(m) (%		(mm)	(mm)	Jugii	, .pc 13	Name	Max Q Max		Max U/S	Max D/S	Due to Storm	
Pipe1		C1-pd			0 9.5	5 Concrete, not under roads		25 225		3 NewFixed	S:4	(cu.m/s) (m/		HGL (m)	HGL (m)	5 4 0 0 0 400 25	
Pipe 3 Pipe 2		C3-pd C2-pd			0 9.5 0 9.5	5 Concrete, not under roads 5 Concrete, not under roads		50 450 50 450		3 NewFixed 3 NewFixed	Pipe 3	0.405 1.818	3.3 4.4			AR&R 100 year, 25 AR&R 100 year, 25	
						,					Pipe 2	1.607	4.7			7 AR&R 100 year, 25	
DETAILS of SERVICES CROSSING		Dottom	Unight of Cor	nd Cha	Dottom U	sight of Cha	Dotton	. Hoight of	ata		CHANNEL DETAILS						
Pipe	Chg (m)	Bottom Elev (m)	Height of Ser (m)	(m)	Bottom He	(m) (m)		n Height of n) (m)			Name	Max Q Max	ax V	Chainage	Max	Due to Storm	
	,	,	, ,		, ,	, , ,	,	<i>'</i>				(cu.m/s) (m/	/s)	(m)	HGL (m)		
CHANNEL DETAILS	From	То	Tuno	Longth	II/CII D	Clana	Dasa M	idt I D Class	D.D. Clone	o Manning	OVERFLOW ROUTE DETAILS						
Name	From	То	Туре	Length (m)	U/S IL D, (m) (n	S IL Slope (%)	(m)	idt L.B. Slope (1:?)			Name	Max Q U/S Max	ax Q D/S	Safe Q	Max D	Max DxV Max Wid	dtl Max V
											OF-1	0					0 (
OVERFLOW ROUTE DETAILS Name	From	То	Travel	Spill	Crest W	eir Cross	Safe De	ept SafeDept	t Safe	Bed	OF-3 OF-2	0	(1.262 (1.262 (0 (
Tunic			Time	Level		peff. C Section		Sto Minor Sto		Slope							
OF 1	C1 Davis	C1	(min)	(m)	(m)	1.7 C	(m)	(m)	(sq.m/sed		DETENTION BASIN DETAILS						
OF-1 OF-3		C1-pd C3-pd		1 10. 1 10.		1.7 Grassed swale with 1:4 sid 1.7 Grassed swale with 1:4 sid		0.5 0.4 0.5 0.4			Name	Max WL Max	axVol	Max Q	Max Q	Max Q	
OF-2		C2-pd		1 10.8		1.7 Grassed swale with 1:4 sid		0.5 0.4		1 5				Total		High Level	
											C1 Basin C3 Basin	10.54 10.59	35.3 303.2		0.405 0.405 1.818 1.818		
											C2 Basin	10.82	163.3		1.607 1.607		
											CONTINUETY CUECK (ADDRAGO 25						
											CONTINUITY CHECK for AR&R 100 year, 25 minutes storm, average 161 mm/h, Zone Node		tflow	Storage Chang	e Difference		
												(cu.m) (cu		(cu.m)	%		
											C1 Basin	412.83	412.82		0 (
											C1 -pd C3 Basin	412.82 1884.84	412.82 1884.8		0 0)	
											C3-pd	1884.8	1884.8	8	0 (0	
											C4-pd	195.86	195.86		0 0	0	
											C2 Basin C2 -pd	1662.68 1662.65	1662.65 1662.65		0.01	0	
											Run Log for P0601504JX03_V2.drn run at 10:16:03 on 22/6/2009						
														E	EXHIBIT 08J	EASTERN	CATCH
														(REPRODUC	ED FROM	SHEET
															MARTENS &		
																	LOIL
		,		1				T				1		F	APPENDIX D	7).	
		DAT	E ISSUEI	D BAR SC	ALE			DESIGNED:		NA	Consulting E	ingineers TITL	LE:				
ON								· I JIVIIVI		IN A							
ON			6.09 DMM								ethics council martans Environment			- DE:	DRAINS MODE		D =
ION			6.09 DMM					DRAWN/RE\	/IEWED: H	HORIZONTAL RATIO	STINGS COUNCIL Water	ACEA	POST	Γ-DEVELOPN	DRAINS MODE MENT INPUTS A		PUT
ON			6.09 DMM						/IEWED: H		STINGS COUNCIL Associates Pty Ltd Environment Water Geotechnical Civil	The Association of Consultation	POST	Γ-DEVELOPN			PUT