



## Office of Water

Team Leader, Strategic Assessment  
NSW Department of Planning  
GPO Box 39  
SYDNEY NSW 2001

Contact: Mark Simons  
Phone: 02 4904 2572  
Fax: 02 4904 2501  
Email: [mark.simons@water.nsw.gov.au](mailto:mark.simons@water.nsw.gov.au)

6 January 2011

Our ref: ER21132  
Your ref: MP10\_0089

**Attention: Anna Johnston**

Dear Ms Johnston

### **Coal and Allied Southern Estates - Middle Camp (MP10\_0089)**

I refer to your letter of the 16 November, 2010, inviting comment on the Environmental Assessment (EA) for a concept plan associated with the above project. The NSW Office of Water (NOW) has reviewed the EA and provides detailed comments in Attachment A, with recommended conditions of approval in Attachment B.

If you wish to discuss please contact Mark Simons on telephone (02) 2904 2572 at the Newcastle office.

Yours sincerely

*for* Mark Mignanelli  
Manager  
Major Projects and Assessment  
NSW Office of Water  
Newcastle

**NOW COMMENTS ON ENVIRONMENTAL ASSESSMENT  
COAL AND ALLIED CATHERINE HILL BAY – CONCEPT PLAN (10\_0089)**

**Water Licences under the Water Management Act and Water Act.**

The *Water Management Act 2000* (WMA) governs sustainable and integrated management of water sources across the State. Licensing of water is regulated under the *Water Management Act 2000* for areas which are subject to a Water Sharing Plan, and the *Water Act 1912* for water sources not covered by a Water Sharing Plan. At present, surface water systems in this area fall within the South Lake Macquarie Water Source, under the Water Sharing Plan for the Hunter Unregulated and Alluvial Water Sources. Groundwater within the area is regulated under the *Water Act 1912*.

**Watercourse Crossings and protection of Riparian Zones**

Figure A2.3.1 identifies a number of watercourses surrounding the proposed subdivision area. The plan does not identify any watercourses within the proposed subdivision, however, there are a number of 1<sup>st</sup> order streams within the subdivision area which have not been mapped. NOW guidelines for protection of riparian corridors recommend a 10m core riparian zone for 1<sup>st</sup> order streams. The subdivision layout appears to show that roads are proposed along the line of these streams. Although the project is exempt from requiring controlled activity approvals, the proponent should consider amendments to the design of the subdivision to ensure riparian corridors are protected, in accordance with the NOW Guidelines for Controlled Activities (August 2010).

**Groundwater**

The project involves the construction of underground service infrastructure. The concept plan EA does not address the issue of groundwater interception, potential impacts on groundwater, or the protection of groundwater quantity and quality during construction of these services. Interception of groundwater and take of water is a licensable activity under relevant water legislation.

**Water Quality and Quantity Management**

NOW supports the commitments made by the proponent on Water Quality and Quantity management. Further detail on proposed stormwater management infrastructure will need to be provided as part of any project EA.

**End Attachment A  
6 January 2011**

**NOW RECOMMENDED CONDITIONS OF APPROVAL  
COAL AND ALLIED CATHERINE HILL BAY – CONCEPT PLAN (10\_0089)**

**Water Licencing Requirements**

An authorisation under the *Water Act 1912* or the *Water Management Act 2000* is to be obtained from the NSW Office of Water with the appropriate purpose identified for any activity relating to the taking of or interception of groundwater prior to that activity commencing.

**Watercourse crossings and Riparian Zone Management**

Any project EA prepared under this concept approval must include an identification of all water courses (including first order streams) impacted upon by the development. The EA should demonstrate consistency with the NOW Guidelines for Controlled Activities (August 2010), as applicable:

- Riparian corridors (and associated Vegetation Management Plans)
- Watercourse crossings
- Laying pipes and cables in watercourses
- Outlet structures
- In-stream works

**Groundwater**

Any project EA prepared under this concept approval must provide details of:

- proposed works likely to intercept groundwater
- any proposed groundwater extraction
- proposed method of disposal of waste water
- potential impacts on groundwater users, including the environment
- measures to prevent groundwater pollution
- any groundwater dependent ecosystems in the area

**Water Quality and Quantity Management**

Any project EA prepared under this concept approval should:

- provide information on the drainage and stormwater management measures proposed for the site
- Assess the impact of the proposal on the hydrology of the site and receiving waters.

**End Attachment B  
6 January 2011**