

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 89
PROJECT No: 39663C
DATE: 06 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.7	FILLING - Generally comprising brown gravelly clayey fine grained sand, gravel predominantly coal chitter (20%) angular sandstone (15%) up to 100mm, dry to humid	[Cross-hatched pattern]	D,PID	0.3		<1 ppm						
						0.5							
	1	FILLING - Black gravel with minor clay and sand, gravel predominantly coal chitter (80-90%) up to 100mm	[Cross-hatched pattern]	D,PID	1.3		<1 ppm						
	1.9	FILLING - Generally comprising light brown fine grained clayey sand with some angular sandstone gravel and trace sand sized coal chitter (1-2%), dry		D,PID	2.1		<1 ppm						
	2.6	FILLING - (Medium dense), yellow-brown clayey sand with minor subrounded sandstone, gravel (dry)	[Cross-hatched pattern]	D,PID	2.3								
	3			D,PID	3.0		<1 ppm						
	3.2	Pit discontinued at 3.2m, limit of investigation			3.2								
	4												

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpel

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 90
PROJECT No: 39663C
DATE: 07 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.05	FILLING - Generally comprising brown silty clay, abundant rootlets, damp	[Cross-hatched pattern]	D,PID,pp	0.1		<1 ppm, 120 kPa						
		FILLING - Generally comprising (dense) to medium grained clayey sand with some subangular gravel, predominantly coal chitter (10-15%), humid				0.2							
	1			D,PID	0.8		<1 ppm						
					1.0								
	1.6	FILLING - Black clayey silty gravel, gravel predominantly coal (40-50%), humid	[Cross-hatched pattern]	D,PID,pp	1.8		<1 ppm, 170 kPa						
	1.7	FILLING - Generally comprising grey mottled orange gravelly silty clayey gravel, typically angular ironstone (10%), claystone (10%) and coal (15%)				2.0							
	2.7	FILLING - Generally comprising, clayey silty gravel, gravel predominantly coal (40-50%)	[Cross-hatched pattern]	D,PID	2.8		<1 ppm						
	2.8	FILLING - Grey mottled orange fine grained sandy clay with some angular gravel sized coal (5-10%) and siltstone (5-10%)				3.0							
	3.6	Pit discontinued at 3.6m, limit of investigation											

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics · Environment · Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 92
PROJECT No: 39663C
DATE: 06 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.7	FILLING - Generally comprising brown fine grained gravelly clayey sand, gravel predominantly angular sandstone (20%) or with some coal chitter (10%), dry	[Cross-hatched pattern]	D,PID	0.3		<1 ppm						
						0.5							
	1	FILLING - Light grey clay, slightly fine grained sand with minor angular ironstone gravel, M<Wp	[Cross-hatched pattern]	D,PID,pp	1.3		<1 ppm, 250 kPa						
						1.5							
	1.9	FILLING - Light grey fine grained sand, dry	[Cross-hatched pattern]	D,PID	2.8		<1 ppm						
	2					3.1							
	3.2	Pit discontinued at 3.2m, limit of investigation											

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
▷	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 93
PROJECT No: 39663C
DATE: 07 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
		FILLING - Generally comprising grey gravelly clay, gravel predominantly angular siltstone, trace rootlets, humid	X											
	0.7	from 0.6m to 0.7m, some dark brown clayey silt		D,PID	0.3		1 ppm							
					0.5									
	1	FILLING - Generally comprising brown gravelly clay with some sand, gravel predominantly angular siltstone (20%), some sandstone (1-2%), humid		D,PID	0.8		<1 ppm							
					1.0									
					1.3		<1 ppm							
					1.5									
	3	at 3.1m to 3.4m, trace gravel sized coal (1-2%)		D,PID	2.8		<1 ppm							
		at 3.4m to 3.5m, trace cobble sized siltstone up to 400mm			3.0									
	3.7	Pit discontinued at 3.7m, refusal possibly on rock												
	4													

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
▷	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 95
PROJECT No: 39663C
DATE: 06 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)									
				Type	Depth	Sample	Results & Comments		5	10	15	20						
		FILLING - Generally comprising light brown gravelly fine grained sandy clay, gravel generally comprising angular sandstone (10%) and trace coal chitter (1-2%), dry	X	D,PID	0.1		<1 ppm											
					0.2													
1																		
				D,PID	1.3		<1 ppm											
					1.5													
2																		
		from 2.6m to 2.7m, trace scrap metal and brick fragments		D,PID	2.5		<1 ppm											
					2.7													
3																		
		with some brown staining at 3.2m to 3.7m																
				D,PID	3.5		<1 ppm											
					3.7													
3.7		Pit discontinued at 3.7m, maximum reach of backhoe																
4																		

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 96
PROJECT No: 39663C
DATE: 06 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
		FILLING - Generally comprising light brown gravelly silty clay, gravel predominantly angular sandstone (5-10%) and coal chitter (5%), dry		D,PID	0.1		<1 ppm							
					0.2									
	0.6	FILLING - Generally comprising light brown and orange silty clay with some angular gravel, comprising sandstone (10%), coal chitter (5%), trace rootlets, dry		D,PID	0.8		2 ppm							
	1				1.0									
	1.05	FILLING - Generally comprising black clayey silt with some orange silty clay inclusions, dry		D,PID,pp	1.3		<1 ppm, 450 kPa							
					1.5									
	2													
	2.1	CLAY - (Hard), grey clay												
	2.2	SANDSTONE - Low strength, weathered grey fine grained sandstone												
	2.3	Pit discontinued at 2.3m, refusal on sandstone												
	3													
	4													

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 99
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)			
				Type	Depth	Sample	Results & Comments		5	10	15	20
	0.4	FILLING - Brown intermixed sandy silt, clay and fine to coarse grained subangular gravel including trace coal, moist		D,PID	0.2		7.4 ppm					
	0.85	FILLING - Black silt, sand and fine to medium grained gravel sized coal reject, generally comprising 85% coal, 15% carbonaceous siltstone		D,PID	0.6		6.3 ppm					
	1.15	FILLING - Grey-brown clayey sandy silt with trace fine to medium grained subangular gravel, moist		D,PID	1.0		<1 ppm	1				
	1.9	CLAY - Very stiff, grey mottled orange clay with trace to some silt and sand, M> Wp		D,PID,pp	1.3		<1 ppm, 350-380 kPa					
	2.2	from 1.6m, hard		pp	1.6		>400 kPa					
	2.2	SILTSTONE - Very low to low strength, moderately weathered, grey siltstone						2				
	2.2	Pit discontinued at 2.2m, refusal										
	3							3				
	4							4				

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 100
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.25	FILLING - Dark grey-brown clayey gravelly silt, gravel generally comprising ash, moist		D,PID	0.1		6.7 ppm						
		FILLING - Grey gravelly silt (ash), damp from 0.45m, increased gravel content		D,PID	0.4		7.3 ppm						
	0.9	CLAY - Very stiff grey-brown slightly silty clay with some fine grained sand, M> Wp		D,PID,pp	1.0		<1 ppm, 240-310 kPa	1					
	1	from 1.2m, hard, some fine to coarse grained subangular gravel		pp	1.2		>400 kPa						
	1.6	from 1.4m, light grey mottled orange											
	1.8	CLAYEY SILTSTONE - Very low to low strength, moderately weathered, grey mottled orange clayey siltstone											
		Pit discontinued at 1.8m, refusal											
	2							2					
	3							3					
	4							4					

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 101
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.25	FILLING - Grey-brown clayey silt with some sand and fine to coarse grained gravel including trace ash, moist		D,PID	0.1		<1 ppm							
	0.5	SILT - Grey silt with some clay and trace cobbles to 100mm, humid												
	1.3	CLAY - Very stiff to hard, light grey mottled orange clay with trace to some sand and silt in upper 100mm, M < Wp from 0.6m, M > Wp		D,PID,pp	0.6		<1 ppm, 360->400 kPa							
	1.4	from 1.2m, light grey with some silt and fine grained sand												
	1.4	SILTSTONE - Very low to low strength, moderately weathered, light grey siltstone with some ironstaining Pit discontinued at 1.4m, refusal												

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:







Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 102
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing			Water	Dynamic Penetrometer Test (blows per mm)			
				Type	Depth	Sample		Results & Comments	5	10	15
	0.2	CLAY - Hard, grey mottled orange clay, M<Wp		D,PID,pp	0.1		<1 ppm, >400 kPa				
	0.6	SILTY CLAY - Firm to stiff, light grey mottled orange silty clay with some fine grained sand, gravel and cobbles to 200mm, M>>Wp									
	0.6	from 0.6m, stiff to very stiff, M>Wp		D,PID,pp	0.7		<1 ppm, 180-250 kPa				
	1.6	SILTSTONE - Very low strength, highly weathered, grey and orange siltstone		D,pp	1.4		80-140 kPa				
2	2.0	Pit discontinued at 2.0m, refusal									

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 103
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)									
				Type	Depth	Sample	Results & Comments		5	10	15	20						
	0.3	FILLING - Dark grey-brown clayey silt with trace fine to coarse grained subangular gravel and PVC and concrete inclusion, moist		D,PID	0.1		<1 ppm											
	0.6	SILT - Grey silt with some subangular gravel and cobbles to 200mm, moist from 0.4m, humid		D,PID	0.5		<1 ppm											
	0.8	SILTSTONE - Very low strength, highly weathered, grey mottled orange siltstone																
	1.0	Pit discontinued at 0.8m, refusal																

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 104
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.15	FILLING - Dark grey-brown gravelly silt with some clay, gravel generally comprising ash and coal (20-40%), moist		D,PID	0.1		7.2 ppm						
	0.4	FILLING - Grey silty sandy fine to coarse grained gravel (ash), damp		D,PID	0.3		7.1 ppm						
	0.8	SANDY SILT - Brown sandy silt with some fine to coarse grained subangular gravel and cobbles to 150mm, damp		D,PID	0.5		<1 ppm						
	1.0	SILTSTONE - Extremely low to very low strength, light grey mottled orange siltstone						1					
	1.2	Pit discontinued at 1.2m, refusal											
	2.0							2					
	3.0							3					
	4.0							4					

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
▷	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 105
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.4	FILLING - Grey-brown clayey silt with some fine to coarse grained subangular gravel, moist		D,PID	0.2		<1 ppm						
	0.4	FILLING - Loose, clayey fine to coarse grained subangular gravel, cobbles and boulders to 400mm, with some glass, porcelain, brick and metal inclusions		D,PID	0.6		<1 ppm						
		at 0.7m, timber post											
		from 1.5m, numerous timber posts											
	2.0	Pit discontinued at 2.0m											

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
>	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 106
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.25	FILLING - Dark grey-brown clayey gravelly silt with some sand and trace porcelain fragments, gravel generally comprising ash and coal, moist		D,PID	0.1		7.0 ppm						
	0.45	CLAYEY SILTY SAND - Grey clayey silty fine to medium grained sand, moist		D,PID	0.3		<1 ppm						
	1.0	CLAY - Very stiff, orange-brown clay with some silt, M>Wp		D,PID,pp	0.6		<1 ppm, 290-360 kPa						
	1.0	from 0.5m, very stiff to hard, light grey mottled orange-red, M<Wp		pp	0.9		380->400 kPa						
	1.5			pp	1.5		>400 kPa						
	2.2	SILTY CLAYSTONE - Extremely low strength, extremely weathered, light grey mottled orange-red silty claystone											
	2.7	Pit discontinued at 2.7m, refusal											

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 107
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
		FILLING - Intermixed sandy silt, clay, gravel, cobbles and boulders to 400mm with brick, plastic, metal and glass inclusions, moist	[Cross-hatched pattern]	D,PID	0.2		<1 ppm						
		from 0.5m, including gravel content, saturated		D,PID	0.7		<1 ppm						
	1	from 1.2m, large timber beam in eastern edge of pit											
	1.8	Pit discontinued at 1.8m, pit walls collapsing											
	2												
	3												
	4												

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: Perched groundwater observed at 0.5m

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS: Within possible pothole on former well

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
>	Water seep
☼	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 108
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.3	FILLING - Dark grey-black silty sandy fine to coarse grained gravel sized coal reject, generally comprising 65% coal, 35% carbonaceous siltstone, damp		D,PID	0.2		8.1 ppm							
	0.6	FILLING - Intermixed silt, clay, gravel and cobbles to 200mm (possible natural), humid												
	0.6	SILT - Grey silt, humid		D,PID	0.7		<1 ppm							
	1.1	SILTSTONE - Very low to low strength, moderately weathered, grey and orange siltstone with some ironstaining												
	1.25	Pit discontinued at 1.25m, refusal												

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 109
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
		FILLING - Dark grey silt with some clay, fine to coarse grained subangular gravel, cobbles and boulders to 450mm (siltstone), moist	X	D,PID	0.1		<1 ppm						
	0.45	at 0.4m, brick fragments											
		CLAYEY SILT - Grey clayey silt with some fine to medium grained sand, moist to wet		D	0.6								
1	1.0	SILTY CLAY - Firm to stiff, grey mottled orange silty clay with some fine grained sand, M>>Wp		D,pp	1.2		80-120 kPa	1					
		from 1.6m, increased sand		pp	1.8		150-180 kPa	2					
	2.2	Pit discontinued at 2.2m, limit of investigation											
	3							3					
	4							4					

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A Auger sample	pp Pocket penetrometer (kPa)
D Disturbed sample	PID Photo ionisation detector
B Bulk sample	S Standard penetration test
U Tube sample (x mm dia.)	PL Point load strength Is(50) MPa
W Water sample	V Shear Vane (kPa)
C Core drilling	> Water seep
	≡ Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 110
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)			
				Type	Depth	Sample	Results & Comments		5	10	15	20
		FILLING - Grey-brown clayey silt with some silty clay clumps and trace fine grained sand, damp to moist	[Cross-hatched]	D,PID	0.3		<1 ppm					
				D,PID	0.7		<1 ppm					
	0.85	FILLING - Stiff to very stiff, dark grey silty clay with some fine grained sand, M>Wp	[Cross-hatched]	pp	1.0		140-220 kPa					
	1.05	CLAYEY SANDY SILT - Grey clayey sandy silt, moist to wet (likely fill to 1.3m)	[Diagonal lines]	D,PID	1.1		<1 ppm					
		from 1.6m, wet to saturated, some organics	[Diagonal lines]									
	1.85	SILTY CLAY - Very stiff, grey mottled orange-brown silty clay, M>Wp	[Diagonal lines]	pp	2.0		190-280 kPa					
	2.2	Pit discontinued at 2.2m, limit of investigation										

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 111
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)			
				Type	Depth	Sample	Results & Comments		5	10	15	20
	0.1	TOPSOIL - Brown clayey silt, moist		D, PID, pp	0.15		<1 ppm, 180-210 kPa					
		CLAY - Stiff to very stiff, orange-brown clay, M>Wp										
	0.65	from 0.5m, hard, M<Wp		D, pp	0.5		>400 kPa					
		CLAYSTONE - Extremely low strength, extremely weathered, grey mottled orange claystone, fractured										
	1	from 1m, very low strength, highly weathered										
		from 1.5m, very low to low strength		D	1.5							
	2.0	Pit discontinued at 2.0m, limit of investigation										
	3											
	4											

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 112
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.15	FILLING - Dark grey-brown clayey sandy silt, gravel generally comprising fine to medium grained subangular coal and carbonaceous siltstone with trace glass and porcelain fragments, damp		D,PID	0.1		<1 ppm							
	0.5	CLAYEY SILT - Grey-brown clayey silt with trace to some fine grained sand, humid from 0.25m, light grey-brown		D,PID,pp	0.6		<1 ppm, >400 kPa							
	1.0	CLAY - Hard, light grey mottled orange silt and fine grained sand, M<Wp												
	1.0	SILTSTONE - Extremely low strength, extremely weathered, light grey mottled orange siltstone, sandy and orange clayey in parts												
		from 1.5m, extremely low to very low strength												
		from 2.2m, extremely low strength clayey sandstone												
		from 2.5m, some fine to medium grained subangular gravel												
		from 2.9m, very low strength												
	3.0	Pit discontinued at 3.0m, limit of investigation												

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 113
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
		FILLING - Grey-brown clayey silt with some clay clumps and trace fine to coarse grained subangular gravel, moist		D,PID	0.2		<1 ppm						
	0.4	FILLING - Dark grey-black clay, silt, sand and fine to medium grained gravel sized coal reject, generally comprising 40% clay and silt, 30% coal, 30% carbonaceous siltstone, moist		D,PID	0.5		<1 ppm						
	0.6			D,PID	0.7		<1 ppm						
	0.85	FILLING - Brown clayey silt, gravelly in parts, including trace coal, moist											
	1	CLAYEY SILT - Grey-brown clayey silt, damp from 1m, humid		D,PID	1.0		<1 ppm	1					
	1.1	SILTY CLAY - Hard, grey mottled orange silty clay, M<Wp											
				D,pp	1.3		>400 kPa						
	2							2					
	2.4	CLAYSTONE - Extremely low strength, extremely weathered, grey claystone with some very low strength red sandy siltstone in parts											
	2.6	Pit discontinued at 2.6m											
	3							3					
	4							4					

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 114
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)			
				Type	Depth	Sample	Results & Comments		5	10	15	20
	0.25	CLAY - Stiff, grey mottled orange clay with some silt and rootlets, M>Wp	[Hatched pattern]	D,PID,pp	0.2		<1 ppm, 150-180 kPa					
		SILTY CLAY - Firm to stiff, grey silty clay, M>Wp		D,PID,pp	0.4		<1 ppm, 90-100 kPa					
		from 0.5m, stiff to very stiff grey mottled orange with trace fine to medium grained subangular gravel including coal, silt content decreasing		pp	0.6		170-220 kPa					
	1			D,pp	1.0		220-280 kPa	1				
		from 1.5m, very stiff		pp	1.5		270-300 kPa					
			pp	1.8		320-380 kPa						
	2.0	CLAYEY SILTSTONE - Extremely low to very low strength, highly weathered, light grey mottled orange clayey siltstone with some ironstaining / cementing	[Horizontal line pattern]					2				
	2.2	Pit discontinued at 2.2m, refusal										
	3											
	4											

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: Seepage observed at 2m

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
>	Water seep
∇	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 115
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.05	TOPSOIL - Brown clayey silt, moist		D,PID	0.2		<1 ppm							
		GRAVELLY SILT - Light grey gravelly silt, humid												
	0.5	SILTSTONE - Very low strength, highly weathered grey and orange siltstone		pp	1.0		360->400 kPa	1						
	0.9	SILTY CLAY - Very stiff to hard, grey mottled orange silty clay, M<Wp												
	1.2	SILTSTONE - Very low strength, highly weathered grey mottled orange siltstone												
	1.8	Pit discontinued at 1.8m, refusal												
	2													
	3													
	4													

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 117
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing			Water	Dynamic Penetrometer Test (blows per mm)			
				Type	Depth	Sample		Results & Comments	5	10	15
	0.3	CLAY - Stiff, grey mottled orange clay with some silt and organics, M>Wp		D,PID,pp	0.1		<1 ppm, 120-170 kPa				
	0.7	SILTY CLAY - Firm to stiff, dark grey silty clay, some organics, M>Wp		D,PID,pp	0.4		<1 ppm, 80-130 kPa				
	1.0	CLAY - Firm, grey mottled orange clay, M>Wp		D,pp	1.0		70-90 kPa				
	1.5	from 1.5m, firm to stiff		D,pp	1.5		90-120 kPa				
	2.0	from 2.3m, firm, silty, grading into clayey silt		D,pp	2.5		60-90 kPa				
	2.8	from 2.8m, trace shell flecks									
	3.0	Pit discontinued at 3.0m, limit of investigation									

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: Seepage at 0.7m

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		▽	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 118
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)										
				Type	Depth	Sample	Results & Comments		5	10	15	20							
	0.04	TOPSOIL - Brown clayey silt, moist																	
		CLAY - Hard, grey mottled orange-red clay, M<<Wp		D,PID,pp	0.2		<1 ppm, <400 kPa												
					0.3														
		from 0.5m, M<Wp		B	0.5														
				D,PID,pp	0.7		<1 ppm, >400 kPa												
	1																		
		from 1.3m, grading into claystone		pp	1.2		>400 kPa												
	1.8																		
	2	CLAYSTONE - Extremely low strength, extremely weathered, light grey claystone with some ironstaining																	
		from 2.2m, extremely low to very low strength																	
	2.5	Pit discontinued at 2.5m, limit of investigation																	
	3																		
	4																		

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 119
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
		CLAYEY SILT - Dark grey clayey silt with some rootlets, moist		D,PID	0.1		<1 ppm						
		from 0.5m, grey mottled orange		D,pp	0.6								
0.9	1	CLAY - Firm to stiff, grey mottled orange clay with some silt and fine grained sand, M>Wp		D,pp	1.0		90-140 kPa	1					
		from 1.5m, stiff		D,pp	1.5		160-180 kPa						
	2	from 2m, very stiff to hard		D,pp	2.0		370->400 kPa	2					
				D,pp	2.5		>400 kPa						
3	3.0	Pit discontinued at 3.0m, limit of investigation						3					
	4							4					

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A Auger sample	pp Pocket penetrometer (kPa)
D Disturbed sample	PID Photo ionisation detector
B Bulk sample	S Standard penetration test
U Tube sample (x mm dia.)	PL Point load strength Is(50) MPa
W Water sample	V Shear Vane (kPa)
C Core drilling	> Water seep
	☼ Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 120
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.05	TOPSOIL - Grey-brown clayey silt, moist		D,PID	0.1		<1 ppm							
		SANDY CLAY / GRAVEL AND COBBLES - Grey mottled orange sandy clay, fine to coarse grained subangular gravel and cobbles to 200mm, damp												
	0.5	SILTSTONE - Extremely low strength, extremely weathered, light grey mottled orange siltstone		D,PID	0.6		<1 ppm							
	1	from 1m, claystone and siltstone												
	1.5	from 1.4m, very low strength Pit discontinued at 1.5m, refusal												
	2													
	3													
	4													

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 121
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
		SILT - Grey-brown silt with some clay, fine grained sand and trace fine to medium grained subangular gravel, moist from 0.25m, light grey-brown, humid		D,PID	0.1		<1 ppm							
				D,PID	0.5		<1 ppm							
	0.65	CLAY - Hard, grey clay with some silt and fine to coarse grained sand, sand content increasing, M<Wp		pp	0.7		>400 kPa							
	0.8	SANDY CLAYSTONE - Very low strength, moderately weathered grey sandy claystone												
	1													
	1.2	Pit discontinued at 1.2m, refusal												
	2													
	3													
	4													

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 123
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.35	CLAY - Very stiff grey clay with some orange mottling, some silt and rootlets, M>Wp		D,PID,pp	0.1		<1 ppm, 280-320 kPa						
				D	0.2								
	0.35	CLAYEY SILT/SILTY CLAY - Very stiff, dark grey clayey silt / silty caly, moist / M>Wp		D,PID,pp	0.4		<1 ppm, 200-280 kPa						
				D	0.9		D						
1	1.0	SILTY CLAY - Very stiff, grey mottled orange-brown silty clay, M>Wp		pp	1.1		270-340 kPa						
		from 1.7m, reduced silt content		D	1.5								
2		from 2.1m, stiff to very stiff, light grey mottled orange		D,pp	2.0		230-280 kPa						
				pp	2.1		180-220 kPa						
				pp	2.3		240-290 kPa						
	2.45	SILTY SAND - Grey mottled orange silty clayey fine to medium grained sand, saturated with soem clay and trace fine to medium grained subangular and subrounded gravel (including extremely weathered coal / carbonaceous siltstone)		D	2.5								
3	3.0	Pit discontinued at 3.0m, limit of investigation											
4													

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: Free groundwater observed at 2.45

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		▽	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 124
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.05	FILLING - Brown silty sand, moist		D,PID	0.1		<1 ppm							
		FILLING - Orange-brown sandy fine to coarse grained subangular gravel and cobbles with some clay, (ripped sandstone), damp												
	0.45	FILLING - Stiff to hard, grey mottled orange and brown silty sandy clay with some fine to coarse grained subangular gravel including trace coal, M<Wp		D,PID,pp	0.6		<1 ppm, 120->400 kPa							
	1.1	CLAYEY SILT - Dark grey-brown clayey silt, moist		D,PID	1.2		<1 ppm							
	1.5	SILTY CLAY - Stiff, dark grey mottled orange-red silty clay, M>Wp		D,pp	1.7		140-190 kPa							
	2.1	CLAY - Very stiff to hard grey clay with some orange mottling, M>Wp		pp	2.3		340->400 kPa							
	3.0	Pit discontinued at 3.0m, limit of investigation												

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 125
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.6	SANDY SILT - Grey-brown sandy silt with trace fine to coarse grained subangular gravel, damp from 0.15m, light grey-brown, increased sand content, humid		D,PID	0.1		<1 ppm						
				B	0.2								
					0.5								
	1.0	SANDY CLAY - Very stiff to hard, grey mottled orange sandy clay with some fine to coarse grained subangular gravel, M<Wp		D,PID,pp	0.8		<1 ppm, 290->400 kPa						
		from 1.2m, increasing gravel content, some cobbles to 200mm											
	2.0			pp	2.0		>400 kPa						
		from 2.5m, very stiff, no gravel, trace silt, M>Wp		pp	2.5		270-340 kPa						
		from 2.85m, grading into claystone / siltstone											
	3.0	Pit discontinued at 3.0m, limit of investigation											
	4.0												

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 126
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)			
				Type	Depth	Sample	Results & Comments		5	10	15	20
		CLAY - Very stiff to hard, grey clay with some orange mottling and trace silt, M < Wp		D,PID,pp	0.1		<1 ppm, 360->400 kPa					
		from 0.4m, stiff to very stiff, M>Wp		D,PID,pp	0.5		<1 ppm, 180-250 kPa					
1				D,PID,pp	1.2		<1 ppm, 160-200 kPa					
1.4		CLAY - Stiff to very stiff, light grey mottled orange clay, M>Wp		D,PID,pp	1.7		<1 ppm, 190-300 kPa					
2		from 2.2m, stiff, trace ironstained shells		D,pp	2.4		150-190 kPa					
3	3.0	Pit discontinued at 3.0m, limit of investigation										
4												

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:






Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 127
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.4	CLAY - Stiff, grey-brown clay with some silt and fine to medium grained subangular gravel, M>Wp		D,PID,pp	0.1		<1 ppm, 140-180 kPa						
	0.4	CLAY - Very stiff to hard, light grey mottled orange clay, M < Wp		D,PID,pp	0.5		290->400 kPa						
	1.2	CLAYSTONE - Extremely low strength, extremely weathered, light grey claystone											
	1.5	Pit discontinued at 1.5m											
	2.0												
	3.0												
	4.0												

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 128
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing			Water	Dynamic Penetrometer Test (blows per mm)			
				Type	Depth	Sample		Results & Comments	5	10	15
	0.25	FILLING - Hard, dark grey-brown silty clay, M<Wp		D,PID,pp	0.1		<1 ppm, >400 kPa				
	0.4	FILLING - Hard, grey and orange-brown clay, M<Wp		D,PID,pp	0.3		<1 ppm, >400 kPa				
	0.85	CLAY - Stiff to very stiff, grey-dark grey slightly silty clay, M>Wp from 0.6m, M>>Wp		D,PID,pp	0.6		<1 ppm, 180-220 kPa				
	1.0	CLAY - Stiff, grey mottled orange clay with some silt, M>>Wp		D,PID,pp	1.0		<1 ppm, 150-180 kPa	1			
	1.5	from 1.5m, very stiff		pp	1.5		200-260 kPa				
	1.7	from 1.7m, some sand, stiff		pp	1.8		140-180 kPa				
	2.0	SANDY CLAYEY SILT - Grey mottled orange sandy clayey silt and abundant shell flecks, saturated		D	2.1			2			
	2.5	Pit discontinued at 2.5m, limit of investigation									
	3.0							3			
	4.0							4			

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: Free groundwater observed at 1.7m

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	Δ	Water seep
		▽	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 129
PROJECT No: 39663C
DATE: 19 Dec 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.05	TOPSOIL - Brown silty clay with abundant rootlets and organic matter, M>>Wp		D, pp	0.1		170-210kPa							
		SILTY CLAY/CLAYEY SILT - Stiff to very stiff, grey/dark grey silty clay/clayey silt with some rootlets, very moist, M>>Wp												
		from 0.3m to 0.5m, trace sandstone cobbles to 150mm												
		from 0.4m, grey mottled orange/brown silty clay		D, pp	0.5		150-230kPa							
	0.85	CLAY - Very stiff grey clay with some orange/brown mottling and trace silt and rootlets, M>Wp		D, pp	1.0		260-320kPa							
	1.6	SILTY CLAYEY SAND - Light grey mottled orange silty clayey sand, saturated		D, pp	1.5		260-350kPa							
	2.2	SILTSTONE - Extremely low to very low strength, highly weathered grey and orange/brown clayey siltstone												
	3.0	Pit discontinued at 3.0m- limit of investigation												

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: Seepage water observed at 0.4m, Free groundwater observed at 1.6m

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
▷	Water seep
≡	Water level

CHECKED
Initials:
Date:







Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 130
PROJECT No: 39663C
DATE: 19 Dec 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.1	FILLING - Grey/brown clayey sand and fine to coarse sub angular gravel including coal with trace silt and coal and sandstone cobbles, moist		D/PID	0.1		<1ppm						
	0.35	FILLING - Dark grey/black fine to coarse grey sand and gravel sized coal reject, generally comprising 60% coal, 40% carbonaceous siltstone, moist to wet		D/PID	0.5		<1ppm						
	0.6	from 0.6m, saturated						▼					
	0.9	SILTY SANDY CLAY - Stiff grey mottled orange/brown silty sandy clay, M>>Wp		D, pp, PID	1.0		130-190kPa, <1ppm						
	2.0	from 2.0m, very stiff clay with some silt		D, pp	2.0		210-260kPa						
	2.5	Pit discontinued at 2.5m- due to pit wall collapsing											
	3.0												

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: Free groundwater observed at 0.6m

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 131
PROJECT No: 39663C
DATE: 06 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)						
				Type	Depth	Sample	Results & Comments		5	10	15	20			
	0.1	FILLING - Generally comprising brown silty sand with some angular gravel, sandstone (5%) and coal chitter (5%), abundant rootlets, dry		D,PID	0.0		<1 ppm								
	0.05														
	0.2			D,PID											
	0.3	CLAYEY SAND - (Medium dense), grey fine grained clayey sand, trace rootlets, dry					<1 ppm								
	0.45	SANDSTONE - Low strength, extremely weathered, grey and orange fine grained sandstone Pit discontinued at 0.45m, refusal on sandstone													
	1														
	2														
	3														
	4														

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
▷	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 132
PROJECT No: 39663C
DATE: 06 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.0	FILLING - Generally comprising brown clayey silt with some fine grained sand and angular gravel		D,PID	0.0		<1 ppm							
	0.1				0.1									
	0.2	CLAYEY SAND - (Medium dense), light brown fine grained clayey sand		D,PID	0.2		<1 ppm							
	0.3				0.3									
	0.55	SANDSTONE - Low strength, extremely weathered, light yellow fine grained sandstone												
	0.55	Pit discontinued at 0.55m, refusal on sandstone												
	1													
	2													
	3													
	4													

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
>	Water seep
☞	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 133
PROJECT No: 39663C
DATE: 06 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.05	FILLING - Generally comprising brown clayey silt with trace angular gravel, abundant rootlets, damp		D,PID	0.0		<1 ppm							
	0.05													
	0.2	FILLING - Generally comprising brown mottled orange-brown silty clay, trace angular gravel and rootlets, dry		D,PID	0.2		<1 ppm							
	0.3				0.3									
	0.45	SILTY CLAY - (Hard), light brown mottled orange silty clay, trace rootlets, dry			0.5		<1 ppm, 450 kPa							
	0.65	Pit discontinued at 0.65m, refusal on sandstone		D,PID,pp	0.6									
	1													
	2													
	3													
	4													

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 134
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.3	FILLING - Grey-brown clayey silt with some fine grained sand, moist from 0.1m, light grey-brown, some cobbles		D,PID	0.2		<1 ppm						
	0.65	SILTY SANDSTONE - Very low to low strength, moderately weathered, orange silty sandstone											
	0.65	Pit discontinued at 0.65m, refusal											
	1												
	2												
	3												
	4												

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

REMARKS: Some coal chitter / ash in western edge of pit

Cone Penetrometer AS1289.6.3.2

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
▷	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 135
PROJECT No: 39663C
DATE: 06 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)									
				Type	Depth	Sample	Results & Comments		5	10	15	20						
	0.05	TOPSOIL - Dark brown sandy silt with trace gravel and abundant rootlets		D,PID	0.0		<1 ppm											
				D,PID	0.05		<1 ppm											
	0.3	CLAYEY SAND - (Dense), brown fine grained clayey sand with some low to medium strength weathered sandstone			0.1													
	0.45	SANDSTONE - Light grey and yellow, low strength, extremely weathered, fine grained sandstone Pit discontinued at 0.45m, refusal on sandstone			0.2													
	1																	
	2																	
	3																	
	4																	

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
▷	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 136
PROJECT No: 39663C
DATE: 06 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.05	TOPSOIL - Dark brown sandy silt with trace gravel and abundant rootlets	[Hatched pattern]	D,PID	0.0		<1 ppm						
						0.1							
		CLAYEY SAND - (Dense), brown clayey fine grained sand, trace sandstone (ironstone) fragments ranging up to 100mm			D,PID	0.3		<1 ppm					
						0.4							
	0.5 0.55	SANDSTONE - Light grey and yellow, low strength, extremely weathered sandstone Pit discontinued at 0.55m, refusal on sandstone											
	1												
	2												
	3												
	4												

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
>	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 137
PROJECT No: 39663C
DATE: 06 Nov 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.3	FILLING - Generally comprising brown silty clay, some gravel, comprising coal (1-2%) and sandstone (5%), abundant rootlets, dry		D,PID	0.2		<1 ppm							
	0.55	FILLING - Generally comprising orange-red fine grained clayey sand, trace gravel sized coal (1-2%), trace rootlets, dry		D,PID	0.3 0.4 0.5		<1 ppm							
	0.8	SANDSTONE - Low strength, extremely weathered, light grey and orange sandstone		D,PID	0.7		<1 ppm							
	0.8	Pit discontinued at 0.8m, refusal on sandstone												
	1													
	2													
	3													
	4													

RIG: Backhoe, 450mm bucket with teeth

LOGGED: Karpziel

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 138
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
		FILLING - Grey-brown clayey silt, damp		D,PID	0.1		<1 ppm						
		from 0.4m, grey, moist		D,PID	0.7		<1 ppm						
	1.2	FILLING - Grey mottled orange clay with some sand and trace fine to coarse grained subangular gravel, M> Wp		D,PID,pp	1.3		<1 ppm, 200-250 kPa						
	1.35	CLAY - Stiff to very stiff, grey clay with some orange mottling, M> Wp		D,PID,pp	1.5		<1 ppm, 180-220 kPa						
	2.2	CLAYSTONE - Extremely low strength, extremely weathered, light grey mottled orange claystone grading into very low strength siltstone											
	2.6	Pit discontinued at 2.6m, limit of investigation											

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 140
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.3	FILLING - Grey-brown clayey silt with trace fine to medium grained gravel including ash, moist (possible disturbed natural) from 0.2m, clay content increasing		D,PID	0.1		<1 ppm							
	0.85	CLAY - Very stiff, grey mottled orange clay, M> Wp from 0.7m, hard, M< Wp		D,PID,pp	0.5		<1 ppm, 270-320 kPa							
	1.0	CLAYSTONE - Extremely low strength, extremely weathered, light grey mottled orange claystone from 1.1m, very low strength		pp	0.7		>400 kPa							
	1.5	Pit discontinued at 1.5m, refusal												
	2.0													
	3.0													
	4.0													

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 141
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.3	FILLING - Grey-brown clayey silt with trace fine to coarse grained gravel including coal and ash and minor glass and porcelain inclusions, moist (possible disturbed natural)		D,PID	0.1		<1 ppm							
	0.8	CLAY - Very stiff, grey clay with some orange mottling and trace fine to coarse grained subangular gravel and cobbles to 200mm, M>Wp		D,PID,pp	0.5		<1 ppm, 260-300 kPa							
	1.0	CLAYSTONE - Extremely low strength, extremely weathered, grey mottled orange claystone with some ironstaining / cementing						1						
	1.5	from 1.3m, very low strength												
	1.5	Pit discontinued at 1.5m, refusal												
	2.0													
	3.0													
	4.0													

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:











Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 142
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.2	FILLING - Grey-brown intermixed sandy silt and fine to coarse grained gravel sized coal reject, generally comprising 40% sandy silt, 40% coal, 20% carbonaceous siltstone, damp		D,PID	0.1		<1 ppm							
				D,PID	0.3		<1 ppm							
	0.45	FILLING - Dark grey silty sandy fine to coarse grained gravel sized coal reject, generally comprising 50% coal, 50% carbonaceous siltstone		D,PID,pp	0.5		<1 ppm, 300-380 kPa							
		CLAY - Very stiff, grey and orange-brown clay, M>Wp												
	1	from 0.9m, hard, grey mottled orange, M<Wp		D,PID,pp	1.0		<1 ppm, >400 kPa	1						
	1.4	CLAYSTONE - Extremely low strength, extremely weathered, grey mottled orange claystone												
	2			D	2.0			2						
		from 2.7m, very low strength grading into siltstone												
3	3.0	Pit discontinued at 3.0m, limit of investigation						3						
4								4						

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 143
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.25	FILLING - Grey-brown clayey sand, fine to coarse grained subangular gravel and cobbles to 100mm including trace coal, moist		D,PID	0.1		<1 ppm						
		FILLING - Dark grey-black clayey fine to coarse grained gravel and cobble sized coal reject, generally comprising 50% coal, 35% clay, 15% carbonaceous siltstone, moist		D,PID	0.4		<1 ppm						
	0.7	FILLING - Grey-brown silt with some clay and sand and brick and metal inclusions, moist		D,PID	0.8		<1 ppm						
	0.9	FILLING - Hard intermixed grey and orange-brown silty sandy clay with some fine to coarse gravel, M> Wp		D,PID,pp	1.1		<1 ppm, >400 kPa	1					
	1.35	SILTY SANDY CLAY - Stiff to very stiff, grey-brown silty sandy clay with some fine to medium grained subrounded gravel, M>Wp		D,PID,pp	1.5		<1 ppm, 190-230 kPa						
	2.0	PEBBLY CLAYSTONE - Extremely low strength, extremely weathered, grey mottled pebbly claystone, sand and gravel content increasing with depth						2					
	2.2	CONGLOMERATE - Very low to low strength, moderately weathered, orange conglomerate		D	2.3								
	2.4	Pit discontinued at 2.4m, refusal											
	3							3					
	4							4					

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 144
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.3	SILT - Grey silt with trace clay and fine grained sand, moist		D,PID	0.05		<1 ppm							
		CLAY - Very stiff grey clay, M>Wp		D,PID,pp	0.4		<1 ppm, 290-320 kPa							
		from 0.7m, hard, M<Wp		pp	0.7		>400 kPa							
	0.9	SILTSTONE / CLAYSTONE - Extremely low strength, grey mottled orange siltstone / claystone with some medium strength boulders to 450mm												
		from 1.1m, low strength												
	1.4	Pit discontinued at 1.4m, refusal												
	2													
	3													
	4													

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 145
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.25	FILLING - Brown sandy silt with some gravel (crushed slag) in upper 100mm, moist		D,PID	0.1		<1 ppm						
	0.45	SILTY CLAYEY SAND - Grey-brown silty clayey fine to coarse grained sand with some fine to medium grained gravel, moist		D,PID	0.3		<1 ppm						
	0.8	SANDSTONE - Very low strength, highly weathered, grey mottled orange sandstone, clayey and pebbly in parts, some ironstaining / cementing											
	1.0	Pit discontinued at 0.8m, refusal											

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

REMARKS: Localised area of slag gravel at surface adjacent to power pole

Cone Penetrometer AS1289.6.3.2

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal & Allied Pty Ltd
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 146
PROJECT No: 39663C
DATE: 30 Oct 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.1	SILT - Grey silt with some fine grained sand and trace fine to coarse grained subangular gravel, humid		D,PID	0.1		<1 ppm						
	0.4	CLAYEY SILT - Grey mottled orange clayey silt with some fine to coarse grained gravel and cobbles to 200mm, damp	/ / / /	D,PID	0.5		<1 ppm						
	0.7	SILTSTONE - Very low strength, highly weathered, grey mottled orange siltstone	- - - -										
	1.0	from 0.9m, low to medium strength	- - - -										
	1.0	Pit discontinued at 1.0m, refusal											
	2.0												
	3.0												
	4.0												

RIG: JCB 3CX Backhoe, 600mm bucket with teeth

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:









Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
 PROJECT: Preliminary Geo-Contamination Assessment
 LOCATION: Minmi

SURFACE LEVEL: --
 EASTING:
 NORTHING:
 DIP/AZIMUTH: 90°/--

PIT No: 147
 PROJECT No: 39663C
 DATE: 19 Dec 07
 SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
		SANDY CLAYEY SILT - Grey sandy clayey silt with trace fine/medium sub rounded gravel, mottled		D/PID	0.1		<1ppm						
		from 0.2m, light grey, brown, increased sand and gravel content		D/PID	0.4		<1ppm						
		from 0.75m, clayey gravelly fine/medium grained sand with some silt, very moist		D	1.0								
1													
	1.5	SANDY CLAY/CLAYEY SANDY GRAVEL - Interbedded stiff to very stiff grey sandy clay (M>>Wp), and clayey sandy fine/coarse sub angular and sub rounded gravel, moist		D, pp	1.8		170-230kPa						
				pp	2.5		190-250kPa						
2													
	2.9	SANDSTONE/CONGLOMERATE - Very low to low strength highly weathered grey and orange sandstone/conglomerate											
3	3.0	Pit discontinued at 3.0m- refusal											

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	Δ	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 148
PROJECT No: 39663C
DATE: 19 Dec 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.15	TOPSOIL - Grey clayey silt with trace sand and fine/medium grained sub rounded gravel, damp		D/PID	0.1		<1ppm						
		CLAYEY SAND - Light grey mottled orange clayey fine/medium grained sand with some fine/medium grained sub rounded gravel											
		from 0.7m, extremely low strength, extremely weathered sandstone (soil like properties)											
		from 0.9m, very low strength highly weathered											
1	1.0	Pit discontinued at 1.0m- refusal											
	2												
	3												

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

REMARKS: Car suspension spring at surface

Cone Penetrometer AS1289.6.3.2

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
▷	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
 PROJECT: Preliminary Geo-Contamination Assessment
 LOCATION: Minmi

SURFACE LEVEL: --
 EASTING:
 NORTHING:
 DIP/AZIMUTH: 90°/--

PIT No: 149
 PROJECT No: 39663C
 DATE: 19 Dec 07
 SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.2	FILLING - Grey/brown clayey silty sand with some fine/medium grained gravel and numerous inclusions brick, plastic, glass, sheet metal and fibro, moist at 0.05m		D/PID	0.1		<1ppm						
	0.55	SILT - Hard grey silt with trace fine/medium grained gravel, fine grained sand and clay, humid from 0.35m clay count increasing		D/PID	0.4		<1ppm						
	0.55	SANDSTONE - Extremely low strength extremely weathered light grained mottled or sandstone (clayey sand like properties) from 0.7m, very low strength highly weathered											
1	1.0	Pit discontinued at 1.0m- refusal											
2													
3													

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
>	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
 PROJECT: Preliminary Geo-Contamination Assessment
 LOCATION: Minmi

SURFACE LEVEL: --
 EASTING:
 NORTHING:
 DIP/AZIMUTH: 90°/--

PIT No: 150
 PROJECT No: 39663C
 DATE: 19 Dec 07
 SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.25	SANDY SILT - Grey/dark grey sandy silt with trace clay and fine/medium grained sub rounded gravel, very moist		D/PID	0.1		<1ppm						
	0.25	SILTY SAND/CLAY - Grey mottled orange silty sand/clay M>>Wp/wet		D, pp, PID	0.4		90-190kPa, <1ppm						
	1			pp	0.75		190-280kPa						
	1.6	CLAYEY SAND/CLAYEY SANDY GRAVEL - Interbedded stiff to very stiff grey clayey sand (M>>Wp) and clayey sandy fine/coarse sub angular and sub rounded gravel, moist											
	2.0	SANDSTONE/CONGLOMERATE - Light strength moderately weathered grey and orange sandstone/conglomerate											
	2.1	Pit discontinued at 2.1m- refusal											
	3												

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: Seepage at 0.45m, free groundwater observed at 1.9m

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 151
PROJECT No: 39663C
DATE: 19 Dec 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)			
				Type	Depth	Sample	Results & Comments		5	10	15	20
	0.3	SILT - Light brown silt with trace clay, humid to damp from 0.2m, including clay content		D/PID	0.1		<1ppm					
	0.45	CLAY - Light grey mottled orange clay, silty in parts, M < Wp	/ / / / /	pp	0.4		270-400kPa					
	0.45	SILTSTONE - Very low strength highly weathered light grey mottled orange siltstone, clayey in parts									
	2.0	Pit discontinued at 2.0m										

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:






Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
 PROJECT: Preliminary Geo-Contamination Assessment
 LOCATION: Minmi

SURFACE LEVEL: --
 EASTING:
 NORTHING:
 DIP/AZIMUTH: 90°/--

PIT No: 152
 PROJECT No: 39663C
 DATE: 19 Dec 07
 SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.1	TOPSOIL - Very stiff grey silty clay M>Wp		D, pp, PID	0.1		300-330kPa, <1ppm						
	0.3	CLAY - Very stiff light grey clay, M>Wp		D, pp, PID	0.5		250-320kPa, <1ppm						
	0.7	CLAYSTONE - Low to medium strength grey claystone											
	0.8	Pit discontinued at 0.8m- refusal											
	1												
	2												
	3												

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

REMARKS: Brick, concrete, tile, glass and fibro at surface

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 153
PROJECT No: 39663C
DATE: 19 Dec 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
		FILLING - Hard grey clay and fine/coarse grey sub angular gravel, humid (possible natural)		D/PID	0.1		<1ppm							
	0.4	GRAVELLY SILT - Hard grained fine/coarse grey gravelly silt, humid												
	0.55	CONGLOMERATE - Very low strength grey or orange conglomerate												
	0.75	Pit discontinued at 0.75m- refusal												
	1													
	2													
	3													

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

REMARKS: Fibro at surface adjacent to pit sheet

Cone Penetrometer AS1289.6.3.2

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
>	Water seep
≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 154
PROJECT No: 39663C
DATE: 20 Dec 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)				
				Type	Depth	Sample	Results & Comments		5	10	15	20	
	0.1	GRAVELLY SILT - Dark grey/brown fine/coarse grained sub angular and sub rounded gravelly silt with some clay and sand, moist		D/PID	0.1		<1ppm						
	0.25	CLAY - Grey mottled orange clay with some silt, M<Wp		pp	0.3		320-400kPa						
	0.45	SILT - Light grey brown silt with some clay and fine/medium grained sand, humid		D/PID	0.5		<1ppm						
	0.75	SANDY SILTY CLAY - Hard grey mottled sandy silty clay, M<Wp		pp	0.8		>400kPa						
	1												
	2												
	2.5	from 2.2m, grading into extremely low strength sandy claystone with some fine/medium sub rounded gravel											
	2.6	SILTSTONE/SANDSTONE - Very low to low strength moderately weathered grey and orange siltstone/sandstone											
		Pit discontinued at 2.6m- refusal											
	3												

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

REMARKS: Some general fly tipping at surface (plastic & metal)

Cone Penetrometer AS1289.6.3.2

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 155
PROJECT No: 39663C
DATE: 20 Dec 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.3	TOPSOIL: Dark grey clayey silt, moist grading into silty clay at 0.3m		D/PID	0.1		<1ppm							
	0.4	CLAY: Very stiff grey clay, M>Wp		D, PID, pp	0.5		<1ppm, 330-380kPa							
	1.0	From 1.0m, grey/brown												
	1.4	CLAYSTONE: Extremely low to light strength highly weathered light grey claystone												
	1.8	COAL: Extremely low strength extremely weathered black coal (clayey silt properties)												
	2.0	CLAYSTONE: Light strength moderately weathered grey mottled orange claystone												
	2.3	Pit discontinued at 2.3m- refusal												
	3.0													

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A	Auger sample
D	Disturbed sample
B	Bulk sample
U	Tube sample (x mm dia.)
W	Water sample
C	Core drilling
pp	Pocket penetrometer (kPa)
PID	Photo ionisation detector
S	Standard penetration test
PL	Point load strength Is(50) MPa
V	Shear Vane (kPa)
>	Water seep
≡	Water level

CHECKED
Initials:
Date:






Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 156
PROJECT No: 39663C
DATE: 20 Dec 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
	0.25	TOPSOIL: Grey/brown sandy silt with some clay, damp		D/PID	0.1		<1kPa							
	0.85	SAND: Light grey/brown slightly silty and clayey fine/medium grained sand with trace to some fine/medium grained sub angular gravel, damp		D/PID	0.5		<1kPa							
	1.0	SANDSTONE: Extremely low strength to very low strength extremely weathered light grained mottled orange sandstone with trace fine/medium grained sub rounded gravel												
	1.2	Pit discontinued at 1.2m												
	2.0													
	3.0													

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
 Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	>	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 157
PROJECT No: 39663C
DATE: 20 Dec 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)												
				Type	Depth	Sample	Results & Comments		5	10	15	20									
	0.05	TOPSOIL: Grey/brown silty fine/medium grained sand, damp SANDY SILT/SILTY SAND: Light grey sandy silt/silty fine/medium grained sand, humid		D/PID	0.1		<1ppm														
	0.45	SANDSTONE: Extremely low strength extremely weathered light grained mottled orange sandstone (hard silty sand like properties clayey in parts)		D/PID	0.5		<1ppm														
	1.6	Pit discontinued at 1.6m- refusal																			
	2																				
	3																				

RIG: CASE 450mm bucket

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

Sand Penetrometer AS1289.6.3.3

REMARKS: Some concrete, brick and terrace rubble at surface

Cone Penetrometer AS1289.6.3.2

SAMPLING & IN SITU TESTING LEGEND			
A	Auger sample	pp	Pocket penetrometer (kPa)
D	Disturbed sample	PID	Photo ionisation detector
B	Bulk sample	S	Standard penetration test
U	Tube sample (x mm dia.)	PL	Point load strength Is(50) MPa
W	Water sample	V	Shear Vane (kPa)
C	Core drilling	▷	Water seep
		≡	Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater

TEST PIT LOG

CLIENT: Coal and Allied
PROJECT: Preliminary Geo-Contamination Assessment
LOCATION: Minmi

SURFACE LEVEL: --
EASTING:
NORTHING:
DIP/AZIMUTH: 90°/--

PIT No: 158
PROJECT No: 39663C
DATE: 20 Dec 07
SHEET 1 OF 1

RL	Depth (m)	Description of Strata	Graphic Log	Sampling & In Situ Testing				Water	Dynamic Penetrometer Test (blows per mm)					
				Type	Depth	Sample	Results & Comments		5	10	15	20		
		CLAYEY SILT: Dark grey/brown clayey silt, moist grading to very stiff to hard grey/brown silty clay at 0.3m, M>Wp		D/PID	0.1		<1ppm							
				pp	0.3		320-740kPa							
				D/PID	0.5		<1ppm							
				pp	0.6		200-270kPa							
	0.9	CLAY: Hard light grey clay M>Wp	/ / / / /	pp	1.0		>400kPa	1						
	1.25	CARBONACEOUS SILTSTONE: Extremely low to very low strength highly weathered dark grey/brown carbonaceous siltstone with some coal	- - - - -											
		From 1.6m, including coal content, occasional light grey clay bands	- - - - -											
	2		- - - - -					2						
	2.9	CLAYSTONE: Very low to low strength moderately weathered grey/brown claystone	- - - - -											
	3.0		- - - - -					3						
		Pit discontinued at 3.1m- refusal												

RIG: CASE 580 Super LE

LOGGED: Collins

WATER OBSERVATIONS: No free groundwater observed

- Sand Penetrometer AS1289.6.3.3
- Cone Penetrometer AS1289.6.3.2

REMARKS:

SAMPLING & IN SITU TESTING LEGEND	
A Auger sample	pp Pocket penetrometer (kPa)
D Disturbed sample	PID Photo ionisation detector
B Bulk sample	S Standard penetration test
U Tube sample (x mm dia.)	PL Point load strength Is(50) MPa
W Water sample	V Shear Vane (kPa)
C Core drilling	> Water seep
	≡ Water level

CHECKED
Initials:
Date:



Douglas Partners
 Geotechnics • Environment • Groundwater