OPEN SPACE MAINTENANCE & MANAGEMENT - NORTH PENRITH

STAGE 1 WORKS					
OPEN SPACE ONE	REFERENCE AND DESCRIPTION	CONCEPTUAL DESIGN AND FUNCTON	ESTIMATED CAPITAL EXPENDITURE	FUTURE MANAGEMENT ISSUES	FREQUENCY
Smiths Paddock / Village Green	strong north easterly axis from the proposed Station	The Village Green location has significant historical references in terms of its contribution to the Penrith Districts affiliation with the pursuit of active recreation. Following these principles the oval will remain as part of the developments core active recreational facilities. However, the oval is not dedicated to any particular sporting code as the oval is intended to be available for use by the general public for unorganised play. The areas surrounding the northern and eastern perimeter of the oval will be used for pedestrian circulation through a series of perimeter paths separated by a native woodland landscape treatment created by the stand of existing eucalypts and supplementary plantings of similar eucalypts. Entry points into the village green will be acconclusted with boardwaks crossing over WSUD swales and ornamental rain gardens. The southern portion of the oval contains a structured play space catering for children of various age groups and abilities along with a water play element such as a pop jet plaza. An all abilities play area is to be designed to cater for children with various disabilities in mind. The western edge of the oval will contain a architecturally designed Community Facilities building with included private and public amenites. A segmentel form jet water feature is proposed to visually link the movement of water to the north west to give the illusion of a single continuous water body leading to the Waters Edge park further to the west of the oval.		Hard Landscape - Cleaning & re-oiling of Timber Decking General cleaning of graffili Leaf blowing Soft Landscape: Water Carts - watering Care of New & Existing trees mowing of oval & Streetscape turf, Fertilisers & Pruning Weeding Structures: Community Facilities building Public Toilet General Cleaning & servicing of public facilities, re-painting, safety / lighting. BBO Area Shade Structure:- General maintenance, cleaning, safety BBO's:- General maintenance, cleaning, safety BBO's:- General maintenance, cleaning, safety Play Equipment: All Abilities Children's playround & older childrens playground General maintenance, cleaning, safety Play Guipment: All Abilities Children's playround & older childrens playground General maintenance, cleaning, safety Playround Sail Shade Structure:- General maintenance, cleaning, safety Plubic Art: General maintenance, cleaning of water feature, repair damage or leaks Drainage: Clean out of all sub surface pipes and pits when required. Furniture and Amentites:- Cleaning of graffiti Ormamental Rain Gardens: Clean out of all sub surface pipes and pits when required. Furniture and Amentites:- Clean out of Sadiment tubid up Remove litter rigation: Clean out of Water Storage Tank, Pump station, clean UV filter / globes, Control panel, Repair damaged lines and sprinklers Waste Management:- Emply litter bins Lighting: Excluded	2 Years When Required Autumn- Fortnightly / Remainder Monthly Spring/Summer Fortnightly - Autum/Winter Monthly Quarterly Spring / Autumn Ongoing Daily Daily / When Required 6 Months Weekly / Daily Quarterly Quarterly Quarterly 6 Months / When Required When Required 2 Years When Required 5 Years Months / When Required 5 Years Months / When Required 3 Months / When Required Daily / Weekly
OPEN SPACE THREE					
Belmore Green	Location of this Neighbourhood Park is 500m due North East of the Station Square and 200m due north of the centre of Smiths Paddock Oval. It is bound on its eastern border by residential lots and surrounded on the remaining three sides by residential roads. This park is generally triangular in shape.	The intent of this open space is to create an area for passive an active recreation, and quiet contemplation. A gently mounded sunning tawn is the focal point of the park as it creates a metaphoric relationship with the Smiths Paddock Oval. Accessibility around all three sides of this space with one major intersecting path connecting both sides of the park enhance the functionality and usability for both pedestrians and cyclist. A dedicated front access path combined with dense planting will minimise the effect of surrounding residential lots.	Nii to Council	Hard Landscape: - Cleaning of walls General cleaning and or of graffili Leave blowing Soft Landscape:- Water Carts - watering Care of Existing and replacement trees Mowing Fertilisers, Pruning and Hedging Weeding Drainage: Clean out of all sub surface pipes and pits when required. Furniture and Amenities:- Cleaning & re-oiling of any Timber components, General cleaning and or of graffili, Waste Management:- Emply litter bins if bins required Lighting:- Excluded	When Required When Required Autumn- Fortnightly / Remainder Monthly Spring/Summer Fortnightly - Autum/Winter Monthly Ouarterly Spring / Autumn Ongoing When Required 2 Years / When Required Dally / Weekly

STAGE 2 WORKS					
OPEN SPACE TWO					
Thornton Park	Thornton Park is located approximately 255m due east of the centre of Smiths Paddock / Village Gree with its eastern boundary being defined by the curtiledge of the heritage listed Thornton Hall building.	This park is situated within some of the remaining remnant Cumberland Plain Woodland found on site and is also positioned to take full advantage of one of the sites few topographic high points. The intent of this park is to create an area for contemplative passive recreation with potential for both indigenous and European heritage interpretation through public art. Removal of no more than three of the existing woodland trees will open up a view corridor through the remnant woodland plantings to visually link Thomton Hall to the Smiths Paddock Oval and its new Community Facilites building. Access to the park will be through several sets of steps that link a series of small elevated turf break out spaces created by retaining walls clad with red interpretive art panels and soft planting. Universal access is provided via a ramped path running parallel with the site contours linking the southern and northern entries to the park. The remaining Cumberland Plain Woodland is to be cleared of all weeds and undergo selected bush regeneration management.	Nii to Council	Hard Landscape: - Cleaning of Retaining walls & Art wall panelling installation General cleaning of grafiti Leaf blowing Water Carls - watering Care of New & Existing trees mowing of terrace turf & streetscape turf, Fertilisers & Pruning Weeding Public Art- General maintenance, cleaning, safety / lighting Drainage: Clean out of all sub surface pipes and pits when required. Furniture and Amenities:- Cleaning & re-oiling of any Timber components, General cleaning and or of grafiti Waste Management Empty litter bins if bins required Lighting:- Excluded	When Required When Required Autumn- Fortnightly / Remainder Monthly Spring/Summer Fortnightly - Autum/Winter Monthly Quarterly Spring / Autumn Ongoing 6 Months / When Required When Required 2 Years / When Required Daily / Weekly

LANDCOM'S MAINTENANCE PERIOD APPROXIMATE COST RANGE / ANNUM	COUNCILS APPROXIMATE MAINTENANCE COST RANGE / ANNUM	ASSET RENEWAL FREQUENCY & COST TO COUNCIL
70K - 100K		All Abilities Play Equipment - replace in 15 yrs @ \$165K Older Kids Play Equipment - replace in 15 yrs @ \$195K Playground Shade Sails x 2 - replace in 10 yrs @ \$90K Water feature filters - replace every 2 years @ \$20K Electric BBO's x 5 - Replace over 10yrs @ \$100K
30K - 45K	15K - 30K	

25K - 40K	15К - 30К	

OPEN SPACE FOUR				
Howell Park	This community park is located 360m due north of the Station Square and is surrounded on all four sides by residential streets with some off street parking available to access the park.	Nil to Council	Hard Landscape: - Cleaning of retaining walls General cleaning and or of graffiti Leave blowing Soft Landscape: - Water Carts - watering Care of Existing and replacement trees Mowing Fertilisers, Pruning and Hedging Weeding Public Art: General maintenance, cleaning, safety / lighting Drainage: Clean out of all sub surface pipes and pits when required. Furniture and Amenities:- Cleaning of treasment: Waste Management: Empty litter bins if bins required Lighting:- Excluded	When Required When Required Autumn- Fortnightly / Remainder Monthly Quarterly Spring/Summer Fortnightly - Autum/Winter Monthly Spring / Autumn Ongoing 6 Months / When Required When Required 2 Years / When Required Daily / Weekly
OPEN SPACE FIVE	The Common is located approximately 400m in a straight line to the north west of the Station Squre. The park is situated in the north western correr of the site and bounded by existing lots to the north, including Combewood, and unused lot to the west and by the Museum of Fire to the south.	Nil to Council	Hard Landscape: - Cleaning of walls General cleaning and or of graffiti Leave blowing Soft Landscape: - Water Carts - Watering Care new trees Mowing Fertilisers, Pruning and Hedging Weeding Public Art:- General maintenance, cleaning, safety / lighting Drainage:- Clean out of all sub surface pipes and pils when required. Furniture and Amenities:- Cleaning are toriging of any Timber components, General cleaning and or of graffiti WSUD Zones:- Clean out of sediment build up, replace filter material and plants Remove litter Waste Management: Empty litter bins if bins required Lighting:- Excluded	When Required When Required Autumn- Fortnightly / Remainder Monthly Spring/Summer Monthly - Autum/Winter Quarterly Quarterly Spring/Summer Fortnightly - Autum/Winter Monthly Spring / Autumn Ongoing 6 Months / When Required When Required 2 Years When Required 5 Years Monthly Daily / Weekly
OPEN SPACE SIX				
Waters Edge	The Waters Edge is located 250m due north of the Station Square and is divided into western and eastern sections by a singular pedestrian bridge crossing. The vestern water body is approximately 230m in length while the eastern water body is 120m. Edge will also contain integration with public at elements, quality material finishes and water movement. The Waters Edge park will also create the perfect backdrop for the permium residential lots that run adjacent the length of the waters backdrop for the development from the west, the lineal aspect of the Waters Edge directs you into the centre of the development to the Smiths Paddock and Station Square.	Nil to Council	Hard Landscape: - Cleaning of retaining walls General cleaning and or of graffiti Leave blowing Soft Landscape: - Water Carts - Watering Care of new trees Mowing Fertilisers, Pruning and Hedging Weeding Water Features: - Pumps, water storage, reliculation pipes, cleaning of water feature, repair damage or leaks Public Art:- General maintenance, cleaning, safety / lighting Drainage: Clean out of all sub surface pipes and pits when required. Furmiture and Amenities: - Cleaning & re-oiling of any Timber components General cleaning and or of graffiti WSUD Zones: - Clean out of sediment build up, replace filter material and plants Remove litter Waste Management- Emply litter bins Tibins required Libbinge: Excluded	When Required When Required Autumn-Fortnightly / Remainder Monthly Spring/Summer Fortnightly - Autum/Winter Monthly Quarterly Spring / Autumn Ongoing 3 Months / When Required 6 Months / When Required 6 Months / When Required 2 Years When Required 5 Years Monthly Daily / Weekly
OPEN SPACE SEVEN McHenry Place	This small town park is to be found approximately The intent of this open space is to keep the existing trees and to help create a green fring	e	Hard Landscape: -	
	120m due north of the Station Square and is located to the eastern side of the road. the park will be via a diagonal path that will encourage pedestrian activity day or night within the park and providing users with a experiental walk due to carefully through to up lanting and the retention of existing trees. A gently sloping sunning lawn has been created to create visual interest and the opportunity to rest and relax under the existing eucalytps.	Nil to Council	Cleaning of retaining wall General cleaning and or of graffiti Leave blowing Soft Landscape:- Water Carls - Watering Care of Existing and new trees Mowing Fertilisers, Pruning and Hedging Weeding Drainage:- Clean out of all sub surface pipes and pils when required. Furriture and Amenities:- Cleaning & re-oiling of any Timber components General cleaning and or of graffiti Waste Management:- Emply litter bins if bins required Lighting: Excluded	When Required When Required Autumn- Fortnightly / Remainder Monthly Spring/Summer Monthly - Autum/Winter Quarterly Quarterly Spring/Summer Fortnightly - Autum/Winter Monthly Spring / Autumn Ongoing When Required 2 Years When Required Daily / Weekly

25K - 40K	15К - 30К	
40K - 60K	20K - 40K	
75K - 90K	45K - 60K	
10K - 20K	10K - 20K	

The Projects main urban centre is the Station Square. The plaza is located adjacent to and directly north of the existing Penrith Train Station.	The urban plaza is the hub of the development as it is the ultimate destination point for y local and potentially regional commuters travelling to work on the State Rail and Bus		Hard Landscape: - Cleaning of retaining walls	When Required
			Cleaning of retaining walls	When Deguired
north of the existing Penrith Train Station.			ordaning or retaining walls	when Required
	connections. The very influx of commuters will define the nature of this space with retail		General cleaning and or of graffiti	When Required
	and small businesses located to the edges of the plaza space. The plaza itself is generally		Leave blowing	Autumn- Fortnightly / Remainder Monthly
	open with little in the way of obstruction to pedestrian desire lines to and from the station.		Soft Landscape:-	
	Quality landscape materials are to be used along with the introduction of a water rill		Water Carts - Watering	Spring/Summer Fortnightly - Autum/Winter Monthly
	incorporated with foam jets to enhance the theme of water movement found throughout		Mowing of turf	Spring/Summer Fortnightly - Autum/Winter Monthly
	the development. Shade trees coupled with an expansive undulating turf platform provides		Care of trees and mass planting	Quarterly
	a green respite to the openness of the plaza. A focal piece of public art and sinuous forms		Fertilisers, Pruning and Hedging	Spring / Autumn
	of the public seating compliment the linear geometry.		Weeding	Ongoing
			Water Features:-	
		NII to Council	Pumps, water storage, reticulation pipes, cleaning of water feature, repair damage or leaks	3 Months / When Required
			Drainage:-	
			Clean out of all sub surface pipes and pits when required.	When Required
			Irrigation-	
			Clean out of Water Storage Tank if not connected to town water. Pump, Control panel, Repair damaged sub surface lines	3 Months / When Required
			Furniture and Amenities:	
			General cleaning and or of graffiti	When Required
				Daily / Weekly
			Lighting. Excluded	
		Quality landscape materials are to be used along with the introduction of a water rill incorporated with foam jets to enhance the theme of water movement found throughout the development. Shade trees coupled with an expansive undulating turf platform provides	Quality landscape materials are to be used along with the introduction of a water rill incorporated with foam jets to enhance the theme of water movement found throughout the development. Shade trees coupled with an expansive undulating furf platform provides a green resplite to the openness of the plaza. A focal piece of public art and sinuous forms	Quality landscape materials are to be used along with the introduction of a water rill Water Carts - Watering incorporated with foam jets to enhance the theme of water movement found throughout Mowing of turf the development. Shade trees coupled with an expansive undulating turf platform provides Gare of trees and mass planting a green resplice to the openness of the plaze. Fertilisers, Pruning and Hedging of the public seating compliment the linear geometry. Water Features:- Will to Council Pumps, water storage, reliculation pipes, cleaning of water feature, repair damage or leaks Drainage:- Clean out of all sub surface pipes and pils when required. Trainage:- Clean out of Water Storage Tank if not connected to lown water, Pump, Control panel, Repair damaged sub surface lines

|--|