

All communications to be addressed to:

Headquarters  
NSW Rural Fire Service  
Locked Mail Bag 17  
GRANVILLE NSW 2142


Telephone: (02) 8741 5175  
e-mail: csc@rfs.nsw.gov.au

Headquarters  
NSW Rural Fire Service  
15 Carter Street  
HOMEBUSH BAY NSW 2127

Facsimile: (02) 8741 5433



The Director General  
Dept of Planning & Infrastructure  
GPO Box 39  
Sydney NSW 2001



PCU027217

Attention: Stuart Withington

RECEIVED

20 OCT 2011

Director-General

5 October 2011

Dear Sir/Madam

**Re: Environmental Assessment for Bayside Brunswick Concept Plan - 05\_0091**

I refer to your letter dated 12 September 2011 inviting a submission from the NSW Rural Fire Service including advice on recommended conditions of approval regarding bush fire protection measures for the above project.


The Service has reviewed the *Environmental Assessment* and makes the following comments and recommendations:

1. For Lot B167, no revegetation shall occur within or east of the asset protection zone as shown in Dwg.No. LM080082-DR21 B.
2. For Lot B160, no revegetation shall occur within or north of the asset protection zone as shown in Dwg.No. LM080082-DR21 B.
3. Public Reserve Lot P1 shall be managed as an asset protection zone, excluding the EEC as shown in Dwg.No. LM080082-DR21 B.
4. Drainage Reserve Lot P2 shall be managed as an asset protection zone.
5. All other residential Lots shall be managed as an asset protection zone until further developed.



For any enquiries regarding this correspondence please contact Garth Bladwell.

Yours faithfully,

A handwritten signature in black ink that reads "Mark Hawkins". The signature is written in a cursive style with a large 'M' and 'H'.

Mark Hawkins

**A/Team Leader, Development Assessment**

For information on *Planning for Bush Fire Protection 2006*, visit the RFS web page [www.rfs.nsw.gov.au](http://www.rfs.nsw.gov.au)