All communications to be addressed to:

Headquarters NSW Rural Fire Service Locked Mail Bag 17 **GRANVILLE NSW 2142**

Headquarters NSW Rural Fire Service 15 Carter Street LIDCOMBE NSW 2141

Telephone: (02) 8741 5555

Facsimile: (02) 8741 5550

e-mail: development.assessment@rfs.nsw.gov.au

The Director Department of Planning Metropolitan & Regional North GPO Box 39 SYDNEY NSW 2001

Attention: Enguang Lee



Your Ref: MP 07_0010

> S07/0017 HQ11/1097

5 April 2011

Dear Sir

Response to Submissions Report: Major Project 07_0010 Concept Plan & Project Application proposal for Residential, Commercial and Tourist Development at Ocean Drive, Lake Cathie

I refer to your letter dated 21 March 2011 inviting comments by the NSW Rural Fire Service (RFS) on the Response to Submission Report for the above proposal.

The RFS has reviewed the documents and the following comments are made:

 The RFS notes that the required rainforest revegetation proposed between the fence and pathway/cycleway in the eastern portion of site has decreased the amount of asset protection zone (APZ) being provided from this vegetation. As a result, the RFS is unable to accurately assess this proposal. In this regard, an amended Bushfire Assessment Report will be required identifying that appropriate APZ's can be provided in accordance with Appendix 2 of 'Planning for Bush Fire Protection 2006 taking into consideration this additional requirement.

For any enquiries regarding this correspondence please contact Jason Hulston.

Yours faithfully

Corey Shackleton

A/Team Leader, Development Assessment & Planning

Department of Planning HEIZINING 2 0 APR 2013 Scanning Room

For information on Planning for Bush Fire Protection 2006 visit the RFS web page www.rfs.nsw.gov.au